

全国がん登録

都道府県版標準集計表 2018

(山梨県)

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	3,693	2,577	6,270	100.0	100.0	100.0	923.2	618.0	767.4	422.8	314.1	361.5	301.6	236.6	265.0	35.9	26.3	30.9
口腔・咽頭	C00-C14	92	37	129	2.5	1.4	2.1	23.0	8.9	15.8	12.6	5.4	8.8	9.2	3.9	6.5	1.1	0.4	0.8
食道	C15	146	30	176	4.0	1.2	2.8	36.5	7.2	21.5	17.4	3.3	10.1	12.8	2.3	7.4	1.8	0.3	1.0
胃	C16	524	219	743	14.2	8.5	11.9	131.0	52.5	90.9	56.5	19.8	37.1	38.5	14.1	25.7	4.8	1.6	3.2
大腸（結腸・直腸）	C18-C20	571	352	923	15.5	13.7	14.7	142.8	84.4	113.0	66.2	32.7	48.6	46.8	23.5	34.7	5.8	2.9	4.3
結腸	C18	370	251	621	10.0	9.7	9.9	92.5	60.2	76.0	41.0	21.0	30.4	28.5	15.0	21.4	3.4	1.8	2.6
直腸	C19-C20	201	101	302	5.4	3.9	4.8	50.3	24.2	37.0	25.2	11.7	18.2	18.4	8.5	13.3	2.3	1.0	1.7
肝および肝内胆管	C22	237	88	325	6.4	3.4	5.2	59.3	21.1	39.8	26.6	7.0	16.3	18.8	4.9	11.6	2.1	0.5	1.3
胆のう・胆管	C23-C24	80	67	147	2.2	2.6	2.3	20.0	16.1	18.0	7.8	4.1	5.8	5.0	2.7	3.8	0.5	0.2	0.4
膵臓	C25	152	148	300	4.1	5.7	4.8	38.0	35.5	36.7	17.3	13.1	15.2	12.4	9.1	10.7	1.5	1.1	1.3
喉頭	C32	28	0	28	0.8	0.0	0.4	7.0	0.0	3.4	3.4	0.0	1.6	2.4	0.0	1.2	0.4	0.0	0.2
肺	C33-C34	506	253	759	13.7	9.8	12.1	126.5	60.7	92.9	54.5	23.7	38.1	38.1	17.1	27.0	4.6	2.2	3.4
皮膚	C43-C44	81	59	140	2.2	2.3	2.2	20.3	14.1	17.1	7.5	5.1	6.1	5.0	3.9	4.3	0.4	0.4	0.4
乳房	C50	3	611	614	0.1	23.7	9.8	0.8	146.5	75.2	0.2	95.6	48.2	0.2	73.3	36.8	0.0	8.2	4.1
子宮	C53-C55	-	179	179	-	6.9	2.9	-	42.9	-	-	30.0	-	-	23.0	-	-	2.6	-
子宮頸部	C53	-	70	70	-	2.7	1.1	-	16.8	-	-	12.7	-	-	9.8	-	-	1.0	-
子宮体部	C54	-	108	108	-	4.2	1.7	-	25.9	-	-	17.3	-	-	13.2	-	-	1.5	-
卵巣	C56	-	87	87	-	3.4	1.4	-	20.9	-	-	14.8	-	-	12.0	-	-	1.3	-
前立腺	C61	688	-	688	18.6	-	11.0	172.0	-	-	71.9	-	-	48.5	-	-	6.4	-	-
膀胱	C67	106	37	143	2.9	1.4	2.3	26.5	8.9	17.5	11.0	2.5	6.5	7.7	1.7	4.5	1.0	0.2	0.6
腎・尿路（膀胱除く）	C64-C66 C68	112	72	184	3.0	2.8	2.9	28.0	17.3	22.5	13.5	7.4	10.3	9.9	5.2	7.5	1.1	0.6	0.9
脳・中枢神経系	C70-C72	25	21	46	0.7	0.8	0.7	6.3	5.0	5.6	4.9	3.3	4.1	4.7	2.6	3.6	0.4	0.3	0.3
甲状腺	C73	36	73	109	1.0	2.8	1.7	9.0	17.5	13.3	6.5	14.3	10.4	5.2	11.4	8.3	0.5	1.1	0.8
悪性リンパ腫	C81-C85 C96	125	86	211	3.4	3.3	3.4	31.3	20.6	25.8	16.6	11.4	13.8	12.3	9.2	10.6	1.3	1.0	1.2
多発性骨髄腫	C88-C90	32	14	46	0.9	0.5	0.7	8.0	3.4	5.6	3.6	0.9	2.2	2.4	0.6	1.5	0.3	0.1	0.2
白血病	C91-C95	36	32	68	1.0	1.2	1.1	9.0	7.7	8.3	7.0	4.2	5.6	7.1	4.0	5.6	0.5	0.3	0.4

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	4,022	2,956	6,978	100.0	100.0	100.0	1,005.5	708.9	854.1	464.1	390.9	419.6	331.3	297.4	309.5	39.6	32.4	35.8
食道	C15 D001	159	38	197	4.0	1.3	2.8	39.8	9.1	24.1	18.9	4.3	11.3	13.8	3.0	8.2	1.9	0.4	1.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	702	418	1,120	17.5	14.1	16.1	175.5	100.2	137.1	84.9	41.5	62.2	60.8	30.1	45.0	7.5	3.8	5.6
結腸 *2	C18 D010	462	297	759	11.5	10.0	10.9	115.5	71.2	92.9	54.1	27.5	40.2	38.3	20.0	28.8	4.7	2.5	3.6
直腸 *2	C19-C20 D011-D012	240	121	361	6.0	4.1	5.2	60.0	29.0	44.2	30.7	14.0	22.1	22.5	10.1	16.2	2.8	1.3	2.0
肺	C33-C34 D021-D022	518	269	787	12.9	9.1	11.3	129.5	64.5	96.3	56.4	25.8	40.1	39.5	18.6	28.4	4.8	2.4	3.6
皮膚	C43-C44 D030-D049	96	83	179	2.4	2.8	2.6	24.0	19.9	21.9	9.1	7.1	7.9	6.1	5.2	5.5	0.6	0.5	0.5
乳房	C50 D05	6	690	696	0.1	23.3	10.0	1.5	165.5	85.2	0.5	110.8	55.9	0.3	85.2	42.9	0.0	9.4	4.7
子宮	C53-C55 D06	-	326	326	-	11.0	4.7	-	78.2	-	-	73.7	-	-	58.8	-	-	5.7	-
子宮頸部	C53 D06	-	217	217	-	7.3	3.1	-	52.0	-	-	56.4	-	-	45.6	-	-	4.1	-
膀胱	C67 D090	227	60	287	5.6	2.0	4.1	56.8	14.4	35.1	24.3	4.5	13.8	16.8	3.0	9.6	2.1	0.3	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	3,693	6	3	1	5	4	6	9	20	34	55	103	161	302	615	675	682	515	321	147	25	4	0
	口腔・咽頭	C00-C14	92	0	0	0	0	0	0	1	4	2	2	8	5	6	16	16	8	15	7	2	0	0	0
	食道	C15	146	0	0	0	0	0	0	0	0	2	4	4	7	15	34	34	19	9	14	4	0	0	0
	胃	C16	524	0	0	0	0	0	0	0	0	5	4	12	17	39	87	106	112	82	40	18	2	0	0
	大腸（結腸・直腸）	C18-C20	571	0	0	0	0	0	1	0	4	7	9	11	33	59	99	100	91	87	47	20	2	1	0
	結腸	C18	370	0	0	0	0	0	0	0	2	5	4	6	23	32	55	65	57	65	35	18	2	1	0
	直腸	C19-C20	201	0	0	0	0	0	1	0	2	2	5	5	10	27	44	35	34	22	12	2	0	0	0
	肝および肝内胆管	C22	237	1	0	0	0	1	0	0	0	2	3	6	13	19	37	33	56	35	19	9	2	1	0
	胆のう・胆管	C23-C24	80	0	0	0	0	0	0	1	0	0	1	2	0	3	5	17	19	16	10	4	1	1	0
	膵臓	C25	152	0	0	0	0	1	0	0	0	1	4	7	3	14	29	24	28	20	13	5	3	0	0
	喉頭	C32	28	0	0	0	0	0	0	0	1	0	0	0	1	2	5	12	4	2	1	0	0	0	0
	肺	C33-C34	506	0	0	0	0	0	0	0	0	1	7	15	30	40	79	87	93	59	53	38	4	0	0
	皮膚	C43-C44	81	0	0	0	0	0	0	0	2	0	1	2	1	2	12	5	9	21	15	10	1	0	0
	乳房	C50	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0
	前立腺	C61	688	0	0	0	0	0	0	0	0	0	2	5	17	49	131	158	173	85	44	18	5	1	0
	膀胱	C67	106	0	0	0	0	0	0	0	0	0	2	2	5	6	16	26	11	16	16	3	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	112	0	0	0	0	0	0	1	1	1	4	1	6	16	25	10	15	15	12	5	0	0	0
	脳・中枢神経系	C70-C72	25	0	2	0	1	1	1	0	0	0	2	2	4	1	2	3	3	1	1	1	0	0	0
	甲状腺	C73	36	0	0	0	1	0	0	3	0	2	1	5	2	7	5	3	3	3	1	0	0	0	0
	悪性リンパ腫	C81-C85 C96	125	0	0	0	2	1	1	0	5	1	3	5	8	9	15	21	15	26	8	4	1	0	0
	多発性骨髄腫	C88-C90	32	0	0	0	0	0	0	0	0	0	0	2	0	3	5	7	7	7	1	0	0	0	0
	白血病	C91-C95	36	3	1	1	0	0	0	1	1	2	1	2	2	5	4	3	4	3	3	0	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	2,577	2	0	1	2	6	12	19	42	71	119	162	159	221	317	330	321	303	262	169	54	5	0
	口腔・咽頭	C00-C14	37	0	0	0	0	0	0	1	2	2	0	2	5	2	5	5	5	4	2	1	1	0	0
	食道	C15	30	0	0	0	0	0	0	0	0	0	0	1	5	3	2	5	6	5	1	2	0	0	0
	胃	C16	219	0	0	0	0	0	2	1	2	2	2	6	7	11	24	31	38	32	35	17	8	1	0
	大腸（結腸・直腸）	C18-C20	352	0	0	0	0	0	0	2	1	1	8	14	17	23	43	55	40	51	52	34	11	0	0
	結腸	C18	251	0	0	0	0	0	0	2	0	0	4	7	11	16	27	37	22	39	44	33	9	0	0
	直腸	C19-C20	101	0	0	0	0	0	0	0	1	1	4	7	6	7	16	18	18	12	8	1	2	0	0
	肝および肝内胆管	C22	88	0	0	0	0	0	0	0	1	0	3	1	2	4	8	10	17	12	15	9	3	3	0
	胆のう・胆管	C23-C24	67	0	0	0	0	0	0	0	0	0	1	1	2	1	5	2	14	9	12	13	7	0	0
	膵臓	C25	148	0	0	0	0	0	0	0	0	1	1	3	7	16	8	23	27	29	18	10	4	1	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	253	0	0	0	0	0	0	0	1	0	2	8	9	28	38	39	40	29	38	18	3	0	0
	皮膚	C43-C44	59	0	0	0	0	0	1	2	0	0	0	2	1	4	4	8	4	8	12	9	4	0	0
	乳房	C50	611	0	0	0	0	0	1	4	18	37	59	62	46	65	97	67	61	48	21	20	5	0	0
	子宮	C53-C55	179	0	0	0	0	0	0	2	7	11	16	26	23	13	19	24	12	9	10	6	1	0	0
	子宮頸部	C53	70	0	0	0	0	0	0	1	7	7	9	7	3	3	7	12	5	2	4	2	1	0	0
	子宮体部	C54	108	0	0	0	0	0	0	1	0	4	7	19	20	10	12	12	7	7	6	3	0	0	0
	卵巣	C56	87	0	0	0	1	0	3	1	1	3	10	7	11	13	9	10	3	7	4	3	1	0	0
	膀胱	C67	37	0	0	0	0	0	0	0	0	1	0	0	1	1	4	2	4	10	8	4	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	72	0	0	0	0	0	0	0	0	3	2	2	4	4	9	10	14	9	7	6	2	0	0
	脳・中枢神経系	C70-C72	21	0	0	0	0	0	0	0	2	1	1	4	1	2	1	2	1	1	4	1	0	0	0
	甲状腺	C73	73	0	0	0	0	2	1	4	4	4	7	10	6	7	9	5	5	6	3	0	0	0	0
	悪性リンパ腫	C81-C85 C96	86	0	0	0	0	3	2	1	1	1	2	4	2	12	13	13	7	13	7	5	0	0	0
	多発性骨髄腫	C88-C90	14	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	3	1	5	1	0	0	0
	白血病	C91-C95	32	1	0	1	1	0	0	0	0	1	1	3	0	2	3	3	4	5	4	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	6,270	8	3	2	7	10	18	28	62	105	174	265	320	523	932	1,005	1,003	818	583	316	79	9	0
	口腔・咽頭	C00-C14	129	0	0	0	0	0	0	2	6	4	2	10	10	8	21	21	13	19	9	3	1	0	0
	食道	C15	176	0	0	0	0	0	0	0	0	2	4	5	12	18	36	39	25	14	15	6	0	0	0
	胃	C16	743	0	0	0	0	0	2	1	2	7	6	18	24	50	111	137	150	114	75	35	10	1	0
	大腸（結腸・直腸）	C18-C20	923	0	0	0	0	0	1	2	5	8	17	25	50	82	142	155	131	138	99	54	13	1	0
	結腸	C18	621	0	0	0	0	0	0	2	2	5	8	13	34	48	82	102	79	104	79	51	11	1	0
	直腸	C19-C20	302	0	0	0	0	0	1	0	3	3	9	12	16	34	60	53	52	34	20	3	2	0	0
	肝および肝内胆管	C22	325	1	0	0	0	1	0	0	1	2	6	7	15	23	45	43	73	47	34	18	5	4	0
	胆のう・胆管	C23-C24	147	0	0	0	0	0	0	1	0	0	2	3	2	4	10	19	33	25	22	17	8	1	0
	膵臓	C25	300	0	0	0	0	1	0	0	0	2	5	10	10	30	37	47	55	49	31	15	7	1	0
	喉頭	C32	28	0	0	0	0	0	0	0	1	0	0	0	1	2	5	12	4	2	1	0	0	0	0
	肺	C33-C34	759	0	0	0	0	0	0	0	1	1	9	23	39	68	117	126	133	88	91	56	7	0	0
	皮膚	C43-C44	140	0	0	0	0	0	1	2	2	0	1	4	2	6	16	13	13	29	27	19	5	0	0
	乳房	C50	614	0	0	0	0	0	1	4	18	37	59	62	46	65	98	67	61	48	22	21	5	0	0
	子宮	C53-C55	179	0	0	0	0	0	0	2	7	11	16	26	23	13	19	24	12	9	10	6	1	0	0
	子宮頸部	C53	70	0	0	0	0	0	0	1	7	7	9	7	3	3	7	12	5	2	4	2	1	0	0
	子宮体部	C54	108	0	0	0	0	0	0	1	0	4	7	19	20	10	12	12	7	7	6	3	0	0	0
	卵巣	C56	87	0	0	0	1	0	3	1	1	3	10	7	11	13	9	10	3	7	4	3	1	0	0
	前立腺	C61	688	0	0	0	0	0	0	0	0	0	2	5	17	49	131	158	173	85	44	18	5	1	0
	膀胱	C67	143	0	0	0	0	0	0	0	0	1	2	2	6	7	20	28	15	26	24	7	5	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	184	0	0	0	0	0	0	1	1	4	6	3	10	20	34	20	29	24	19	11	2	0	0
	脳・中枢神経系	C70-C72	46	0	2	0	1	1	1	0	2	1	3	6	5	3	3	5	4	2	5	2	0	0	0
	甲状腺	C73	109	0	0	0	1	2	1	7	4	6	8	15	8	14	14	8	8	9	4	0	0	0	0
	悪性リンパ腫	C81-C85 C96	211	0	0	0	2	4	3	1	6	2	5	9	10	21	28	34	22	39	15	9	1	0	0
	多発性骨髄腫	C88-C90	46	0	0	0	0	0	0	0	0	0	0	2	0	4	6	9	10	8	6	1	0	0	0
	白血病	C91-C95	68	4	1	2	1	0	0	1	1	3	2	5	2	7	7	6	8	8	7	3	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	4,022	6	3	1	5	4	7	11	22	38	62	124	183	332	663	740	736	553	347	156	25	4	0
	食道	C15 D001	159	0	0	0	0	0	0	0	0	2	4	6	7	15	36	37	22	11	15	4	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	702	0	0	0	0	0	2	1	4	11	15	19	46	77	120	124	104	102	53	21	2	1	0
	結腸 *2	C18 D010	462	0	0	0	0	0	0	1	2	7	9	13	32	45	70	82	65	74	40	19	2	1	0
	直腸 *2	C19-C20 D011-D012	240	0	0	0	0	0	2	0	2	4	6	6	14	32	50	42	39	28	13	2	0	0	0
	肺	C33-C34 D021-D022	518	0	0	0	0	0	0	0	1	1	7	17	32	40	80	91	94	60	53	38	4	0	0
	皮膚	C43-C44 D030-D049	96	0	0	0	0	0	0	1	2	0	1	2	1	2	14	8	13	23	17	11	1	0	0
	乳房	C50 D05	6	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	0	1	1	0	0
	膀胱	C67 D090	227	0	0	0	0	0	0	0	1	0	3	9	12	11	32	50	35	33	28	10	3	0	0
	女	全部位	C00-C96 D00-D09	2,956	2	0	1	2	7	25	40	71	108	153	188	201	248	358	371	354	318	277	173	54	5
食道		C15 D001	38	0	0	0	0	0	0	0	0	0	0	1	6	3	3	10	7	5	1	2	0	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	418	0	0	0	0	0	0	2	2	2	12	17	22	32	54	72	47	56	54	35	11	0	0
結腸 *2		C18 D010	297	0	0	0	0	0	0	2	1	1	7	9	14	24	35	49	27	42	44	33	9	0	0
直腸 *2		C19-C20 D011-D012	121	0	0	0	0	0	0	0	1	1	5	8	8	8	19	23	20	14	10	2	2	0	0
肺		C33-C34 D021-D022	269	0	0	0	0	0	0	0	1	0	2	8	14	28	41	42	45	29	38	18	3	0	0
皮膚		C43-C44 D030-D049	83	0	0	0	0	0	1	2	0	0	0	3	4	4	6	9	8	14	18	10	4	0	0
乳房		C50 D05	690	0	0	0	0	0	3	5	21	43	68	68	61	74	109	74	67	51	21	20	5	0	0
子宮		C53-C55 D06	326	0	0	0	0	1	11	22	32	41	36	40	31	20	26	27	13	9	10	6	1	0	0
子宮頸部		C53 D06	217	0	0	0	0	1	11	21	32	37	29	21	11	10	14	15	6	2	4	2	1	0	0
膀胱	C67 D090	60	0	0	0	0	0	0	0	0	1	0	1	3	2	7	3	11	10	14	6	2	0	0	
総数 *3	全部位	C00-C96 D00-D09	6,978	8	3	2	7	11	32	51	93	146	215	312	384	580	1,021	1,111	1,090	871	624	329	79	9	0
	食道	C15 D001	197	0	0	0	0	0	0	0	0	2	4	7	13	18	39	47	29	16	16	6	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,120	0	0	0	0	0	2	3	6	13	27	36	68	109	174	196	151	158	107	56	13	1	0
	結腸 *2	C18 D010	759	0	0	0	0	0	0	3	3	8	16	22	46	69	105	131	92	116	84	52	11	1	0
	直腸 *2	C19-C20 D011-D012	361	0	0	0	0	0	2	0	3	5	11	14	22	40	69	65	59	42	23	4	2	0	0
	肺	C33-C34 D021-D022	787	0	0	0	0	0	0	0	2	1	9	25	46	68	121	133	139	89	91	56	7	0	0
	皮膚	C43-C44 D030-D049	179	0	0	0	0	0	1	3	2	0	1	5	5	6	20	17	21	37	35	21	5	0	0
	乳房	C50 D05	696	0	0	0	0	0	3	5	21	43	68	68	61	74	110	75	69	51	22	21	5	0	0
	子宮	C53-C55 D06	326	0	0	0	0	1	11	22	32	41	36	40	31	20	26	27	13	9	10	6	1	0	0
	子宮頸部	C53 D06	217	0	0	0	0	1	11	21	32	37	29	21	11	10	14	15	6	2	4	2	1	0	0
膀胱	C67 D090	287	0	0	0	0	0	0	0	1	1	3	10	15	13	39	53	46	43	42	16	5	0	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	923.3	40.0	18.8	5.6	23.8	20.0	33.3	45.0	90.9	125.9	183.3	367.9	596.3	1,118.5	1,921.9	2,596.2	3,100.0	3,433.3	3,313.3	-
	口腔・咽頭	C00-C14	23.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	18.2	7.4	6.7	28.6	18.5	22.2	50.0	61.5	36.4	100.0	60.0	-
	食道	C15	36.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	13.3	14.3	25.9	55.6	106.3	130.8	86.4	60.0	120.0	-
	胃	C16	131.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	13.3	42.9	63.0	144.4	271.9	407.7	509.1	546.7	400.0	-
	大腸（結腸・直腸）	C18-C20	142.8	0.0	0.0	0.0	0.0	0.0	5.6	0.0	18.2	25.9	30.0	39.3	122.2	218.5	309.4	384.6	413.6	580.0	466.7	-
	結腸	C18	92.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	18.5	13.3	21.4	85.2	118.5	171.9	250.0	259.1	433.3	373.3	-
	直腸	C19-C20	50.3	0.0	0.0	0.0	0.0	0.0	5.6	0.0	9.1	7.4	16.7	17.9	37.0	100.0	137.5	134.6	154.5	146.7	93.3	-
	肝および肝内胆管	C22	59.3	6.7	0.0	0.0	0.0	5.0	0.0	0.0	0.0	7.4	10.0	21.4	48.1	70.4	115.6	126.9	254.5	233.3	206.7	-
	胆のう・胆管	C23-C24	20.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	3.3	7.1	0.0	11.1	15.6	65.4	86.4	106.7	106.7	-
	膵臓	C25	38.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	3.7	13.3	25.0	11.1	51.9	90.6	92.3	127.3	133.3	140.0	-
	喉頭	C32	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	3.7	7.4	15.6	46.2	18.2	13.3	6.7	-
	肺	C33-C34	126.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	23.3	53.6	111.1	148.1	246.9	334.6	422.7	393.3	633.3	-
	皮膚	C43-C44	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	0.0	3.3	7.1	3.7	7.4	37.5	19.2	40.9	140.0	173.3	-
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	13.3	-
	前立腺	C61	172.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	17.9	63.0	181.5	409.4	607.7	786.4	566.7	453.3	-
	膀胱	C67	26.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	7.1	18.5	22.2	50.0	100.0	50.0	106.7	146.7	-
	腎・尿路（膀胱除く）	C64-C66 C68	28.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	4.5	3.7	13.3	3.6	22.2	59.3	78.1	38.5	68.2	100.0	113.3	-
	脳・中枢神経系	C70-C72	6.3	0.0	12.5	0.0	4.8	5.0	5.6	0.0	0.0	0.0	6.7	7.1	14.8	3.7	6.3	11.5	13.6	6.7	13.3	-
	甲状腺	C73	9.0	0.0	0.0	0.0	4.8	0.0	0.0	15.0	0.0	7.4	3.3	17.9	7.4	25.9	15.6	11.5	13.6	20.0	6.7	-
	悪性リンパ腫	C81-C85 C96	31.3	0.0	0.0	0.0	9.5	5.0	5.6	0.0	22.7	3.7	10.0	17.9	29.6	33.3	46.9	80.8	68.2	173.3	86.7	-
	多発性骨髄腫	C88-C90	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	11.1	15.6	26.9	31.8	46.7	6.7	-
	白血病	C91-C95	9.0	20.0	6.3	5.6	0.0	0.0	0.0	5.0	4.5	7.4	3.3	7.1	7.4	18.5	12.5	11.5	18.2	20.0	20.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	618.0	14.3	0.0	5.9	10.0	33.3	70.6	100.0	200.0	273.1	410.3	578.6	611.5	818.5	960.6	1,178.6	1,284.0	1,377.3	1,580.6	-
	口腔・咽頭	C00-C14	8.9	0.0	0.0	0.0	0.0	0.0	0.0	5.3	9.5	7.7	0.0	7.1	19.2	7.4	15.2	17.9	20.0	18.2	12.9	-
	食道	C15	7.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	19.2	11.1	6.1	17.9	24.0	22.7	9.7	-
	胃	C16	52.5	0.0	0.0	0.0	0.0	0.0	11.8	5.3	9.5	7.7	6.9	21.4	26.9	40.7	72.7	110.7	152.0	145.5	196.8	-
	大腸（結腸・直腸）	C18-C20	84.4	0.0	0.0	0.0	0.0	0.0	0.0	10.5	4.8	3.8	27.6	50.0	65.4	85.2	130.3	196.4	160.0	231.8	312.9	-
	結腸	C18	60.2	0.0	0.0	0.0	0.0	0.0	0.0	10.5	0.0	0.0	13.8	25.0	42.3	59.3	81.8	132.1	88.0	177.3	277.4	-
	直腸	C19-C20	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.8	13.8	25.0	23.1	25.9	48.5	64.3	72.0	54.5	35.5	-
	肝および肝内胆管	C22	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	10.3	3.6	7.7	14.8	24.2	35.7	68.0	54.5	96.8	-
	胆のう・胆管	C23-C24	16.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.6	7.7	3.7	15.2	7.1	56.0	40.9	103.2	-
	膵臓	C25	35.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.4	10.7	26.9	59.3	24.2	82.1	108.0	131.8	106.5	-
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
	肺	C33-C34	60.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	6.9	28.6	34.6	103.7	115.2	139.3	160.0	131.8	190.3	-
	皮膚	C43-C44	14.1	0.0	0.0	0.0	0.0	0.0	5.9	10.5	0.0	0.0	0.0	7.1	3.8	14.8	12.1	28.6	16.0	36.4	80.6	-
	乳房	C50	146.5	0.0	0.0	0.0	0.0	0.0	5.9	21.1	85.7	142.3	203.4	221.4	176.9	240.7	293.9	239.3	244.0	218.2	148.4	-
	子宮	C53-C55	42.9	0.0	0.0	0.0	0.0	0.0	0.0	10.5	33.3	42.3	55.2	92.9	88.5	48.1	57.6	85.7	48.0	40.9	54.8	-
	子宮頸部	C53	16.8	0.0	0.0	0.0	0.0	0.0	0.0	5.3	33.3	26.9	31.0	25.0	11.5	11.1	21.2	42.9	20.0	9.1	22.6	-
	子宮体部	C54	25.9	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	15.4	24.1	67.9	76.9	37.0	36.4	42.9	28.0	31.8	29.0	-
	卵巣	C56	20.9	0.0	0.0	0.0	5.0	0.0	17.6	5.3	4.8	11.5	34.5	25.0	42.3	48.1	27.3	35.7	12.0	31.8	25.8	-
	膀胱	C67	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.8	3.7	12.1	7.1	16.0	45.5	45.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	17.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.5	6.9	7.1	15.4	14.8	27.3	35.7	56.0	40.9	48.4	-
	脳・中枢神経系	C70-C72	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	3.8	3.4	14.3	3.8	7.4	3.0	7.1	4.0	4.5	16.1	-
	甲状腺	C73	17.5	0.0	0.0	0.0	0.0	11.1	5.9	21.1	19.0	15.4	24.1	35.7	23.1	25.9	27.3	17.9	20.0	27.3	9.7	-
	悪性リンパ腫	C81-C85 C96	20.6	0.0	0.0	0.0	0.0	16.7	11.8	5.3	4.8	3.8	6.9	14.3	7.7	44.4	39.4	46.4	28.0	59.1	38.7	-
	多発性骨髄腫	C88-C90	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.0	7.1	12.0	4.5	19.4	-
	白血病	C91-C95	7.7	7.1	0.0	5.9	5.0	0.0	0.0	0.0	0.0	3.8	3.4	10.7	0.0	7.4	9.1	10.7	16.0	22.7	22.6	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	767.4	27.6	9.4	5.7	17.1	26.3	51.4	71.8	144.2	198.1	294.9	473.2	603.8	968.5	1,433.8	1,861.1	2,134.0	2,210.8	2,145.7	-
	口腔・咽頭	C00-C14	15.8	0.0	0.0	0.0	0.0	0.0	0.0	5.1	14.0	7.5	3.4	17.9	18.9	14.8	32.3	38.9	27.7	51.4	28.3	-
	食道	C15	21.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	6.8	8.9	22.6	33.3	55.4	72.2	53.2	37.8	45.7	-
	胃	C16	90.9	0.0	0.0	0.0	0.0	0.0	5.7	2.6	4.7	13.2	10.2	32.1	45.3	92.6	170.8	253.7	319.1	308.1	263.0	-
	大腸（結腸・直腸）	C18-C20	113.0	0.0	0.0	0.0	0.0	0.0	2.9	5.1	11.6	15.1	28.8	44.6	94.3	151.9	218.5	287.0	278.7	373.0	363.0	-
	結腸	C18	76.0	0.0	0.0	0.0	0.0	0.0	0.0	5.1	4.7	9.4	13.6	23.2	64.2	88.9	126.2	188.9	168.1	281.1	308.7	-
	直腸	C19-C20	37.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	7.0	5.7	15.3	21.4	30.2	63.0	92.3	98.1	110.6	91.9	54.3	-
	肝および肝内胆管	C22	39.8	3.4	0.0	0.0	0.0	2.6	0.0	0.0	2.3	3.8	10.2	12.5	28.3	42.6	69.2	79.6	155.3	127.0	132.6	-
	胆のう・胆管	C23-C24	18.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	3.4	5.4	3.8	7.4	15.4	35.2	70.2	67.6	104.3	-
	膵臓	C25	36.7	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	3.8	8.5	17.9	18.9	55.6	56.9	87.0	117.0	132.4	117.4	-
	喉頭	C32	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	1.9	3.7	7.7	22.2	8.5	5.4	2.2	-
	肺	C33-C34	92.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.9	15.3	41.1	73.6	125.9	180.0	233.3	283.0	237.8	334.8	-
	皮膚	C43-C44	17.1	0.0	0.0	0.0	0.0	0.0	2.9	5.1	4.7	0.0	1.7	7.1	3.8	11.1	24.6	24.1	27.7	78.4	110.9	-
	乳房	C50	75.2	0.0	0.0	0.0	0.0	0.0	2.9	10.3	41.9	69.8	100.0	110.7	86.8	120.4	150.8	124.1	129.8	129.7	104.3	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.4	3.6	11.3	13.0	30.8	51.9	31.9	70.3	78.3	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.5	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	7.5	10.2	5.4	18.9	37.0	52.3	37.0	61.7	64.9	69.6	-
	脳・中枢神経系	C70-C72	5.6	0.0	6.3	0.0	2.4	2.6	2.9	0.0	4.7	1.9	5.1	10.7	9.4	5.6	4.6	9.3	8.5	5.4	15.2	-
	甲状腺	C73	13.3	0.0	0.0	0.0	2.4	5.3	2.9	17.9	9.3	11.3	13.6	26.8	15.1	25.9	21.5	14.8	17.0	24.3	8.7	-
	悪性リンパ腫	C81-C85 C96	25.8	0.0	0.0	0.0	4.9	10.5	8.6	2.6	14.0	3.8	8.5	16.1	18.9	38.9	43.1	63.0	46.8	105.4	54.3	-
	多発性骨髄腫	C88-C90	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	7.4	9.2	16.7	21.3	21.6	15.2	-
	白血病	C91-C95	8.3	13.8	3.1	5.7	2.4	0.0	0.0	2.6	2.3	5.7	3.4	8.9	3.8	13.0	10.8	11.1	17.0	21.6	21.7	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,005.5	40.0	18.8	5.6	23.8	20.0	38.9	55.0	100.0	140.7	206.7	442.9	677.8	1,229.6	2,071.9	2,846.2	3,345.5	3,686.7	3,546.7	-	
	食道	C15 D001	39.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	13.3	21.4	25.9	55.6	112.5	142.3	100.0	73.3	126.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	175.5	0.0	0.0	0.0	0.0	0.0	11.1	5.0	18.2	40.7	50.0	67.9	170.4	285.2	375.0	476.9	472.7	680.0	513.3	-	
	結腸 *2	C18 D010	115.5	0.0	0.0	0.0	0.0	0.0	0.0	5.0	9.1	25.9	30.0	46.4	118.5	166.7	218.8	315.4	295.5	493.3	413.3	-	
	直腸 *2	C19-C20 D011-D012	60.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	9.1	14.8	20.0	21.4	51.9	118.5	156.3	161.5	177.3	186.7	100.0	-	
	肺	C33-C34 D021-D022	129.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	3.7	23.3	60.7	118.5	148.1	250.0	350.0	427.3	400.0	633.3	-
	皮膚	C43-C44 D030-D049	24.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	9.1	0.0	3.3	7.1	3.7	7.4	43.8	30.8	59.1	153.3	193.3	-
	乳房	C50 D05	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.8	9.1	0.0	13.3	-
	膀胱	C67 D090	56.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	10.0	32.1	44.4	40.7	100.0	192.3	159.1	220.0	273.3	-
女	全部位	C00-C96 D00-D09	708.9	14.3	0.0	5.9	10.0	38.9	147.1	210.5	338.1	415.4	527.6	671.4	773.1	918.5	1,084.8	1,325.0	1,416.0	1,445.5	1,641.9	-	
	食道	C15 D001	9.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	23.1	11.1	9.1	35.7	28.0	22.7	9.7	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	100.2	0.0	0.0	0.0	0.0	0.0	0.0	10.5	9.5	7.7	41.4	60.7	84.6	118.5	163.6	257.1	188.0	254.5	322.6	-	
	結腸 *2	C18 D010	71.2	0.0	0.0	0.0	0.0	0.0	0.0	10.5	4.8	3.8	24.1	32.1	53.8	88.9	106.1	175.0	108.0	190.9	277.4	-	
	直腸 *2	C19-C20 D011-D012	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	3.8	17.2	28.6	30.8	29.6	57.6	82.1	80.0	63.6	45.2	-	
	肺	C33-C34 D021-D022	64.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	6.9	28.6	53.8	103.7	124.2	150.0	180.0	131.8	190.3	-
	皮膚	C43-C44 D030-D049	19.9	0.0	0.0	0.0	0.0	0.0	5.9	10.5	0.0	0.0	0.0	0.0	10.7	15.4	14.8	18.2	32.1	32.0	63.6	103.2	-
	乳房	C50 D05	165.5	0.0	0.0	0.0	0.0	0.0	17.6	26.3	100.0	165.4	234.5	242.9	234.6	274.1	330.3	264.3	268.0	231.8	148.4	-	
	子宮	C53-C55 D06	78.2	0.0	0.0	0.0	0.0	5.6	64.7	115.8	152.4	157.7	124.1	142.9	119.2	74.1	78.8	96.4	52.0	40.9	54.8	-	
子宮頸部	C53 D06	52.0	0.0	0.0	0.0	0.0	5.6	64.7	110.5	152.4	142.3	100.0	75.0	42.3	37.0	42.4	53.6	24.0	9.1	22.6	-		
膀胱	C67 D090	14.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	3.6	11.5	7.4	21.2	10.7	44.0	45.5	71.0	-		
総数 *3	全部位	C00-C96 D00-D09	854.1	27.6	9.4	5.7	17.1	28.9	91.4	130.8	216.3	275.5	364.4	557.1	724.5	1,074.1	1,570.8	2,057.4	2,319.1	2,354.1	2,263.0	-	
	食道	C15 D001	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	6.8	12.5	24.5	33.3	60.0	87.0	61.7	43.2	47.8	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	137.1	0.0	0.0	0.0	0.0	0.0	5.7	7.7	14.0	24.5	45.8	64.3	128.3	201.9	267.7	363.0	321.3	427.0	384.8	-	
	結腸 *2	C18 D010	92.9	0.0	0.0	0.0	0.0	0.0	0.0	7.7	7.0	15.1	27.1	39.3	86.8	127.8	161.5	242.6	195.7	313.5	321.7	-	
	直腸 *2	C19-C20 D011-D012	44.2	0.0	0.0	0.0	0.0	0.0	5.7	0.0	7.0	9.4	18.6	25.0	41.5	74.1	106.2	120.4	125.5	113.5	63.0	-	
	肺	C33-C34 D021-D022	96.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	1.9	15.3	44.6	86.8	125.9	186.2	246.3	295.7	240.5	334.8	-	
	皮膚	C43-C44 D030-D049	21.9	0.0	0.0	0.0	0.0	0.0	2.9	7.7	4.7	0.0	1.7	8.9	9.4	11.1	30.8	31.5	44.7	100.0	132.6	-	
	乳房	C50 D05	85.2	0.0	0.0	0.0	0.0	0.0	8.6	12.8	48.8	81.1	115.3	121.4	115.1	137.0	169.2	138.9	146.8	137.8	104.3	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	35.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.9	5.1	17.9	28.3	24.1	60.0	98.1	97.9	116.2	137.0	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	6,131	20.2	29.3	0.0	48.0	2.5
口腔・咽頭	C00-C14	129	3.1	18.6	0.0	75.2	3.1
食道	C15	175	24.0	25.7	0.0	46.3	4.0
胃	C16	728	23.8	30.8	0.0	44.5	1.0
大腸（結腸・直腸）	C18-C20	902	21.0	22.8	0.0	54.3	1.9
結腸	C18	606	20.1	24.4	0.0	53.6	1.8
直腸	C19-C20	296	22.6	19.6	0.0	55.7	2.0
肝および肝内胆管	C22	312	7.4	50.0	0.0	38.1	4.5
胆のう・胆管	C23-C24	142	7.7	29.6	0.0	60.6	2.1
膵臓	C25	290	15.5	33.4	0.0	49.0	2.1
喉頭	C32	28	0.0	14.3	0.0	85.7	0.0
肺	C33-C34	736	20.4	39.7	0.0	38.0	1.9
皮膚	C43-C44	139	0.0	10.1	0.0	89.9	0.0
乳房	C50	603	36.0	9.5	0.0	51.7	2.8
乳房（女性のみ）	C50	600	36.2	9.5	0.0	51.7	2.7
子宮	C53-C55	178	17.4	19.1	0.0	61.2	2.2
子宮頸部	C53	70	21.4	10.0	0.0	64.3	4.3
子宮体部	C54	107	15.0	25.2	0.0	58.9	0.9
卵巣	C56	85	16.5	21.2	0.0	57.6	4.7
前立腺	C61	674	28.8	40.9	0.0	25.7	4.6
膀胱	C67	137	2.9	28.5	0.0	65.0	3.6
腎・尿路（膀胱除く）	C64-C66 C68	177	24.9	37.3	0.0	35.6	2.3
脳・中枢神経系	C70-C72	46	4.3	30.4	0.0	60.9	4.3
甲状腺	C73	109	35.8	31.2	0.0	29.4	3.7
悪性リンパ腫	C81-C85 C96	210	11.9	25.2	0.0	61.9	1.0
多発性骨髄腫	C88-C90	45	4.4	33.3	0.0	60.0	2.2
白血病	C91-C95	65	4.6	32.3	0.0	56.9	6.2

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	6,839	21.6	29.3	0.0	46.8	2.4
食道	C15 D001	196	26.0	26.0	0.0	44.4	3.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,099	25.1	24.2	0.0	49.1	1.5
結腸 *2	C18 D010	744	25.0	25.5	0.0	48.0	1.5
直腸 *2	C19-C20 D011-D012	355	25.4	21.4	0.0	51.5	1.7
肺	C33-C34 D021-D022	764	20.7	39.9	0.0	37.6	1.8
皮膚	C43-C44 D030-D049	178	0.6	11.2	0.0	88.2	0.0
乳房	C50 D05	685	38.1	9.8	0.0	49.3	2.8
乳房（女性のみ）	C50 D05	679	38.3	9.9	0.0	49.2	2.7
子宮	C53-C55 D06	325	28.9	25.5	0.0	43.4	2.2
子宮頸部	C53 D06	217	35.9	25.8	0.0	35.5	2.8
膀胱	C67 D090	281	8.5	27.0	0.0	62.3	2.1

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,027	49.0	9.8	13.1	18.2	9.9	22.9
口腔・咽頭	C00-C14	129	33.3	13.2	38.8	3.9	10.9	51.9
食道	C15	175	49.1	7.4	19.4	12.6	11.4	26.9
胃	C16	728	57.6	9.9	6.6	18.4	7.6	16.5
大腸（結腸・直腸）	C18-C20	902	39.9	19.8	11.9	20.0	8.3	31.7
結腸	C18	606	38.9	18.2	11.9	21.8	9.2	30.0
直腸	C19-C20	296	41.9	23.3	11.8	16.2	6.4	35.1
肝および肝内胆管	C22	312	65.1	0.3	6.1	11.5	17.0	6.4
胆のう・胆管	C23-C24	142	19.7	1.4	45.8	23.2	9.9	47.2
膵臓	C25	290	22.4	7.6	20.3	41.4	8.3	27.9
喉頭	C32	28	67.9	10.7	14.3	7.1	0.0	25.0
肺	C33-C34	736	38.3	9.2	8.7	34.8	9.0	17.9
皮膚	C43-C44	139	85.6	0.7	5.8	0.7	7.2	6.5
乳房	C50	603	59.2	24.4	1.7	8.0	6.8	26.0
乳房（女性のみ）	C50	600	59.3	24.3	1.7	8.0	6.7	26.0
子宮	C53-C55	178	60.1	1.7	24.2	8.4	5.6	25.8
子宮頸部	C53	70	35.7	2.9	41.4	12.9	7.1	44.3
子宮体部	C54	107	76.6	0.9	13.1	5.6	3.7	14.0
卵巣	C56	85	27.1	1.2	48.2	14.1	9.4	49.4
前立腺	C61	674	63.5	1.9	13.1	10.4	11.1	15.0
膀胱	C67	137	71.5	2.9	9.5	5.8	10.2	12.4
腎・尿路（膀胱除く）	C64-C66 C68	177	63.3	2.8	12.4	10.7	10.2	15.3
脳・中枢神経系	C70-C72	46	56.5	0.0	6.5	2.2	34.8	6.5
甲状腺	C73	109	42.2	23.9	18.3	4.6	11.0	42.2
悪性リンパ腫	C81-C85 C96	210	25.2	0.5	19.5	44.3	10.5	20.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,735	9.9	44.2	8.7	11.7	16.3	9.1	20.5
食道	C15 D001	196	10.7	43.9	6.6	17.3	11.2	10.2	24.0
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,099	17.9	32.8	16.3	9.7	16.4	6.9	26.0
結腸 *3	C18 D010	744	18.4	31.7	14.8	9.7	17.7	7.7	24.5
直腸 *3	C19-C20 D011-D012	355	16.9	34.9	19.4	9.9	13.5	5.4	29.3
肺	C33-C34 D021-D022	764	3.7	36.9	8.9	8.4	33.5	8.6	17.3
皮膚	C43-C44 D030-D049	178	21.3	66.9	0.6	4.5	0.6	6.2	5.1
乳房	C50 D05	685	11.7	52.1	21.5	1.5	7.0	6.3	22.9
乳房（女性のみ）	C50 D05	679	11.3	52.4	21.5	1.5	7.1	6.2	23.0
子宮	C53-C55 D06	325	43.4	32.9	0.9	13.2	4.6	4.9	14.2
子宮頸部	C53 D06	217	65.0	11.5	0.9	13.4	4.1	5.1	14.3
膀胱	C67 D090	281	47.7	37.4	1.4	4.6	2.8	6.0	6.0

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,027	0.7	48.7	6.8	11.1	17.2	15.4	17.9
口腔・咽頭	C00-C14	129	0.0	31.0	13.2	38.0	3.9	14.0	51.2
食道	C15	175	4.6	42.3	8.0	18.3	13.1	13.7	26.3
胃	C16	728	0.3	62.8	6.7	5.1	15.5	9.6	11.8
大腸（結腸・直腸）	C18-C20	902	0.9	39.6	13.2	12.3	19.2	14.9	25.5
結腸	C18	606	0.5	38.8	11.2	12.0	21.1	16.3	23.3
直腸	C19-C20	296	1.7	41.2	17.2	12.8	15.2	11.8	30.1
肝および肝内胆管	C22	312	0.0	63.1	0.3	6.1	11.5	18.9	6.4
胆のう・胆管	C23-C24	142	0.0	23.2	2.8	36.6	19.7	17.6	39.4
膵臓	C25	290	0.0	28.6	2.8	18.3	40.3	10.0	21.0
喉頭	C32	28	0.0	67.9	10.7	14.3	7.1	0.0	25.0
肺	C33-C34	736	0.3	32.2	6.1	7.1	33.3	21.1	13.2
皮膚	C43-C44	139	2.2	74.8	0.0	4.3	0.7	18.0	4.3
乳房	C50	603	2.0	62.7	17.9	2.0	8.0	7.5	19.9
乳房（女性のみ）	C50	600	2.0	62.8	17.8	2.0	8.0	7.3	19.8
子宮	C53-C55	178	2.2	51.7	2.2	20.8	7.3	15.7	23.0
子宮頸部	C53	70	5.7	35.7	2.9	34.3	12.9	8.6	37.1
子宮体部	C54	107	0.0	62.6	1.9	12.1	3.7	19.6	14.0
卵巣	C56	85	0.0	28.2	3.5	18.8	11.8	37.6	22.4
前立腺	C61	674	0.0	65.7	1.8	9.8	10.4	12.3	11.6
膀胱	C67	137	0.0	70.8	1.5	10.9	3.6	13.1	12.4
腎・尿路（膀胱除く）	C64-C66 C68	177	1.1	56.5	3.4	10.7	10.2	18.1	14.1
脳・中枢神経系	C70-C72	46	0.0	58.7	0.0	4.3	2.2	34.8	4.3
甲状腺	C73	109	0.0	61.5	9.2	6.4	4.6	18.3	15.6
悪性リンパ腫	C81-C85 C96	210	0.0	22.4	0.5	19.5	42.9	14.8	20.0
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,735	6.6	44.9	6.1	9.9	15.5	16.9	16.1
食道	C15 D001	196	12.2	39.3	7.1	16.3	11.7	13.3	23.5
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,099	9.0	34.2	10.9	10.1	15.7	20.0	21.0
結腸 *3	C18 D010	744	8.9	33.2	9.3	9.8	17.2	21.6	19.1
直腸 *3	C19-C20 D011-D012	355	9.3	36.3	14.4	10.7	12.7	16.6	25.1
肺	C33-C34 D021-D022	764	0.4	31.4	5.9	6.8	32.1	23.4	12.7
皮膚	C43-C44 D030-D049	178	18.5	60.7	0.0	3.4	0.6	16.9	3.4
乳房	C50 D05	685	11.7	56.5	15.8	1.8	7.2	7.2	17.5
乳房 (女性のみ)	C50 D05	679	11.5	56.8	15.8	1.8	7.2	6.9	17.5
子宮	C53-C55 D06	325	42.8	28.6	1.2	11.4	4.0	12.0	12.6
子宮頸部	C53 D06	217	64.1	12.0	0.9	11.1	4.1	7.8	12.0
膀胱	C67 D090	281	19.9	44.1	0.7	5.3	1.8	28.1	6.0

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	3,657	54.9	11.8	10.6	5.4	17.4	22.3
口腔・咽頭	C00-C14	55	41.8	5.5	21.8	0.0	30.9	27.3
食道	C15	87	67.8	3.4	8.0	1.1	19.5	11.5
胃	C16	578	63.8	11.9	6.2	6.9	11.1	18.2
大腸（結腸・直腸）	C18-C20	742	43.5	21.4	12.3	12.1	10.6	33.7
結腸	C18	501	42.5	20.6	13.0	12.2	11.8	33.5
直腸	C19-C20	241	45.6	23.2	10.8	12.0	8.3	34.0
肝および肝内胆管	C22	121	66.1	0.0	1.7	0.8	31.4	1.7
胆のう・胆管	C23-C24	73	21.9	1.4	46.6	8.2	21.9	47.9
膵臓	C25	113	35.4	17.7	15.9	4.4	26.5	33.6
喉頭	C32	3	100.0	0.0	0.0	0.0	0.0	0.0
肺	C33-C34	347	57.9	10.1	8.1	5.5	18.4	18.2
皮膚	C43-C44	134	81.3	0.7	4.5	0.0	13.4	5.2
乳房	C50	450	65.3	22.4	0.9	0.7	10.7	23.3
乳房（女性のみ）	C50	449	65.3	22.5	0.9	0.7	10.7	23.4
子宮	C53-C55	138	72.5	1.4	15.2	2.2	8.7	16.7
子宮頸部	C53	39	53.8	2.6	25.6	0.0	17.9	28.2
子宮体部	C54	98	80.6	1.0	11.2	3.1	4.1	12.2
卵巣	C56	69	33.3	0.0	47.8	7.2	11.6	47.8
前立腺	C61	209	47.4	0.5	11.5	1.0	39.7	12.0
膀胱	C67	113	45.1	2.7	3.5	4.4	44.2	6.2
腎・尿路（膀胱除く）	C64-C66 C68	133	72.2	0.0	9.8	2.3	15.8	9.8
脳・中枢神経系	C70-C72	26	57.7	0.0	7.7	3.8	30.8	7.7
甲状腺	C73	91	40.7	27.5	17.6	2.2	12.1	45.1
悪性リンパ腫	C81-C85 C96	31	22.6	0.0	9.7	12.9	54.8	9.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	4,318	14.3	46.9	10.0	8.9	4.6	15.4	18.9
食道	C15 D001	105	17.1	56.2	2.9	6.7	1.0	16.2	9.5
大腸 (結腸・直腸) *3	C18-C20 D010-D012	934	20.4	34.6	17.0	9.7	9.6	8.6	26.8
結腸 *3	C18 D010	635	20.9	33.5	16.2	10.2	9.6	9.4	26.5
直腸 *3	C19-C20 D011-D012	299	19.4	36.8	18.7	8.7	9.7	6.7	27.4
肺	C33-C34 D021-D022	375	7.5	53.6	9.3	7.5	5.1	17.1	16.8
皮膚	C43-C44 D030-D049	170	17.6	64.1	0.6	3.5	0.0	14.1	4.1
乳房	C50 D05	525	13.3	56.0	19.2	0.8	0.6	10.1	20.0
乳房 (女性のみ)	C50 D05	521	12.9	56.2	19.4	0.8	0.6	10.2	20.2
子宮	C53-C55 D06	276	47.1	36.2	0.7	7.6	1.1	7.2	8.3
子宮頸部	C53 D06	177	73.4	11.9	0.6	5.6	0.0	8.5	6.2
膀胱	C67 D090	244	51.2	20.9	1.2	1.6	2.0	23.0	2.9

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	6,131	26.0	20.9	8.6	10.6	27.0	12.1	2.9	22.6
口腔・咽頭	C00-C14	129	38.8	0.0	0.8	53.5	47.3	0.0	0.0	20.9
食道	C15	175	6.3	16.6	33.7	20.6	34.3	0.0	0.6	22.3
胃	C16	728	19.0	24.2	31.9	0.3	21.3	0.0	1.0	19.9
大腸（結腸・直腸）	C18-C20	902	22.4	48.3	12.3	2.1	26.8	0.0	1.6	18.0
結腸	C18	606	20.5	48.7	11.6	0.0	25.1	0.0	1.5	21.0
直腸	C19-C20	296	26.4	47.6	13.9	6.4	30.4	0.0	1.7	11.8
肝および肝内胆管	C22	312	12.2	15.1	0.0	3.2	21.8	0.3	30.8	35.3
胆のう・胆管	C23-C24	142	34.5	4.9	0.7	1.4	29.6	0.0	0.7	47.9
膵臓	C25	290	26.6	4.8	0.7	2.4	50.3	0.0	1.0	37.2
喉頭	C32	28	10.7	0.0	3.6	82.1	28.6	0.0	0.0	3.6
肺	C33-C34	736	5.8	32.9	0.0	16.7	33.4	0.0	0.7	26.0
皮膚	C43-C44	139	86.3	0.0	0.0	0.7	1.4	0.0	0.7	12.9
乳房	C50	603	79.4	0.3	0.0	24.5	33.8	57.2	0.3	10.3
乳房（女性のみ）	C50	600	79.5	0.3	0.0	24.7	33.8	57.2	0.3	10.3
子宮	C53-C55	178	39.9	33.7	0.0	14.6	30.9	0.0	0.0	15.7
子宮頸部	C53	70	31.4	20.0	0.0	35.7	37.1	0.0	0.0	22.9
子宮体部	C54	107	45.8	43.0	0.0	0.9	27.1	0.0	0.0	10.3
卵巣	C56	85	69.4	8.2	0.0	0.0	50.6	0.0	1.2	20.0
前立腺	C61	674	3.7	16.5	0.4	13.1	1.6	56.7	0.9	20.8
膀胱	C67	137	13.1	8.0	78.8	5.1	21.9	8.8	16.1	13.9
腎・尿路（膀胱除く）	C64-C66 C68	177	9.0	57.6	0.6	5.1	9.0	0.0	1.1	23.7
脳・中枢神経系	C70-C72	46	41.3	2.2	0.0	41.3	39.1	0.0	4.3	47.8
甲状腺	C73	109	72.5	1.8	0.0	5.5	2.8	0.0	0.0	22.0
悪性リンパ腫	C81-C85 C96	210	6.2	1.9	0.0	8.6	61.0	0.5	1.4	31.4
多発性骨髄腫	C88-C90	45	4.4	2.2	0.0	11.1	60.0	0.0	8.9	28.9
白血病	C91-C95	65	0.0	1.5	0.0	1.5	70.8	0.0	6.2	26.2

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	6,839	26.7	20.1	12.5	9.9	24.5	11.2	3.0	21.0
食道	C15 D001	196	6.1	14.8	38.8	18.9	31.1	0.0	0.5	20.9
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,099	18.8	41.4	25.8	1.8	22.1	0.1	1.4	15.0
結腸 *2	C18 D010	744	16.9	41.7	25.5	0.1	20.6	0.1	1.3	17.5
直腸 *2	C19-C20 D011-D012	355	22.8	40.8	26.2	5.4	25.4	0.0	1.4	9.9
肺	C33-C34 D021-D022	764	5.8	35.2	0.0	16.1	32.2	0.0	0.7	25.0
皮膚	C43-C44 D030-D049	178	84.3	0.0	0.0	0.6	1.1	0.0	1.7	14.6
乳房	C50 D05	685	80.1	0.4	0.0	25.0	29.8	52.6	0.3	10.2
乳房（女性のみ）	C50 D05	679	80.1	0.4	0.0	25.2	29.9	52.7	0.3	10.3
子宮	C53-C55 D06	325	53.5	26.8	0.0	8.0	16.9	0.0	0.0	13.8
子宮頸部	C53 D06	217	57.6	18.9	0.0	11.5	12.0	0.0	0.0	15.2
膀胱	C67 D090	281	6.4	5.0	86.1	2.5	13.5	7.8	16.4	8.2

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	3,297	85.9	12.6	1.5
口腔・咽頭	C00-C14	51	82.4	13.7	3.9
食道	C15	96	91.7	6.3	2.1
胃	C16	519	92.5	7.1	0.4
大腸（結腸・直腸）	C18-C20	703	89.0	10.4	0.6
結腸	C18	459	90.4	9.2	0.4
直腸	C19-C20	244	86.5	12.7	0.8
肝および肝内胆管	C22	85	90.6	8.2	1.2
胆のう・胆管	C23-C24	57	77.2	21.1	1.8
膵臓	C25	92	80.4	19.6	0.0
喉頭	C32	4	75.0	25.0	0.0
肺	C33-C34	284	93.7	5.6	0.7
皮膚	C43-C44	120	89.2	10.0	0.8
乳房	C50	481	95.0	4.0	1.0
乳房（女性のみ）	C50	479	95.0	4.0	1.0
子宮	C53-C55	130	83.8	13.1	3.1
子宮頸部	C53	35	77.1	20.0	2.9
子宮体部	C54	95	86.3	10.5	3.2
卵巣	C56	65	72.3	26.2	1.5
前立腺	C61	139	64.0	29.5	6.5
膀胱	C67	115	33.0	64.3	2.6
腎・尿路（膀胱除く）	C64-C66 C68	118	89.8	5.9	4.2
脳・中枢神経系	C70-C72	20	60.0	35.0	5.0
甲状腺	C73	81	91.4	6.2	2.5
悪性リンパ腫	C81-C85 C96	17	52.9	47.1	0.0
多発性骨髄腫	C88-C90	3	0.0	33.3	66.7
白血病	C91-C95	1	100.0	0.0	0.0

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	3,948	87.2	11.2	1.6
食道	C15 D001	114	91.2	6.1	2.6
大腸（結腸・直腸）*2	C18-C20 D010-D012	897	90.5	8.6	0.9
結腸 *2	C18 D010	594	91.9	7.4	0.7
直腸 *2	C19-C20 D011-D012	303	87.8	10.9	1.3
肺	C33-C34 D021-D022	312	94.2	5.1	0.6
皮膚	C43-C44 D030-D049	150	88.7	10.7	0.7
乳房	C50 D05	552	95.3	3.6	1.1
乳房（女性のみ）	C50 D05	547	95.2	3.7	1.1
子宮	C53-C55 D06	260	88.5	9.2	2.3
子宮頸部	C53 D06	165	89.7	8.5	1.8
膀胱	C67 D090	252	64.7	34.1	1.2

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.40	0.39	0.39	4.0	5.5	4.6	2.0	2.6	2.2	84.1	83.5	83.8	81.5	79.6	80.7
口腔・咽頭	C00-C14	0.37	0.41	0.38	0.0	2.7	0.8	0.0	0.0	0.0	98.9	97.3	98.4	96.7	94.6	96.1
食道	C15	0.30	0.40	0.32	1.4	3.3	1.7	0.7	0.0	0.6	92.5	80.0	90.3	92.5	80.0	90.3
胃	C16	0.29	0.44	0.33	2.5	8.2	4.2	1.1	4.1	2.0	94.7	90.0	93.3	94.7	90.0	93.3
大腸（結腸・直腸）	C18-C20	0.37	0.44	0.40	3.9	6.3	4.8	2.1	2.6	2.3	91.8	84.7	89.1	91.8	84.7	89.1
結腸	C18	0.36	0.49	0.41	4.9	8.0	6.1	2.2	2.8	2.4	89.2	81.7	86.2	89.2	81.7	86.2
直腸	C19-C20	0.40	0.33	0.37	2.0	2.0	2.0	2.0	2.0	2.0	96.5	92.1	95.0	96.5	92.1	95.0
肝および肝内胆管	C22	0.65	0.86	0.71	5.1	11.4	6.8	2.5	8.0	4.0	40.9	29.5	37.8	40.1	28.4	36.9
胆のう・胆管	C23-C24	0.85	0.82	0.84	7.5	17.9	12.2	3.8	3.0	3.4	75.0	43.3	60.5	62.5	38.8	51.7
膵臓	C25	0.80	0.78	0.79	7.2	10.8	9.0	2.6	4.1	3.3	67.1	55.4	61.3	61.2	50.0	55.7
喉頭	C32	0.14	-	0.21	0.0	-	0.0	0.0	-	0.0	92.9	-	92.9	92.9	-	92.9
肺	C33-C34	0.67	0.47	0.60	6.7	6.3	6.6	3.4	2.4	3.0	77.3	79.8	78.1	69.4	69.2	69.3
皮膚	C43-C44	0.05	0.12	0.08	1.2	1.7	1.4	0.0	1.7	0.7	98.8	96.6	97.9	98.8	96.6	97.9
乳房	C50	0.33	0.18	0.18	0.0	2.3	2.3	0.0	1.8	1.8	66.7	95.3	95.1	66.7	93.1	93.0
子宮	C53-C55	-	0.22	0.22	-	1.1	1.1	-	0.6	0.6	-	96.6	96.6	-	93.9	93.9
子宮頸部	C53	-	0.24	0.24	-	0.0	0.0	-	0.0	0.0	-	97.1	97.1	-	92.9	92.9
子宮体部	C54	-	0.18	0.18	-	1.9	1.9	-	0.9	0.9	-	97.2	97.2	-	95.4	95.4
卵巣	C56	-	0.34	0.34	-	4.6	4.6	-	2.3	2.3	-	83.9	83.9	-	78.2	78.2
前立腺	C61	0.13	-	0.13	2.6	-	2.6	2.0	-	2.0	85.8	-	85.8	85.2	-	85.2
膀胱	C67	0.37	0.46	0.39	4.7	8.1	5.6	3.8	5.4	4.2	88.7	75.7	85.3	85.8	73.0	82.5
腎・尿路（膀胱除く）	C64-C66 C68	0.31	0.33	0.32	4.5	8.3	6.0	2.7	5.6	3.8	79.5	76.4	78.3	74.1	73.6	73.9
脳・中枢神経系	C70-C72	0.48	0.24	0.37	0.0	0.0	0.0	0.0	0.0	0.0	64.0	52.4	58.7	64.0	52.4	58.7
甲状腺	C73	0.22	0.14	0.17	0.0	0.0	0.0	0.0	0.0	0.0	97.2	91.8	93.6	91.7	76.7	81.7
悪性リンパ腫	C81-C85 C96	0.35	0.45	0.39	3.2	8.1	5.2	0.0	1.2	0.5	94.4	87.2	91.5	92.0	81.4	87.7
多発性骨髄腫	C88-C90	0.47	1.07	0.65	3.1	14.3	6.5	0.0	7.1	2.2	96.9	71.4	89.1	81.3	42.9	69.6
白血病	C91-C95	0.67	0.56	0.62	5.6	9.4	7.4	0.0	9.4	4.4	97.2	96.9	97.1	75.0	62.5	69.1

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.36	0.34	0.35	3.7	4.8	4.2	1.8	2.2	2.0	85.4	85.6	85.5	82.9	82.1	82.6
食道	C15 D001	0.28	0.32	0.28	1.3	2.6	1.5	0.6	0.0	0.5	93.1	84.2	91.4	93.1	84.2	91.4
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.30	0.37	0.33	3.1	5.3	3.9	1.7	2.2	1.9	93.3	87.1	91.0	93.3	87.1	91.0
結腸 *2	C18 D010	0.29	0.41	0.34	3.9	6.7	5.0	1.7	2.4	2.0	91.3	84.5	88.7	91.3	84.5	88.7
直腸 *2	C19-C20 D011-D012	0.33	0.27	0.31	1.7	1.7	1.7	1.7	1.7	1.7	97.1	93.4	95.8	97.1	93.4	95.8
肺	C33-C34 D021-D022	0.65	0.45	0.58	6.6	5.9	6.4	3.3	2.2	2.9	77.8	81.0	78.9	70.1	71.0	70.4
皮膚	C43-C44 D030-D049	0.04	0.10	0.07	1.0	1.2	1.1	0.0	1.2	0.6	99.0	97.6	98.3	99.0	97.6	98.3
乳房	C50 D05	0.17	0.16	0.16	0.0	2.0	2.0	0.0	1.6	1.6	83.3	95.8	95.7	83.3	93.8	93.7
子宮	C53-C55 D06	-	0.12	0.12	-	0.6	0.6	-	0.3	0.3	-	98.2	98.2	-	96.6	96.6
子宮頸部	C53 D06	-	0.08	0.08	-	0.0	0.0	-	0.0	0.0	-	99.1	99.1	-	97.7	97.7
膀胱	C67 D090	0.17	0.28	0.20	2.2	5.0	2.8	1.8	3.3	2.1	94.7	85.0	92.7	92.1	81.7	89.9

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

山梨県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,461	1,012	2,473	100.0	100.0	100.0	369.9	246.8	307.2	141.0	76.8	105.5	96.1	54.0	72.9	9.9	5.5	7.7
口腔・咽頭	C00-C14	34	15	49	2.3	1.5	2.0	8.6	3.7	6.1	4.5	0.9	2.6	3.3	0.5	1.9	0.4	0.0	0.2
食道	C15	44	12	56	3.0	1.2	2.3	11.1	2.9	7.0	4.7	1.0	2.7	3.3	0.8	2.0	0.4	0.1	0.2
胃	C16	151	96	247	10.3	9.5	10.0	38.2	23.4	30.7	15.0	5.6	10.0	10.3	4.1	7.0	1.1	0.4	0.8
大腸（結腸・直腸）	C18-C20	213	156	369	14.6	15.4	14.9	53.9	38.0	45.8	21.7	10.5	15.7	14.9	7.6	11.0	1.7	0.8	1.3
結腸	C18	133	123	256	9.1	12.2	10.4	33.7	30.0	31.8	12.6	7.8	10.0	8.7	5.6	7.0	1.0	0.5	0.8
直腸	C19-C20	80	33	113	5.5	3.3	4.6	20.3	8.0	14.0	9.1	2.8	5.7	6.2	2.0	4.0	0.7	0.2	0.5
肝および肝内胆管	C22	155	76	231	10.6	7.5	9.3	39.2	18.5	28.7	14.6	4.6	9.2	10.0	3.0	6.2	1.0	0.2	0.6
胆のう・胆管	C23-C24	68	55	123	4.7	5.4	5.0	17.2	13.4	15.3	5.6	2.5	3.9	3.5	1.7	2.5	0.3	0.1	0.2
膵臓	C25	122	115	237	8.4	11.4	9.6	30.9	28.0	29.4	12.6	8.2	10.3	8.9	5.3	7.0	1.1	0.5	0.8
喉頭	C32	4	2	6	0.3	0.2	0.2	1.0	0.5	0.7	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
肺	C33-C34	338	120	458	23.1	11.9	18.5	85.6	29.3	56.9	32.6	8.6	19.6	21.9	6.0	13.3	2.3	0.7	1.5
皮膚	C43-C44	4	7	11	0.3	0.7	0.4	1.0	1.7	1.4	0.5	0.2	0.4	0.3	0.1	0.2	0.0	0.0	0.0
乳房	C50	1	108	109	0.1	10.7	4.4	0.3	26.3	13.5	0.1	13.0	6.7	0.0	9.8	5.0	0.0	1.1	0.6
子宮	C53-C55	-	39	39	-	3.9	1.6	-	9.5	-	-	4.6	-	-	3.3	-	-	0.4	-
子宮頸部	C53	-	17	17	-	1.7	0.7	-	4.1	-	-	2.3	-	-	1.6	-	-	0.2	-
子宮体部	C54	-	19	19	-	1.9	0.8	-	4.6	-	-	2.0	-	-	1.5	-	-	0.2	-
卵巣	C56	-	30	30	-	3.0	1.2	-	7.3	-	-	3.2	-	-	2.2	-	-	0.3	-
前立腺	C61	91	-	91	6.2	-	3.7	23.0	-	-	6.7	-	-	4.3	-	-	0.3	-	-
膀胱	C67	39	17	56	2.7	1.7	2.3	9.9	4.1	7.0	2.6	0.6	1.4	1.6	0.4	0.9	0.1	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	35	24	59	2.4	2.4	2.4	8.9	5.9	7.3	2.8	1.0	1.8	1.7	0.6	1.1	0.1	0.0	0.1
脳・中枢神経系	C70-C72	12	5	17	0.8	0.5	0.7	3.0	1.2	2.1	1.9	0.8	1.4	1.4	0.7	1.0	0.2	0.1	0.1
甲状腺	C73	8	10	18	0.5	1.0	0.7	2.0	2.4	2.2	1.0	0.8	0.9	0.7	0.6	0.7	0.1	0.1	0.1
悪性リンパ腫	C81-C85 C96	44	39	83	3.0	3.9	3.4	11.1	9.5	10.3	3.6	3.2	3.3	2.2	2.2	2.1	0.1	0.2	0.2
多発性骨髄腫	C88-C90	15	15	30	1.0	1.5	1.2	3.8	3.7	3.7	1.5	0.8	1.2	1.2	0.5	0.8	0.1	0.1	0.1
白血病	C91-C95	24	18	42	1.6	1.8	1.7	6.1	4.4	5.2	3.1	1.1	2.1	2.3	0.7	1.5	0.3	0.0	0.2

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,461	0	0	1	0	1	0	4	0	11	12	23	42	80	196	187	235	267	242	120	36	4	0
	口腔・咽頭	C00-C14	34	0	0	0	0	0	0	1	0	0	2	1	3	5	5	3	2	7	4	1	0	0	0
	食道	C15	44	0	0	0	0	0	0	1	0	0	0	0	2	5	6	7	5	7	8	2	1	0	0
	胃	C16	151	0	0	0	0	0	0	1	0	2	3	4	1	8	22	20	19	31	24	15	1	0	0
	大腸（結腸・直腸）	C18-C20	213	0	0	0	0	0	0	0	0	2	1	6	10	12	27	39	27	38	27	16	6	2	0
	結腸	C18	133	0	0	0	0	0	0	0	0	0	0	2	6	8	15	25	18	18	20	14	5	2	0
	直腸	C19-C20	80	0	0	0	0	0	0	0	0	2	1	4	4	4	12	14	9	20	7	2	1	0	0
	肝および肝内胆管	C22	155	0	0	0	0	0	0	0	0	2	0	1	6	8	24	18	26	23	32	11	3	1	0
	胆のう・胆管	C23-C24	68	0	0	0	0	0	0	0	0	0	0	0	0	3	5	10	11	17	15	2	4	1	0
	膵臓	C25	122	0	0	1	0	0	0	0	0	0	0	3	4	7	23	21	24	14	17	4	4	0	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	0	1	0	1	0	0	0
	肺	C33-C34	338	0	0	0	0	0	0	0	0	1	3	5	12	17	47	43	72	55	51	28	4	0	0
	皮膚	C43-C44	4	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	0	1	0	0	0
	乳房	C50	1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0
	前立腺	C61	91	0	0	0	0	0	0	0	0	0	0	0	0	3	6	6	14	20	19	16	7	0	0
	膀胱	C67	39	0	0	0	0	0	0	0	0	0	0	0	0	0	1	4	3	11	10	6	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	35	0	0	0	0	0	0	0	0	0	0	0	0	2	3	1	7	9	7	6	0	0	0
	脳・中枢神経系	C70-C72	12	0	0	0	0	0	0	1	0	1	0	0	1	2	3	1	0	3	0	0	0	0	0
	甲状腺	C73	8	0	0	0	0	0	0	0	0	0	0	1	0	0	4	2	0	1	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	44	0	0	0	0	0	0	0	0	1	0	0	1	0	4	2	8	11	14	2	1	0	0
	多発性骨髄腫	C88-C90	15	0	0	0	0	0	0	0	0	0	0	0	0	4	3	0	1	2	2	3	0	0	0
	白血病	C91-C95	24	0	0	0	0	0	0	0	0	1	2	0	1	3	5	3	4	2	3	0	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,012	0	0	0	0	0	1	2	3	4	14	22	42	54	83	85	134	145	196	158	63	6	0
	口腔・咽頭	C00-C14	15	0	0	0	0	0	0	0	0	0	0	0	0	1	1	0	2	5	1	3	2	0	0
	食道	C15	12	0	0	0	0	0	0	0	0	0	0	2	2	0	1	0	1	3	3	0	0	0	0
	胃	C16	96	0	0	0	0	0	0	0	0	0	2	2	3	10	9	5	7	26	21	10	1	0	0
	大腸（結腸・直腸）	C18-C20	156	0	0	0	0	0	1	0	0	0	0	4	3	11	12	13	9	28	29	34	12	0	0
	結腸	C18	123	0	0	0	0	0	1	0	0	0	0	2	3	7	8	9	6	24	23	33	7	0	0
	直腸	C19-C20	33	0	0	0	0	0	0	0	0	0	0	2	0	4	4	4	3	4	6	1	5	0	0
	肝および肝内胆管	C22	76	0	0	0	0	0	0	0	0	0	1	1	2	1	4	3	18	9	16	13	4	4	0
	胆のう・胆管	C23-C24	55	0	0	0	0	0	0	0	0	1	0	0	1	1	0	2	8	3	16	14	9	0	0
	膵臓	C25	115	0	0	0	0	0	0	0	0	0	0	3	2	4	11	9	25	25	20	11	4	1	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	0	0	0	0	0
	肺	C33-C34	120	0	0	0	0	0	0	0	1	0	0	0	4	7	11	17	15	17	31	11	6	0	0
	皮膚	C43-C44	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	4	0	0	0
	乳房	C50	108	0	0	0	0	0	0	0	1	1	8	7	8	13	14	10	13	9	10	10	4	0	0
	子宮	C53-C55	39	0	0	0	0	0	0	0	0	1	0	4	6	1	6	4	6	2	5	2	2	0	0
	子宮頸部	C53	17	0	0	0	0	0	0	0	0	1	0	3	2	0	2	2	4	0	3	0	0	0	0
	子宮体部	C54	19	0	0	0	0	0	0	0	0	0	0	1	3	1	4	2	2	1	2	1	2	0	0
	卵巣	C56	30	0	0	0	0	0	0	0	0	0	0	2	6	1	3	2	3	6	3	3	1	0	0
	膀胱	C67	17	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	1	3	6	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	24	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2	5	1	8	7	1	0	0
	脳・中枢神経系	C70-C72	5	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	0	1	0	0	0	0	0
	甲状腺	C73	10	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	0	3	1	2	0	0	0
	悪性リンパ腫	C81-C85 C96	39	0	0	0	0	0	0	0	0	0	1	1	2	3	3	3	4	10	8	4	0	0	0
	多発性骨髄腫	C88-C90	15	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	2	2	7	1	0	0	0
	白血病	C91-C95	18	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	2	4	4	5	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	2,473	0	0	1	0	1	1	6	3	15	26	45	84	134	279	272	369	412	438	278	99	10	0
	口腔・咽頭	C00-C14	49	0	0	0	0	0	0	1	0	0	2	1	3	6	6	3	4	12	5	4	2	0	0
	食道	C15	56	0	0	0	0	0	0	1	0	0	0	0	4	7	6	8	5	8	11	5	1	0	0
	胃	C16	247	0	0	0	0	0	0	1	0	2	5	4	3	11	32	29	24	38	50	36	11	1	0
	大腸（結腸・直腸）	C18-C20	369	0	0	0	0	0	1	0	0	2	1	10	13	23	39	52	36	66	56	50	18	2	0
	結腸	C18	256	0	0	0	0	0	1	0	0	0	0	4	9	15	23	34	24	42	43	47	12	2	0
	直腸	C19-C20	113	0	0	0	0	0	0	0	0	2	1	6	4	8	16	18	12	24	13	3	6	0	0
	肝および肝内胆管	C22	231	0	0	0	0	0	0	0	0	2	1	2	8	9	28	21	44	32	48	24	7	5	0
	胆のう・胆管	C23-C24	123	0	0	0	0	0	0	0	0	1	0	0	1	4	5	12	19	20	31	16	13	1	0
	膵臓	C25	237	0	0	1	0	0	0	0	0	0	0	6	6	11	34	30	49	39	37	15	8	1	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	0	1	0	0	2	1	1	0	1	0	0	0
	肺	C33-C34	458	0	0	0	0	0	0	0	1	1	3	5	16	24	58	60	87	72	82	39	10	0	0
	皮膚	C43-C44	11	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	3	1	5	0	0	0
	乳房	C50	109	0	0	0	0	0	0	0	1	1	8	7	8	13	14	10	14	9	10	10	4	0	0
	子宮	C53-C55	39	0	0	0	0	0	0	0	0	1	0	4	6	1	6	4	6	2	5	2	2	0	0
	子宮頸部	C53	17	0	0	0	0	0	0	0	0	1	0	3	2	0	2	2	4	0	3	0	0	0	0
	子宮体部	C54	19	0	0	0	0	0	0	0	0	0	0	1	3	1	4	2	2	1	2	1	2	0	0
	卵巣	C56	30	0	0	0	0	0	0	0	0	0	0	2	6	1	3	2	3	6	3	3	1	0	0
	前立腺	C61	91	0	0	0	0	0	0	0	0	0	0	0	0	3	6	6	14	20	19	16	7	0	0
	膀胱	C67	56	0	0	0	0	0	0	0	0	0	0	0	0	0	2	4	5	12	13	12	8	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	59	0	0	0	0	0	0	0	0	0	0	0	0	2	3	3	12	10	15	13	1	0	0
	脳・中枢神経系	C70-C72	17	0	0	0	0	0	0	1	0	2	0	0	1	4	4	1	0	4	0	0	0	0	0
	甲状腺	C73	18	0	0	0	0	0	0	0	0	0	1	1	0	0	6	3	0	4	1	2	0	0	0
	悪性リンパ腫	C81-C85 C96	83	0	0	0	0	0	0	0	0	1	1	1	3	3	7	5	12	21	22	6	1	0	0
	多発性骨髄腫	C88-C90	30	0	0	0	0	0	0	0	0	0	0	0	0	5	3	2	3	4	9	4	0	0	0
	白血病	C91-C95	42	0	0	0	0	0	0	1	0	1	2	0	1	3	5	4	6	6	7	5	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	369.9	0.0	0.0	5.6	0.0	5.3	0.0	20.0	0.0	40.7	40.0	82.1	161.5	296.3	612.5	719.2	1,068.2	1,780.0	2,871.4	.
	口腔・咽頭	C00-C14	8.6	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	6.7	3.6	11.5	18.5	15.6	11.5	9.1	46.7	35.7	.
	食道	C15	11.1	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	7.7	18.5	18.8	26.9	22.7	46.7	78.6	.
	胃	C16	38.2	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	7.4	10.0	14.3	3.8	29.6	68.8	76.9	86.4	206.7	285.7	.
	大腸（結腸・直腸）	C18-C20	53.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.3	21.4	38.5	44.4	84.4	150.0	122.7	253.3	364.3	.
	結腸	C18	33.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	23.1	29.6	46.9	96.2	81.8	120.0	292.9	.
	直腸	C19-C20	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.3	14.3	15.4	14.8	37.5	53.8	40.9	133.3	71.4	.
	肝および肝内胆管	C22	39.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	3.6	23.1	29.6	75.0	69.2	118.2	153.3	335.7	.
	胆のう・胆管	C23-C24	17.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	15.6	38.5	50.0	113.3	157.1	.
	膵臓	C25	30.9	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	15.4	25.9	71.9	80.8	109.1	93.3	178.6	.
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	6.7	7.1	.
	肺	C33-C34	85.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	10.0	17.9	46.2	63.0	146.9	165.4	327.3	366.7	592.9	.
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	3.1	0.0	0.0	6.7	7.1	.
	乳房	C50	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	.
	前立腺	C61	23.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	18.8	23.1	63.6	133.3	300.0	.
	膀胱	C67	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	15.4	13.6	73.3	142.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	8.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	9.4	3.8	31.8	60.0	92.9	.
	脳・中枢神経系	C70-C72	3.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	3.7	0.0	0.0	3.8	7.4	9.4	3.8	0.0	20.0	0.0	.
	甲状腺	C73	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	12.5	7.7	0.0	6.7	0.0	.
	悪性リンパ腫	C81-C85 C96	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	3.8	0.0	12.5	7.7	36.4	73.3	121.4	.
	多発性骨髄腫	C88-C90	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	9.4	0.0	4.5	13.3	35.7	.
	白血病	C91-C95	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	6.7	0.0	3.8	11.1	15.6	11.5	18.2	13.3	21.4	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	246.8	0.0	0.0	0.0	0.0	0.0	6.3	11.1	14.3	16.0	50.0	81.5	161.5	200.0	259.4	303.6	536.0	690.5	1,364.5	.
	口腔・咽頭	C00-C14	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.1	0.0	8.0	23.8	19.4	.
	食道	C15	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	7.4	0.0	3.6	0.0	4.8	19.4	.
	胃	C16	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	7.7	11.1	31.3	32.1	20.0	33.3	187.1	.
	大腸（結腸・直腸）	C18-C20	38.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	14.8	11.5	40.7	37.5	46.4	36.0	133.3	241.9	.
	結腸	C18	30.0	0.0	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	7.4	11.5	25.9	25.0	32.1	24.0	114.3	203.2	.
	直腸	C19-C20	8.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	0.0	14.8	12.5	14.3	12.0	19.0	38.7	.
	肝および肝内胆管	C22	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	7.7	3.7	12.5	10.7	72.0	42.9	119.4	.
	胆のう・胆管	C23-C24	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	3.8	3.7	0.0	7.1	32.0	14.3	125.8	.
	膵臓	C25	28.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.1	7.7	14.8	34.4	32.1	100.0	119.0	116.1	.
	喉頭	C32	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	4.0	0.0	0.0	.
	肺	C33-C34	29.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	15.4	25.9	34.4	60.7	60.0	81.0	154.8	.
	皮膚	C43-C44	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	16.1	.
	乳房	C50	26.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.0	28.6	25.9	30.8	48.1	43.8	35.7	52.0	42.9	77.4	.
	子宮	C53-C55	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	14.8	23.1	3.7	18.8	14.3	24.0	9.5	29.0	.
	子宮頸部	C53	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	11.1	7.7	0.0	6.3	7.1	16.0	0.0	9.7	.
	子宮体部	C54	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.5	3.7	12.5	7.1	8.0	4.8	16.1	.
	卵巣	C56	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	23.1	3.7	9.4	7.1	12.0	28.6	22.6	.
	膀胱	C67	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	0.0	8.0	4.8	41.9	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	20.0	4.8	51.6	.
	脳・中枢神経系	C70-C72	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	7.4	3.1	0.0	0.0	4.8	0.0	.
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	6.3	3.6	0.0	14.3	9.7	.
	悪性リンパ腫	C81-C85 C96	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	7.7	11.1	9.4	10.7	16.0	47.6	38.7	.
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	7.1	8.0	9.5	25.8	.
	白血病	C91-C95	4.4	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	8.0	19.0	32.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2018年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	307.2	0.0	0.0	2.9	0.0	2.8	2.9	15.8	7.0	28.8	44.8	81.8	161.5	248.1	435.9	503.7	785.1	1,144.4	1,833.3	.
	口腔・咽頭	C00-C14	6.1	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	3.4	1.8	5.8	11.1	9.4	5.6	8.5	33.3	24.4	.
	食道	C15	7.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	7.7	13.0	9.4	14.8	10.6	22.2	37.8	.
	胃	C16	30.7	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.8	8.6	7.3	5.8	20.4	50.0	53.7	51.1	105.6	217.8	.
	大腸（結腸・直腸）	C18-C20	45.8	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	3.8	1.7	18.2	25.0	42.6	60.9	96.3	76.6	183.3	280.0	.
	結腸	C18	31.8	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	7.3	17.3	27.8	35.9	63.0	51.1	116.7	231.1	.
	直腸	C19-C20	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	1.7	10.9	7.7	14.8	25.0	33.3	25.5	66.7	48.9	.
	肝および肝内胆管	C22	28.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	1.7	3.6	15.4	16.7	43.8	38.9	93.6	88.9	186.7	.
	胆のう・胆管	C23-C24	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	1.9	7.4	7.8	22.2	40.4	55.6	135.6	.
	膵臓	C25	29.4	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.9	11.5	20.4	53.1	55.6	104.3	108.3	135.6	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	3.7	2.1	2.8	2.2	.
	肺	C33-C34	56.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.9	5.2	9.1	30.8	44.4	90.6	111.1	185.1	200.0	291.1	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.6	0.0	0.0	8.3	13.3	.
	乳房	C50	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.9	13.8	12.7	15.4	24.1	21.9	18.5	29.8	25.0	53.3	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	7.4	10.6	33.3	73.3	.
	腎・尿路（膀胱除く）	C64-C66 C68	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	4.7	5.6	25.5	27.8	64.4	.
	脳・中枢神経系	C70-C72	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	3.8	0.0	0.0	1.9	7.4	6.3	1.9	0.0	11.1	0.0	.
	甲状腺	C73	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.8	0.0	0.0	9.4	5.6	0.0	11.1	6.7	.
	悪性リンパ腫	C81-C85 C96	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.7	1.8	5.8	5.6	10.9	9.3	25.5	58.3	64.4	.
	多発性骨髄腫	C88-C90	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.3	4.7	3.7	6.4	11.1	28.9	.
	白血病	C91-C95	5.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	1.9	3.4	0.0	1.9	5.6	7.8	7.4	12.8	16.7	28.9	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2018年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	3,693	6	3	1	5	4	6	9	20	34	55	103	161	302	615	675	682	515	321	147	25	4	0
	甲府市	848	*	*	0	*	0	*	*	*	10	12	17	33	66	129	166	144	142	66	42	*	*	0
	富士吉田市	241	*	0	0	0	0	0	0	*	*	*	10	15	21	39	40	40	42	17	*	*	0	0
	都留市	110	0	0	0	*	*	0	0	*	*	*	*	*	10	23	19	22	15	*	*	*	0	0
	山梨市	146	*	0	0	0	0	0	*	0	*	*	*	*	13	23	25	30	13	11	*	*	0	0
	大月市	142	0	0	0	0	0	0	*	*	*	*	*	*	15	21	23	32	18	10	*	*	0	0
	韮崎市	116	0	0	0	0	0	0	0	0	*	0	*	*	10	13	18	33	16	10	*	*	0	0
	南アルプス市	290	0	0	0	0	*	0	0	*	*	*	12	13	24	62	50	47	38	23	*	*	0	0
	北杜市	257	0	*	0	0	0	*	0	0	0	*	*	*	11	43	50	47	33	33	19	*	0	0
	甲斐市	333	0	0	0	*	0	*	*	*	*	*	*	14	27	60	69	63	41	26	10	0	0	0
	笛吹市	293	0	0	0	0	0	0	0	*	*	*	*	17	28	45	68	41	48	21	*	*	0	0
	上野原市	132	0	0	0	0	0	0	0	0	*	*	*	*	*	25	23	29	12	17	*	*	*	0
	甲州市	138	0	0	0	0	*	0	0	0	0	*	*	*	*	24	18	32	20	16	*	0	0	0
	中央市	110	*	0	*	0	*	0	*	*	*	*	*	*	*	18	26	19	11	*	*	0	0	0
	市川三郷町	97	0	0	0	0	0	0	0	*	0	*	*	*	*	14	14	24	13	14	*	0	*	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	0	*	0	0	0
	身延町	59	0	0	0	0	0	0	0	0	0	*	*	*	10	*	12	10	*	*	*	*	0	0
	南部町	48	0	0	0	0	0	0	0	0	0	0	0	*	*	*	10	*	*	*	*	*	*	0
	富士川町	68	0	0	0	0	0	0	*	0	0	*	0	*	*	13	10	14	*	*	0	0	0	0
	昭和町	75	0	0	0	0	0	0	0	*	0	0	*	*	*	12	12	15	*	10	*	*	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	*	0	0	0	0	0
	西桂町	12	0	0	0	0	0	0	0	0	*	0	*	0	*	*	0	*	*	0	0	0	0	0
	忍野村	23	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	22	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0
	鳴沢村	10	0	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	0	0	0	0	0
	富士河口湖町	104	0	0	0	0	0	*	*	0	*	*	*	*	11	19	14	17	14	11	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	0	0	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2018年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2,577	2	0	1	2	6	12	19	42	71	119	162	159	221	317	330	321	303	262	169	54	5	0
	甲府市	615	0	0	0	0	0	*	*	*	12	31	38	36	47	67	82	79	74	74	42	16	0	0
	富士吉田市	140	*	0	0	0	0	*	*	*	*	*	*	*	10	28	16	13	13	10	11	*	*	0
	都留市	64	0	0	0	0	*	0	0	0	0	*	*	*	10	*	13	*	*	*	*	*	0	0
	山梨市	108	0	0	0	0	*	0	*	0	*	*	11	*	*	13	13	*	14	16	*	*	0	0
	大月市	93	0	0	0	0	*	0	0	0	*	*	*	*	*	13	*	16	13	12	*	*	*	0
	韭崎市	92	0	0	0	0	0	*	0	*	*	*	*	*	*	16	11	11	14	*	*	*	0	0
	南アルプス市	206	0	0	0	*	0	*	*	*	*	*	16	12	21	30	24	25	20	22	13	*	0	0
	北杜市	153	0	0	0	0	0	0	*	*	*	*	*	*	10	16	28	25	18	15	*	*	0	0
	甲斐市	215	0	0	0	0	*	0	*	*	10	13	12	11	22	28	27	39	24	14	*	*	*	0
	笛吹市	240	0	0	*	0	*	0	*	*	*	15	16	15	14	25	36	33	31	23	13	*	0	0
	上野原市	76	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	10	11	*	12	*	0	0
	甲州市	93	0	0	0	0	0	0	0	*	*	*	*	10	11	12	11	*	*	10	*	*	0	0
	中央市	70	0	0	0	0	*	*	*	*	*	*	*	*	10	11	*	*	*	*	*	0	*	0
	市川三郷町	54	0	0	0	*	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	0	*	0	0
	身延町	51	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	10	*	*	*	*	0
	南部町	35	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	*	*	0
	富士川町	67	0	0	0	0	0	0	0	0	*	*	*	*	*	*	10	*	*	10	*	*	0	0
	昭和町	48	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	*	*	0	0	0
	西桂町	13	0	0	0	0	0	0	0	*	0	0	0	0	*	*	*	*	*	*	*	0	0	0
	忍野村	20	0	0	0	0	0	0	*	*	0	*	*	*	*	*	0	*	*	*	*	0	0	0
	山中湖村	18	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*	*	*	*	0	0	0	0
	鳴沢村	*	0	0	0	0	0	0	0	0	*	0	0	0	0	*	*	*	0	0	*	*	0	0
	富士河口湖町	76	*	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	11	*	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	*	*	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2018年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
総数 注2	山 梨	6,270	8	3	2	7	10	18	28	62	105	174	265	320	523	932	1,005	1,003	818	583	316	79	9	0	
	甲府市	1,463	*	*	0	*	0	*	*	12	22	43	55	69	113	196	248	223	216	140	84	20	*	0	
	富士吉田市	381	*	0	0	0	0	*	*	*	*	11	18	24	31	67	56	53	55	27	18	*	*	0	
	都留市	174	0	0	0	*	*	0	0	*	*	*	*	*	20	29	32	27	22	*	*	*	0	0	
	山梨市	254	*	0	0	0	*	0	*	0	*	*	15	10	19	36	38	38	27	27	17	*	0	0	
	大月市	235	0	0	0	0	*	0	*	*	*	*	*	*	24	34	30	48	31	22	11	*	*	0	
	韮崎市	208	0	0	0	0	0	*	0	*	*	*	10	10	18	29	29	44	30	15	*	*	0	0	
	南アルプス市	496	0	0	0	*	*	*	*	*	*	11	28	25	45	92	74	72	58	45	22	*	0	0	
	北杜市	410	0	*	0	0	0	*	*	*	*	*	14	16	21	59	78	72	51	48	27	*	0	0	
	甲斐市	548	0	0	0	*	*	*	*	*	18	16	20	25	49	88	96	102	65	40	14	*	*	0	
	笛吹市	533	0	0	*	0	*	0	*	*	*	20	25	32	42	70	104	74	79	44	19	*	0	0	
	上野原市	208	0	0	0	0	0	*	0	*	*	*	*	*	13	31	30	39	23	25	15	*	*	0	
	甲州市	231	0	0	0	0	*	0	0	*	*	*	*	18	18	36	29	41	28	26	15	*	0	0	
	中央市	180	*	0	*	0	*	*	*	*	*	*	*	10	17	29	30	27	17	*	10	0	*	0	
	市川三郷町	151	0	0	0	*	0	0	0	*	0	*	*	*	14	20	21	29	18	20	*	*	*	0	
	早川町	12	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	0	*	*	0	0	
	身延町	110	0	0	0	0	0	0	0	*	*	*	*	*	13	13	15	13	15	15	*	*	*	0	
	南部町	83	0	0	0	0	0	0	0	*	0	0	*	*	*	*	16	10	*	11	*	*	*	0	
	富士川町	135	0	0	0	0	0	0	*	0	*	*	*	13	11	19	20	19	15	18	*	*	0	0	
	昭和町	123	0	0	0	0	0	*	0	*	*	*	*	*	12	16	21	21	12	15	*	*	0	0	
	道志村	11	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0	
	西桂町	25	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	*	*	*	*	0	0	0
	忍野村	43	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	40	0	0	0	0	0	0	0	*	*	*	*	0	*	*	*	*	*	*	*	*	0	0	0
	鳴沢村	18	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	*	*	0	*	*	0	0	0
	富士河口湖町	180	*	0	0	0	0	*	*	*	*	*	10	10	18	25	21	26	25	19	*	*	0	0	0
	小菅村	12	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	0	*	0	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2018年

性別	市区町村	総数 ^{注1}	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	4022	6	3	1	5	4	7	11	22	38	62	124	183	332	663	740	736	553	347	156	25	4	0
	甲府市	921	*	*	0	*	0	*	*	*	12	13	21	38	70	140	181	157	149	75	43	*	*	0
	富士吉田市	261	*	0	0	0	0	0	0	*	*	*	12	15	23	43	43	42	46	19	*	*	0	0
	都留市	123	0	0	0	*	*	0	0	*	*	*	*	*	10	26	23	22	17	*	*	*	0	0
	山梨市	155	*	0	0	0	0	0	*	0	*	*	*	*	15	24	26	31	14	13	*	*	0	0
	大月市	152	0	0	0	0	0	0	*	*	*	*	*	*	15	24	24	34	19	10	*	*	0	0
	韮崎市	127	0	0	0	0	0	0	0	*	0	*	*	*	12	15	20	34	16	11	*	*	0	0
	南アルプス市	321	0	0	0	0	*	0	0	*	*	*	15	14	27	63	56	57	41	25	11	*	0	0
	北杜市	288	0	*	0	0	0	*	0	0	0	*	12	*	12	47	57	51	39	36	20	*	0	0
	甲斐市	367	0	0	0	*	0	*	*	*	*	*	*	18	31	68	76	66	45	26	11	0	0	0
	笛吹市	313	0	0	0	0	0	0	0	*	*	*	*	20	32	48	72	43	50	23	*	*	0	0
	上野原市	145	0	0	0	0	0	0	0	0	*	*	*	*	*	27	26	33	13	18	*	*	*	0
	甲州市	151	0	0	0	0	*	0	0	0	0	*	*	10	*	26	19	32	24	16	*	0	0	0
	中央市	118	*	0	*	0	*	0	*	*	*	*	*	*	*	19	29	21	11	*	*	0	0	0
	市川三郷町	105	0	0	0	0	0	0	*	*	0	*	*	*	*	14	15	26	13	14	*	0	*	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	*	0	0	0
	身延町	66	0	0	0	0	0	0	0	0	0	*	*	*	10	*	14	12	*	*	*	*	0	0
	南部町	53	0	0	0	0	0	0	0	0	0	0	0	*	*	*	12	11	*	*	*	*	*	0
	富士川町	75	0	0	0	0	0	0	*	0	0	*	0	*	*	15	10	17	10	*	*	0	0	0
	昭和町	78	0	0	0	0	0	0	0	*	0	*	*	*	*	12	12	15	*	10	*	*	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	*	0	0	0	0	0
	西桂町	12	0	0	0	0	0	0	0	0	*	0	*	0	*	*	0	*	*	0	0	0	0	0
	忍野村	24	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	22	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0
	鳴沢村	11	0	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	0	0	0	0	0
	富士河口湖町	113	0	0	0	0	0	*	*	0	*	*	*	*	13	20	15	17	14	12	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	0	0	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2018年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2956	2	0	1	2	7	25	40	71	108	153	188	201	248	358	371	354	318	277	173	54	5	0
	甲府市	717	0	0	0	0	0	*	11	18	21	40	47	43	50	77	96	92	78	76	43	16	0	0
	富士吉田市	157	*	0	0	0	0	*	*	*	*	*	*	10	12	29	19	14	15	11	12	*	*	0
	都留市	72	0	0	0	0	*	0	0	*	0	*	*	*	12	*	14	*	*	*	*	*	0	0
	山梨市	117	0	0	0	0	*	0	*	*	*	*	12	*	*	13	15	*	14	17	*	*	0	0
	大月市	96	0	0	0	0	*	0	0	0	*	*	*	*	*	15	*	17	13	12	*	*	*	0
	韮崎市	111	0	0	0	0	0	*	0	*	*	*	*	10	11	18	11	12	14	*	*	*	0	0
	南アルプス市	239	0	0	0	*	0	*	*	*	*	12	19	15	22	36	24	27	21	22	13	*	0	0
	北杜市	176	0	0	0	0	0	0	*	*	11	*	*	11	11	18	31	26	19	17	*	*	0	0
	甲斐市	264	0	0	0	0	*	*	*	*	21	16	16	16	23	34	32	43	26	17	*	*	*	0
	笛吹市	272	0	0	*	0	*	*	*	*	*	18	18	20	19	30	38	33	31	27	13	*	0	0
	上野原市	87	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	11	14	*	12	*	0	0
	甲州市	104	0	0	0	0	0	0	0	*	*	*	*	11	12	13	13	10	*	10	*	*	0	0
	中央市	83	0	0	0	0	*	*	*	*	*	*	*	*	12	12	*	*	*	*	*	0	*	0
	市川三郷町	60	0	0	0	*	0	*	0	0	0	*	*	*	*	*	10	*	*	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	0	*	0	0
	身延町	55	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	10	*	*	*	*	0
	南部町	38	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	*	*	0
	富士川町	74	0	0	0	0	0	0	0	*	*	*	*	10	*	*	10	*	*	10	*	*	0	0
	昭和町	59	0	0	0	0	*	*	*	*	*	*	*	*	*	*	11	*	*	*	*	0	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	*	*	0	0	0
	西桂町	13	0	0	0	0	0	0	0	*	0	0	0	0	*	*	*	*	*	*	*	0	0	0
	忍野村	24	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	21	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*	*	*	*	0	0	0	0
	鳴沢村	10	0	0	0	0	0	*	0	0	*	0	0	0	0	*	*	*	0	0	*	*	0	0
	富士河口湖町	83	*	0	0	0	0	*	0	*	*	*	*	*	*	*	*	10	12	*	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	*	*	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2018年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 注2	山梨	6,978	8	3	2	7	11	32	51	93	146	215	312	384	580	1,021	1,111	1,090	871	624	329	79	9	0
	甲府市	1,638	*	*	0	*	0	12	12	24	33	53	68	81	120	217	277	249	227	151	86	20	*	0
	富士吉田市	418	*	0	0	0	0	*	*	*	*	13	20	25	35	72	62	56	61	30	20	*	*	0
	都留市	195	0	0	0	*	*	0	0	*	*	*	11	*	22	33	37	28	24	*	*	*	0	0
	山梨市	272	*	0	0	0	*	0	*	*	*	*	17	12	22	37	41	39	28	30	17	*	0	0
	大月市	248	0	0	0	0	*	0	*	*	*	*	*	10	24	39	31	51	32	22	12	*	*	0
	韮崎市	238	0	0	0	0	0	*	0	*	*	*	11	19	23	33	31	46	30	17	*	*	0	0
	南アルプス市	560	0	0	0	*	*	*	*	11	11	17	34	29	49	99	80	84	62	47	24	*	0	0
	北杜市	464	0	*	0	0	0	*	*	*	11	*	20	20	23	65	88	77	58	53	29	*	0	0
	甲斐市	631	0	0	0	*	*	*	*	*	30	19	25	34	54	102	108	109	71	43	15	*	*	0
	笛吹市	585	0	0	*	0	*	*	*	*	*	23	27	40	51	78	110	76	81	50	19	*	0	0
	上野原市	232	0	0	0	0	0	*	0	*	*	*	*	11	15	34	34	44	27	26	15	*	*	0
	甲州市	255	0	0	0	0	*	0	0	*	*	*	12	21	21	39	32	42	33	26	15	*	0	0
	中央市	201	*	0	*	0	*	*	*	*	*	*	*	11	20	31	33	29	17	*	10	0	*	0
	市川三郷町	165	0	0	0	*	0	*	*	*	0	*	*	*	17	20	25	33	18	20	*	*	*	0
	早川町	14	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	0
	身延町	121	0	0	0	0	0	0	0	*	*	*	*	*	13	14	17	15	17	16	*	*	*	0
	南部町	91	0	0	0	0	0	0	0	*	0	0	*	*	*	*	18	13	*	11	*	*	*	0
	富士川町	149	0	0	0	0	0	0	*	*	*	*	*	15	12	21	20	23	16	18	*	*	0	0
	昭和町	137	0	0	0	0	*	*	*	*	*	*	*	*	13	16	23	22	12	15	*	*	0	0
	道志村	13	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0
	西桂町	25	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	*	*	*	*	0	0
	忍野村	48	0	0	0	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	*	*	0	0
	山中湖村	43	0	0	0	0	0	0	0	0	*	*	*	0	*	*	*	*	*	*	*	*	0	0
	鳴沢村	21	0	0	0	0	0	*	0	0	*	*	0	*	0	*	*	*	*	*	0	*	*	0
	富士河口湖町	196	*	0	0	0	0	*	*	*	*	*	11	11	20	28	23	27	26	21	10	*	0	0
	小菅村	12	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	*	*	*	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2018年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	3,693	6	3	1	5	4	6	9	20	34	55	103	161	302	615	675	682	515	321	147	25	4	0
		医療圏	中北	2,029	*	*	*	*	*	*	*	11	24	24	53	83	153	337	391	368	288	174	93	*	*
		峡東	577	*	0	0	0	*	0	*	*	*	11	17	29	48	92	111	103	81	48	21	*	*	0
		峡南	278	0	0	0	0	0	0	*	*	0	*	*	13	27	37	47	57	32	36	*	*	*	0
		富士・東部	809	*	0	0	*	*	*	*	*	*	15	26	36	74	149	126	154	114	63	24	*	*	0
	保健所	峡南	278	0	0	0	0	0	0	*	*	0	*	*	13	27	37	47	57	32	36	*	*	*	0
		中北	2,029	*	*	*	*	*	*	*	11	24	24	53	83	153	337	391	368	288	174	93	*	*	0
		峡東	577	*	0	0	0	*	0	*	*	*	11	17	29	48	92	111	103	81	48	21	*	*	0
		富士・東部	809	*	0	0	*	*	*	*	*	*	15	26	36	74	149	126	154	114	63	24	*	*	0
	女	都道府県	山梨	2,577	2	0	1	2	6	12	19	42	71	119	162	159	221	317	330	321	303	262	169	54	5
医療圏			中北	1,399	0	0	0	*	*	*	11	25	41	68	88	76	122	172	185	193	161	136	77	30	*
		峡東	441	0	0	*	0	*	0	*	*	11	24	32	31	31	50	60	50	53	49	30	*	*	0
		峡南	213	0	0	0	*	0	0	0	*	*	*	12	21	21	25	27	17	25	28	17	*	*	0
		富士・東部	524	*	0	0	0	*	*	*	11	15	22	30	31	47	70	58	61	64	49	45	*	*	0
保健所		峡南	213	0	0	0	*	0	0	0	*	*	*	12	21	21	25	27	17	25	28	17	*	*	0
		中北	1,399	0	0	0	*	*	*	11	25	41	68	88	76	122	172	185	193	161	136	77	30	*	0
		峡東	441	0	0	*	0	*	0	*	*	11	24	32	31	31	50	60	50	53	49	30	*	*	0
		富士・東部	524	*	0	0	0	*	*	*	11	15	22	30	31	47	70	58	61	64	49	45	*	*	0
総数注2		都道府県	山梨	6,270	8	3	2	7	10	18	28	62	105	174	265	320	523	932	1,005	1,003	818	583	316	79	9
	医療圏		中北	3,428	*	*	*	*	*	14	14	36	65	92	141	159	275	509	576	561	449	310	170	38	*
		峡東	1,018	*	0	*	0	*	0	*	*	13	35	49	60	79	142	171	153	134	97	51	13	0	0
		峡南	491	0	0	0	*	0	0	*	*	*	10	19	34	48	62	74	74	57	64	26	10	*	0
		富士・東部	1,333	*	0	0	*	*	*	*	15	23	37	56	67	121	219	184	215	178	112	69	18	*	0
	保健所	峡南	491	0	0	0	*	0	0	*	*	*	10	19	34	48	62	74	74	57	64	26	10	*	0
		中北	3,428	*	*	*	*	*	14	14	36	65	92	141	159	275	509	576	561	449	310	170	38	*	0
		峡東	1,018	*	0	*	0	*	0	*	*	13	35	49	60	79	142	171	153	134	97	51	13	0	0
		富士・東部	1,333	*	0	0	*	*	*	*	15	23	37	56	67	121	219	184	215	178	112	69	18	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2018年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	4,022	6	3	1	5	4	7	11	22	38	62	124	183	332	663	740	736	553	347	156	25	4	0
	医療圏	中北	2,220	*	*	*	*	*	*	*	13	27	28	65	97	168	364	431	401	308	189	98	*	*	0
		峡東	619	*	0	0	0	*	0	*	*	*	11	20	34	56	98	117	106	88	52	21	*	0	0
		峡南	306	0	0	0	0	0	0	*	*	0	*	*	14	30	39	52	67	35	38	10	*	*	0
		富士・東部	877	*	0	0	*	*	*	*	*	*	18	32	38	78	162	140	162	122	68	27	*	*	0
	保健所	峡南	306	0	0	0	0	0	0	*	*	0	*	*	14	30	39	52	67	35	38	10	*	*	0
		中北	2,220	*	*	*	*	*	*	*	13	27	28	65	97	168	364	431	401	308	189	98	*	*	0
		峡東	619	*	0	0	0	*	0	*	*	*	11	20	34	56	98	117	106	88	52	21	*	0	0
		富士・東部	877	*	0	0	*	*	*	*	*	*	18	32	38	78	162	140	162	122	68	27	*	*	0
女	都道府県	山梨	2,956	2	0	1	2	7	25	40	71	108	153	188	201	248	358	371	354	318	277	173	54	5	0
	医療圏	中北	1,649	0	0	0	*	*	18	29	44	71	92	107	103	134	199	209	215	169	144	79	30	*	0
		峡東	493	0	0	*	0	*	*	*	10	13	28	36	39	38	56	66	51	54	54	30	*	0	0
		峡南	234	0	0	0	*	0	*	0	*	*	*	13	24	23	26	30	20	25	28	18	*	*	0
		富士・東部	580	*	0	0	0	*	*	*	13	19	25	32	35	53	77	66	68	70	51	46	*	*	0
	保健所	峡南	234	0	0	0	*	0	*	0	*	*	*	13	24	23	26	30	20	25	28	18	*	*	0
		中北	1,649	0	0	0	*	*	18	29	44	71	92	107	103	134	199	209	215	169	144	79	30	*	0
		峡東	493	0	0	*	0	*	*	*	10	13	28	36	39	38	56	66	51	54	54	30	*	0	0
		富士・東部	580	*	0	0	0	*	*	*	13	19	25	32	35	53	77	66	68	70	51	46	*	*	0
総数注2	都道府県	山梨	6,978	8	3	2	7	11	32	51	93	146	215	312	384	580	1,021	1,111	1,090	871	624	329	79	9	0
	医療圏	中北	3,869	*	*	*	*	*	23	33	57	98	120	172	200	302	563	640	616	477	333	177	38	*	0
		峡東	1,112	*	0	*	0	*	*	*	13	15	39	56	73	94	154	183	157	142	106	51	13	0	0
		峡南	540	0	0	0	*	0	*	*	*	*	13	20	38	53	65	82	87	60	66	28	10	*	0
		富士・東部	1,457	*	0	0	*	*	*	*	17	28	43	64	73	131	239	206	230	192	119	73	18	*	0
	保健所	峡南	540	0	0	0	*	0	*	*	*	*	13	20	38	53	65	82	87	60	66	28	10	*	0
		中北	3,869	*	*	*	*	*	23	33	57	98	120	172	200	302	563	640	616	477	333	177	38	*	0
		峡東	1,112	*	0	*	0	*	*	*	13	15	39	56	73	94	154	183	157	142	106	51	13	0	0
		富士・東部	1,457	*	0	0	*	*	*	*	17	28	43	64	73	131	239	206	230	192	119	73	18	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

山梨県

2018年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	329	379	708	8.0	12.3	9.8	82.3	90.9	86.7	41.4	76.8	58.1	29.7	60.8	44.5	3.7	6.1	4.8
口腔、食道および胃	D00	14	10	24	0.3	0.3	0.3	3.5	2.4	2.9	1.6	1.1	1.3	1.1	0.8	0.9	0.1	0.1	0.1
食道	D001	13	8	21	0.3	0.3	0.3	3.2	1.9	2.6	1.5	0.9	1.2	1.0	0.6	0.8	0.1	0.1	0.1
その他および部位不明の消化器	D01	149	77	226	3.6	2.5	3.1	37.3	18.5	27.7	21.1	10.2	15.5	15.9	7.6	11.6	2.0	1.0	1.5
結腸	D010	92	46	138	2.2	1.5	1.9	23.0	11.0	16.9	13.1	6.6	9.7	9.8	5.0	7.4	1.2	0.7	1.0
直腸S状結腸移行部	D011	10	5	15	0.2	0.2	0.2	2.5	1.2	1.8	1.5	0.7	1.1	1.0	0.5	0.8	0.1	0.1	0.1
直腸	D012	29	15	44	0.7	0.5	0.6	7.3	3.6	5.4	4.1	1.6	2.8	3.1	1.1	2.1	0.4	0.2	0.3
中耳および呼吸器系	D02	14	16	30	0.3	0.5	0.4	3.5	3.8	3.7	2.2	2.1	2.1	1.6	1.5	1.5	0.2	0.2	0.2
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	12	16	28	0.3	0.5	0.4	3.0	3.8	3.4	1.9	2.1	2.0	1.4	1.5	1.4	0.2	0.2	0.2
上皮内黒色腫	D03	4	5	9	0.1	0.2	0.1	1.0	1.2	1.1	0.7	0.4	0.6	0.5	0.3	0.4	0.0	0.0	0.0
皮膚のその他	D04	11	19	30	0.3	0.6	0.4	2.8	4.6	3.7	0.9	1.6	1.3	0.6	1.0	0.8	0.1	0.1	0.1
乳房	D05	3	79	82	0.1	2.6	1.1	0.8	18.9	10.0	0.3	15.2	7.7	0.2	12.0	6.0	0.0	1.3	0.7
子宮頸部	D06	-	147	147	-	4.8	2.0	-	35.3	-	-	43.6	-	-	35.8	-	-	3.1	-
その他および部位不明の性器	D07	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.2	0.2	0.1	0.2	0.2	0.0	0.0	0.0
その他および部位不明	D09	133	25	158	3.2	0.8	2.2	33.3	6.0	19.3	14.4	2.4	8.0	9.8	1.7	5.5	1.2	0.2	0.7
膀胱	D090	121	23	144	2.9	0.7	2.0	30.2	5.5	17.6	13.4	2.0	7.3	9.1	1.4	5.1	1.1	0.1	0.6
良性腫瘍	D32-D35	40	69	109	1.0	2.2	1.5	10.0	16.5	13.3	7.0	11.0	9.0	5.6	8.9	7.3	0.6	0.9	0.7
髄膜	D32	17	41	58	0.4	1.3	0.8	4.3	9.8	7.1	2.5	4.8	3.7	1.8	3.5	2.7	0.2	0.4	0.3
脳および中枢神経系	D33	9	14	23	0.2	0.5	0.3	2.3	3.4	2.8	1.6	2.6	2.1	1.4	2.5	1.9	0.1	0.2	0.2
下垂体	D352	14	14	28	0.3	0.5	0.4	3.5	3.4	3.4	2.8	3.7	3.2	2.3	3.0	2.6	0.2	0.3	0.3
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	62	54	116	1.5	1.7	1.6	15.5	12.9	14.2	8.0	6.1	7.0	5.7	4.9	5.3	0.7	0.5	0.6
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	3	4	7	0.1	0.1	0.1	0.8	1.0	0.9	0.5	0.5	0.5	0.4	0.4	0.4	0.0	0.0	0.0
下垂体	D443	2	0	2	0.0	0.0	0.0	0.5	0.0	0.2	0.5	0.0	0.3	0.4	0.0	0.2	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D46	8	6	14	0.2	0.2	0.2	2.0	1.4	1.7	1.0	1.1	1.0	0.7	0.8	0.7	0.1	0.1	0.1
骨髄異形成症候群	D46	34	27	61	0.8	0.9	0.8	8.5	6.5	7.5	3.6	2.4	3.0	2.5	2.2	2.3	0.3	0.2	0.3
慢性骨髄増殖性疾患	D471	4	3	7	0.1	0.1	0.1	1.0	0.7	0.9	0.4	0.3	0.3	0.2	0.3	0.2	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	10	13	23	0.2	0.4	0.3	2.5	3.1	2.8	1.8	1.8	1.8	1.4	1.3	1.4	0.1	0.2	0.2

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

山梨県

2018年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0
口腔、食道および胃	D00	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
食道	D001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の消化器	D01	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
結腸	D010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸S状結腸移行部	D011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸	D012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中耳および呼吸器系	D02	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管	D021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	D022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
上皮内黒色腫	D03	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
皮膚のその他	D04	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0
乳房	D05	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の性器	D07	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明	D09	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	D090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
良性腫瘍	D32-D35	1	2	3	0.1	0.2	0.1	0.3	0.5	0.4	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
髄膜	D32	1	2	3	0.1	0.2	0.1	0.3	0.5	0.4	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下垂体	D352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
性状不詳	D42-D47	30	31	61	2.0	2.9	2.4	7.6	7.6	7.6	3.1	2.4	2.7	2.1	1.7	1.9	0.2	0.2	0.2
髄膜	D42	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.1	0.1	-	0.1	0.0	-	0.0	0.0
脳および中枢神経系	D43	8	9	17	0.5	0.8	0.7	2.0	2.2	2.1	1.2	0.9	1.1	0.9	0.6	0.8	0.1	0.1	0.1
下垂体	D443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
真正赤血球増加症	D45	-	1	1	-	0.1	0.0	-	0.2	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0
骨髄異形成症候群	D46	19	18	37	1.3	1.7	1.4	4.8	4.4	4.6	1.6	0.8	1.2	1.0	0.6	0.8	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	1	-	1	0.1	-	0.0	0.3	-	0.1	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0
本態性(出血性)血小板血症	D473	1	1	2	0.1	0.1	0.1	0.3	0.2	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

山梨県

2018年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96	6,131	26.8	6.4	1.1	2.9	14.8	3.7	0.9	0.8	15.0	0.5	3.1	1.5	22.6
口腔・咽頭	C00-C14	129	17.1	0.8	0.0	6.2	5.4	27.9	0.0	7.8	2.3	0.0	11.6	0.0	20.9
食道	C15	175	6.9	31.4	1.1	3.4	4.6	14.3	0.0	0.0	12.6	0.0	2.9	0.6	22.3
胃	C16	728	26.8	27.7	3.4	0.1	7.7	0.1	0.1	0.0	13.2	0.0	0.0	0.8	19.9
大腸（結腸・直腸）	C18-C20	902	41.9	8.1	3.3	0.0	3.3	0.3	0.0	0.6	21.7	0.9	1.2	0.7	18.0
結腸	C18	606	42.1	7.6	3.1	0.0	2.6	0.0	0.0	0.0	22.1	0.5	0.0	1.0	21.0
直腸	C19-C20	296	41.6	9.1	3.7	0.0	4.7	1.0	0.0	1.7	20.9	1.7	3.7	0.0	11.8
肝および肝内胆管	C22	312	25.3	0.0	0.0	1.6	4.8	1.0	13.8	0.0	1.3	0.0	0.0	17.0	35.3
胆のう・胆管	C23-C24	142	21.1	0.7	0.0	0.0	12.0	0.0	0.0	0.0	16.2	0.7	1.4	0.0	47.9
膵臓	C25	290	11.4	0.3	0.3	0.0	27.6	2.4	0.7	0.0	19.7	0.0	0.0	0.3	37.2
喉頭	C32	28	7.1	3.6	0.0	57.1	3.6	21.4	0.0	0.0	0.0	0.0	3.6	0.0	3.6
肺	C33-C34	736	29.6	0.0	0.0	10.3	18.9	5.7	0.1	0.3	8.2	0.0	0.4	0.5	26.0
皮膚	C43-C44	139	84.2	0.0	0.0	0.7	0.0	0.0	0.0	0.0	1.4	0.7	0.0	0.0	12.9
乳房	C50	603	8.8	0.0	0.0	1.3	8.0	0.7	0.0	1.3	48.1	0.0	21.2	0.3	10.3
乳房（女性のみ）	C50	600	8.8	0.0	0.0	1.3	7.8	0.7	0.0	1.3	48.0	0.0	21.3	0.3	10.3
子宮	C53-C55	178	47.8	0.0	0.0	2.8	0.6	7.9	0.0	2.8	21.3	0.0	1.1	0.0	15.7
子宮頸部	C53	70	27.1	0.0	0.0	5.7	1.4	20.0	0.0	7.1	12.9	0.0	2.9	0.0	22.9
子宮体部	C54	107	61.7	0.0	0.0	0.9	0.0	0.0	0.0	0.0	27.1	0.0	0.0	0.0	10.3
卵巣	C56	85	28.2	0.0	0.0	0.0	2.4	0.0	0.0	0.0	48.2	0.0	0.0	1.2	20.0
前立腺	C61	674	17.4	0.3	0.0	3.4	45.3	9.1	0.1	0.3	2.5	0.0	0.1	0.7	20.8
膀胱	C67	137	2.2	32.8	4.4	0.0	1.5	0.0	0.0	3.6	24.1	13.9	1.5	2.2	13.9
腎・尿路（膀胱除く）	C64-C66 C68	177	61.6	0.6	0.0	3.4	4.5	0.6	0.0	0.6	3.4	0.0	0.6	1.1	23.7
脳・中枢神経系	C70-C72	46	8.7	0.0	0.0	0.0	0.0	6.5	0.0	4.3	2.2	0.0	26.1	4.3	47.8
甲状腺	C73	109	70.6	0.0	0.0	0.9	1.8	0.9	0.0	3.7	0.0	0.0	0.0	0.0	22.0
悪性リンパ腫	C81-C85 C96	210	2.4	0.0	0.0	3.8	52.9	2.4	0.5	1.0	3.8	0.0	1.0	1.0	31.4
多発性骨髄腫	C88-C90	45	4.4	0.0	0.0	2.2	48.9	4.4	4.4	2.2	0.0	0.0	0.0	4.4	28.9
白血病	C91-C95	65	1.5	0.0	0.0	0.0	64.6	1.5	4.6	0.0	0.0	0.0	0.0	1.5	26.2

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

山梨県

2018年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +薬物
全部位	C00-C96 D00-D09	6,839	28.3	9.8	1.0	2.6	13.4	3.3	0.8	1.0	13.8	0.8	2.8	1.4	21.0
食道	C15 D001	196	6.6	36.7	1.0	3.1	4.1	13.3	0.0	0.0	11.2	0.0	2.6	0.5	20.9
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,099	36.4	22.0	2.9	0.0	2.7	0.3	0.0	0.5	17.8	0.7	1.0	0.6	15.0
結腸 *4	C18 D010	744	36.3	21.9	2.8	0.0	2.2	0.0	0.0	0.0	18.0	0.4	0.0	0.9	17.5
直腸 *4	C19-C20 D011-D012	355	36.6	22.3	3.1	0.0	3.9	0.8	0.0	1.4	17.5	1.4	3.1	0.0	9.9
肺	C33-C34 D021-D022	764	32.2	0.0	0.0	9.9	18.2	5.5	0.1	0.3	7.9	0.0	0.4	0.5	25.0
皮膚	C43-C44 D030-D049	178	82.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.6	14.6
乳房	C50 D05	685	13.9	0.0	0.0	1.3	7.3	0.6	0.0	3.5	43.4	0.0	19.6	0.3	10.2
乳房 (女性のみ)	C50 D05	679	13.5	0.0	0.0	1.3	7.2	0.6	0.0	3.5	43.4	0.0	19.7	0.3	10.3
子宮	C53-C55 D06	325	66.2	0.0	0.0	1.5	0.3	4.3	0.0	1.5	11.7	0.0	0.6	0.0	13.8
子宮頸部	C53 D06	217	68.7	0.0	0.0	1.8	0.5	6.5	0.0	2.3	4.1	0.0	0.9	0.0	15.2
膀胱	C67 D090	281	2.1	50.2	2.1	0.0	1.1	0.0	0.0	1.8	17.4	14.2	0.7	2.1	8.2

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

*4 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

山梨県 2018年

医療圏／保健所	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺 C33-C34			乳房 C50			子宮	子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
山梨県	3,693	2,577	6,270	524	219	743	571	352	923	370	251	621	201	101	302	237	88	325	506	253	759	3	611	614	179	70	108	688
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
中北	2,029	1,399	3,428	296	122	418	318	198	516	206	138	344	112	60	172	136	46	182	284	129	413	*	323	325	96	44	52	365
峡東	577	441	1,018	75	27	102	93	54	147	58	37	95	35	17	52	34	20	54	79	49	128	0	114	114	37	15	22	111
峡南	278	213	491	29	15	44	47	31	78	36	24	60	11	*	18	19	*	26	42	25	67	0	54	54	17	*	13	40
富士・東部	809	524	1,333	124	55	179	113	69	182	70	52	122	43	17	60	48	15	63	101	50	151	*	120	121	29	*	21	172
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
峡南	278	213	491	29	15	44	47	31	78	36	24	60	11	*	18	19	*	26	42	25	67	0	54	54	17	*	13	40
中北	2,029	1,399	3,428	296	122	418	318	198	516	206	138	344	112	60	172	136	46	182	284	129	413	*	323	325	96	44	52	365
峡東	577	441	1,018	75	27	102	93	54	147	58	37	95	35	17	52	34	20	54	79	49	128	0	114	114	37	15	22	111
富士・東部	809	524	1,333	124	55	179	113	69	182	70	52	122	43	17	60	48	15	63	101	50	151	*	120	121	29	*	21	172

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表4. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

山梨県

2018年

医療圏／保健所	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸*1			肺 C33-C34			乳房 C50			子宮		子宮頸部			
	C00-C96		D00-D09	C18-C20		D010-D012	C18		D010	C19-C20		D011-D012	C33-C34		D021-D022	C50		D05	C53-C55		D06	C53		D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	女		
山梨県	4,022	2,956	6,978	702	418	1,120	462	297	759	240	121	361	518	269	787	6	690	696		326			217	
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0			0	
中北	2,220	1,649	3,869	398	232	630	260	160	420	138	72	210	293	140	433	*	368	373		213			161	
峡東	619	493	1,112	111	73	184	72	51	123	39	22	61	80	50	130	0	121	121		54			32	
峡南	306	234	540	58	32	90	45	25	70	13	*	20	43	27	70	0	64	64		21			*	
富士・東部	877	580	1,457	135	81	216	85	61	146	50	20	70	102	52	154	*	137	138		38			16	
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0			0	
峡南	306	234	540	58	32	90	45	25	70	13	*	20	43	27	70	0	64	64		21			*	
中北	2,220	1,649	3,869	398	232	630	260	160	420	138	72	210	293	140	433	*	368	373		213			161	
峡東	619	493	1,112	111	73	184	72	51	123	39	22	61	80	50	130	0	121	121		54			32	
富士・東部	877	580	1,457	135	81	216	85	61	146	50	20	70	102	52	154	*	137	138		38			16	

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

市区町村	山梨県																											2018年	
	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮		子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55		C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
山梨県	3,693	2,577	6,270	524	219	743	571	352	923	370	251	621	201	101	302	237	88	325	506	253	759	3	611	614	179	70	108	688	
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
甲府市	848	615	1,463	132	44	176	116	87	203	73	64	137	43	23	66	58	20	78	117	48	165	*	148	150	46	20	26	150	
富士吉田市	241	140	381	30	17	47	36	18	54	22	14	36	14	*	18	11	*	14	29	17	46	*	37	38	10	*	*	56	
都留市	110	64	174	12	*	14	12	*	21	*	*	14	*	*	*	11	*	13	13	*	20	0	18	18	*	0	*	26	
山梨市	146	108	254	14	*	22	28	14	42	16	10	26	12	*	16	*	*	12	24	10	34	0	28	28	*	*	*	37	
大月市	142	93	235	31	12	43	15	10	25	13	*	20	*	*	*	*	*	14	22	*	30	0	13	13	*	*	*	23	
韭崎市	116	92	208	14	10	24	29	17	46	19	12	31	10	*	15	10	*	13	13	*	20	0	19	19	*	*	*	21	
南アルプス市	290	206	496	53	16	69	47	32	79	34	20	54	13	12	25	12	*	16	40	21	61	0	38	38	*	*	*	47	
北杜市	257	153	410	33	16	49	40	23	63	28	17	45	12	*	18	18	*	22	37	*	44	0	39	39	*	*	*	61	
甲斐市	333	215	548	43	22	65	57	23	80	32	16	48	25	*	32	27	11	38	51	33	84	0	51	51	15	*	*	52	
笛吹市	293	240	533	37	16	53	44	30	74	28	20	48	16	10	26	19	14	33	36	27	63	0	60	60	22	11	11	49	
上野原市	132	76	208	16	11	27	18	*	27	13	*	20	*	*	*	*	*	*	17	*	23	0	15	15	*	*	*	31	
甲州市	138	93	231	24	*	27	21	10	31	14	*	21	*	*	10	*	*	*	19	12	31	0	26	26	*	*	*	25	
中央市	110	70	180	12	*	21	18	11	29	12	*	18	*	*	11	*	*	*	16	10	26	0	17	17	*	*	*	21	
市川三郷町	97	54	151	*	*	13	20	*	27	15	*	20	*	*	*	*	*	*	13	*	18	0	15	15	*	*	*	17	
早川町	*	*	12	*	0	*	0	*	*	0	*	*	0	0	0	*	*	*	*	0	*	0	*	*	0	0	0	*	
身延町	59	51	110	*	*	11	*	*	17	*	*	16	*	0	*	*	*	*	*	*	16	0	13	13	*	*	*	*	
南部町	48	35	83	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	11	*	15	0	*	*	*	*	*	*	
富士川町	68	67	135	*	*	13	13	10	23	11	*	19	*	*	*	*	*	*	10	*	17	0	17	17	*	*	*	10	
昭和町	75	48	123	*	*	14	11	*	16	*	*	11	*	*	*	*	*	*	10	*	13	0	11	11	*	0	*	13	
道志村	*	*	11	0	*	*	0	*	*	0	*	*	0	0	0	0	*	*	*	*	*	0	*	*	0	0	0	*	
西桂町	12	13	25	*	0	*	*	*	*	*	*	*	*	*	*	0	0	0	*	*	*	0	*	*	0	0	0	*	
忍野村	23	20	43	*	*	*	*	*	*	*	*	*	*	0	*	*	0	*	*	*	*	0	*	*	*	0	0	*	
山中湖村	22	18	40	*	*	*	*	*	*	*	*	*	*	*	*	0	*	*	*	0	*	0	*	*	0	0	0	*	
鳴沢村	10	*	18	*	0	*	*	0	*	*	0	*	0	0	0	0	*	*	0	0	0	0	*	*	0	0	0	*	
富士河口湖町	104	76	180	22	*	31	17	10	27	*	*	16	*	*	11	*	*	*	12	*	18	0	14	14	*	*	*	19	
小菅村	*	*	12	0	0	0	*	*	*	0	*	*	*	*	*	0	*	0	0	0	0	0	0	*	*	*	0	*	
丹波山村	*	*	*	*	0	*	*	0	*	0	0	0	*	0	*	0	0	0	*	0	*	0	0	0	0	0	0	0	

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

市区町村	山梨県																			2018年
	全部位			大腸(直腸・結腸)*1			結腸*1			直腸*1			肺			乳房			子宮	子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-012			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	
山梨県	4,022	2,956	6,978	702	418	1,120	462	297	759	240	121	361	518	269	787	6	690	696	326	217
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	921	717	1,638	151	105	256	98	74	172	53	31	84	121	54	175	*	164	167	89	63
富士吉田市	261	157	418	40	22	62	24	16	40	16	*	22	29	17	46	*	42	43	13	*
都留市	123	72	195	15	10	25	10	*	17	*	*	*	13	*	20	0	22	22	*	*
山梨市	155	117	272	31	17	48	18	12	30	13	*	18	24	10	34	0	30	30	12	*
大月市	152	96	248	20	12	32	17	*	26	*	*	*	22	*	30	0	13	13	*	*
韮崎市	127	111	238	36	18	54	25	13	38	11	*	16	13	*	20	0	25	25	17	13
南アルプス市	321	239	560	61	37	98	43	24	67	18	13	31	41	22	63	*	44	45	28	25
北杜市	288	176	464	46	26	72	32	19	51	14	*	21	39	*	48	*	42	43	17	13
甲斐市	367	264	631	72	28	100	41	19	60	31	*	40	52	34	86	0	59	59	41	32
笛吹市	313	272	585	52	41	93	35	28	63	17	13	30	37	28	65	0	64	64	31	20
上野原市	145	87	232	23	12	35	16	*	25	*	*	10	18	*	24	0	18	18	*	*
甲州市	151	104	255	28	15	43	19	11	30	*	*	13	19	12	31	0	27	27	11	*
中央市	118	83	201	19	12	31	13	*	20	*	*	11	16	10	26	0	22	22	11	*
市川三郷町	105	60	165	24	*	31	19	*	24	*	*	*	13	*	19	0	18	18	*	*
早川町	*	*	14	*	*	*	*	*	*	0	0	0	*	0	*	0	*	*	0	0
身延町	66	55	121	11	*	20	*	*	18	*	0	*	*	*	17	0	14	14	*	*
南部町	53	38	91	*	*	11	*	*	*	*	*	*	11	*	15	0	*	*	*	*
富士川町	75	74	149	15	10	25	13	*	21	*	*	*	10	*	18	0	21	21	*	*
昭和町	78	59	137	13	*	19	*	*	12	*	*	*	11	*	15	0	12	12	10	*
道志村	*	*	13	0	*	*	0	*	*	0	0	0	*	*	*	0	*	*	0	0
西桂町	12	13	25	*	*	*	*	*	*	*	*	*	*	*	*	0	*	*	0	0
忍野村	24	24	48	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	*	0
山中湖村	22	21	43	*	*	*	*	*	*	*	*	*	*	0	*	0	*	*	*	*
鳴沢村	11	10	21	*	0	*	*	0	*	0	0	0	0	0	0	0	*	*	0	0
富士河口湖町	113	83	196	21	12	33	11	10	21	10	*	12	12	*	19	0	15	15	*	*
小菅村	*	*	12	*	*	*	0	*	*	*	*	*	0	0	0	0	*	*	*	0
丹波山村	*	*	*	*	0	*	0	0	0	*	0	*	*	0	*	0	0	0	0	0

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)