

全国がん登録

都道府県版標準集計表 2020

(山梨県)

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

		罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人口			世界人口					
部位	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	3,436	2,614	6,050	100.0	100.0	100.0	864.8	633.4	746.9	389.5	321.3	348.5	278.0	243.1	256.3	31.7	26.0	28.7
口腔・咽頭	C00-C14	93	37	130	2.7	1.4	2.1	23.4	9.0	16.0	11.9	3.2	7.5	8.6	2.3	5.4	1.0	0.2	0.6
食道	C15	116	26	142	3.4	1.0	2.3	29.2	6.3	17.5	13.3	3.2	8.0	9.3	2.3	5.6	1.2	0.2	0.7
胃	C16	434	187	621	12.6	7.2	10.3	109.2	45.3	76.7	43.4	16.6	28.8	29.6	11.9	20.0	3.4	1.3	2.4
大腸（結腸・直腸）	C18-C20	500	392	892	14.6	15.0	14.7	125.8	95.0	110.1	62.5	37.1	49.5	45.2	26.2	35.5	5.5	2.9	4.2
結腸	C18	312	277	589	9.1	10.6	9.7	78.5	67.1	72.7	36.3	23.5	29.7	25.7	16.3	20.9	3.1	1.8	2.4
直腸	C19-C20	188	115	303	5.5	4.4	5.0	47.3	27.9	37.4	26.3	13.5	19.8	19.5	9.9	14.6	2.4	1.1	1.7
肝および肝内胆管	C22	192	87	279	5.6	3.3	4.6	48.3	21.1	34.4	18.7	6.5	12.1	12.6	4.6	8.3	1.4	0.5	0.9
胆のう・胆管	C23-C24	78	63	141	2.3	2.4	2.3	19.6	15.3	17.4	7.5	4.3	5.8	5.0	3.2	4.0	0.6	0.4	0.5
膵臓	C25	162	129	291	4.7	4.9	4.8	40.8	31.3	35.9	17.5	10.8	14.0	11.9	7.4	9.6	1.4	0.8	1.1
喉頭	C32	34	4	38	1.0	0.2	0.6	8.6	1.0	4.7	3.5	0.5	1.9	2.3	0.3	1.3	0.3	0.1	0.2
肺	C33-C34	480	273	753	14.0	10.4	12.4	120.8	66.2	93.0	49.5	23.4	35.4	33.2	16.3	24.2	3.7	2.1	2.9
皮膚	C43-C44	77	84	161	2.2	3.2	2.7	19.4	20.4	19.9	9.1	6.5	7.7	6.6	4.8	5.7	0.5	0.5	0.5
乳房	C50	3	603	606	0.1	23.1	10.0	0.8	146.1	74.8	0.3	97.7	49.1	0.2	75.5	37.8	0.0	8.2	4.1
子宮	C53-C55	-	184	184	-	7.0	3.0	-	44.6	-	-	33.9	-	-	26.5	-	-	2.8	-
子宮頸部	C53	-	59	59	-	2.3	1.0	-	14.3	-	-	12.0	-	-	9.4	-	-	0.9	-
子宮体部	C54	-	125	125	-	4.8	2.1	-	30.3	-	-	21.9	-	-	17.2	-	-	1.9	-
卵巣	C56	-	78	78	-	3.0	1.3	-	18.9	-	-	14.3	-	-	11.4	-	-	1.2	-
前立腺	C61	617	-	617	18.0	-	10.2	155.3	-	-	63.5	-	-	43.3	-	-	5.4	-	-
膀胱	C67	118	35	153	3.4	1.3	2.5	29.7	8.5	18.9	11.1	2.6	6.5	7.6	1.8	4.5	0.9	0.2	0.5
腎・尿路（膀胱除く）	C64-C66 C68	137	55	192	4.0	2.1	3.2	34.5	13.3	23.7	17.1	5.5	11.1	12.3	3.9	8.0	1.5	0.4	1.0
脳・中枢神経系	C70-C72	33	18	51	1.0	0.7	0.8	8.3	4.4	6.3	5.9	4.0	4.9	5.5	3.8	4.6	0.5	0.3	0.4
甲状腺	C73	32	78	110	0.9	3.0	1.8	8.1	18.9	13.6	6.2	15.3	10.7	5.0	12.4	8.6	0.5	1.1	0.8
悪性リンパ腫	C81-C85 C96	105	105	210	3.1	4.0	3.5	26.4	25.4	25.9	12.5	11.1	11.7	9.1	8.0	8.5	1.0	0.9	0.9
多発性骨髄腫	C88-C90	29	30	59	0.8	1.1	1.0	7.3	7.3	7.3	3.2	3.0	3.1	2.2	2.1	2.1	0.3	0.3	0.3
白血病	C91-C95	52	38	90	1.5	1.5	1.5	13.1	9.2	11.1	8.5	6.8	7.6	7.8	6.0	6.8	0.7	0.6	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 部位別、性別

B. 上皮内がんを含む

山梨県

2020年

		罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
											日本人口			世界人口					
部位	ICD-10	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	3,763	2,968	6,731	100.0	100.0	100.0	947.1	719.2	831.0	431.0	397.2	405.9	308.3	304.1	300.9	35.5	31.9	33.4
食道	C15 D001	131	30	161	3.5	1.0	2.4	33.0	7.3	19.9	15.2	3.7	9.2	10.6	2.7	6.5	1.3	0.3	0.8
大腸（結腸・直腸）*2	C18-C20 D010-D012	649	470	1,119	17.2	15.8	16.6	163.3	113.9	138.2	84.2	49.2	66.2	61.5	35.5	48.2	7.6	4.0	5.8
結腸 *2	C18 D010	422	337	759	11.2	11.4	11.3	106.2	81.7	93.7	52.1	33.0	42.3	37.6	23.5	30.4	4.6	2.6	3.6
直腸 *2	C19-C20 D011-D012	227	133	360	6.0	4.5	5.3	57.1	32.2	44.4	32.0	16.2	24.0	23.9	11.9	17.8	3.0	1.3	2.2
肺	C33-C34 D021-D022	487	287	774	12.9	9.7	11.5	122.6	69.5	95.6	50.3	25.4	36.9	33.8	17.9	25.2	3.8	2.3	3.0
皮膚	C43-C44 D030-D049	88	95	183	2.3	3.2	2.7	22.1	23.0	22.6	10.0	7.7	8.7	7.2	5.7	6.4	0.6	0.5	0.6
乳房	C50 D05	4	674	678	0.1	22.7	10.1	1.0	163.3	83.7	0.3	110.2	55.4	0.3	85.1	42.6	0.0	9.3	4.6
子宮	C53-C55 D06	-	309	309	-	10.4	4.6	-	74.9	-	-	75.3	-	-	61.2	-	-	5.7	-
子宮頸部	C53 D06	-	184	184	-	6.2	2.7	-	44.6	-	-	53.4	-	-	44.0	-	-	3.7	-
膀胱	C67 D090	237	62	299	6.3	2.1	4.4	59.7	15.0	36.9	23.6	5.1	13.6	16.3	3.6	9.5	1.9	0.4	1.2

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	3,436	4	6	4	2	8	9	3	19	29	59	105	153	263	445	670	680	472	337	142	23	3	0
	口腔・咽頭	C00-C14	93	0	0	0	0	0	0	0	2	2	4	7	2	7	15	20	13	13	5	0	3	0	0
	食道	C15	116	0	0	0	0	0	0	0	0	0	2	2	8	10	23	22	27	13	9	0	0	0	0
	胃	C16	434	0	0	1	0	0	0	0	1	2	1	7	12	32	50	87	88	70	54	22	7	0	0
	大腸（結腸・直腸）	C18-C20	500	0	0	0	0	0	1	0	7	4	14	31	33	48	77	96	66	71	39	11	2	0	0
	結腸	C18	312	0	0	0	0	0	0	0	3	2	7	14	16	31	40	64	45	49	32	7	2	0	0
	直腸	C19-C20	188	0	0	0	0	0	1	0	4	2	7	17	17	17	37	32	21	22	7	4	0	0	0
	肝および肝内胆管	C22	192	0	0	0	0	0	0	0	0	0	2	2	3	16	22	36	43	29	23	15	1	0	0
	胆のう・胆管	C23-C24	78	0	0	0	0	0	0	0	0	0	0	3	3	2	12	12	15	13	12	5	1	0	0
	膵臓	C25	162	0	0	0	0	0	0	0	0	0	1	6	10	11	21	33	38	21	14	7	0	0	0
	喉頭	C32	34	0	0	0	0	0	0	0	0	0	0	0	2	0	7	9	11	3	2	0	0	0	0
	肺	C33-C34	480	0	0	0	0	0	0	1	0	0	5	14	15	33	58	84	121	74	50	25	0	0	0
	皮膚	C43-C44	77	0	0	1	0	1	0	0	1	3	3	2	5	1	8	4	14	14	9	9	2	0	0
	乳房	C50	3	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	0	0	0	0
	前立腺	C61	617	0	0	0	0	0	1	0	0	0	1	6	20	57	80	140	140	83	58	26	3	2	0
	膀胱	C67	118	0	0	0	0	0	0	0	0	0	2	0	3	7	15	23	23	14	19	10	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	137	0	0	0	0	0	0	0	2	2	4	10	10	9	18	31	22	11	11	6	0	1	0
	脳・中枢神経系	C70-C72	33	0	3	0	1	0	0	0	1	2	3	0	1	3	5	6	5	1	1	0	1	0	0
	甲状腺	C73	32	0	0	0	0	0	2	0	1	4	7	1	1	3	2	5	3	1	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	105	0	1	0	0	0	0	0	1	3	3	2	6	8	12	18	19	16	13	3	0	0	0
	多発性骨髄腫	C88-C90	29	0	0	0	0	0	0	0	0	0	1	0	2	2	5	7	4	5	3	0	0	0	0
	白血病	C91-C95	52	2	1	0	0	2	1	0	0	3	0	3	5	2	5	11	9	3	4	1	0	0	0

*1 総数は年齢不詳を含む
*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	2,614	4	0	1	4	7	9	16	43	84	137	175	166	204	266	327	326	331	255	180	72	7	0
	口腔・咽頭	C00-C14	37	0	0	0	0	1	0	0	0	0	0	0	3	0	3	6	12	3	6	3	0	0	0
	食道	C15	26	0	0	0	0	0	0	0	0	1	1	2	2	3	3	1	6	5	2	0	0	0	0
	胃	C16	187	0	0	0	0	0	0	0	2	1	2	5	9	15	24	19	27	25	28	23	7	0	0
	大腸（結腸・直腸）	C18-C20	392	0	0	0	0	0	0	0	6	3	13	11	21	23	37	51	56	76	46	29	19	1	0
	結腸	C18	277	0	0	0	0	0	0	0	3	0	6	9	14	12	25	33	36	61	39	23	15	1	0
	直腸	C19-C20	115	0	0	0	0	0	0	0	3	3	7	2	7	11	12	18	20	15	7	6	4	0	0
	肝および肝内胆管	C22	87	0	0	1	0	0	0	0	0	0	0	2	1	3	10	10	15	17	16	9	3	0	0
	胆のう・胆管	C23-C24	63	0	0	0	0	0	0	0	0	1	3	0	1	2	5	9	1	10	16	9	5	1	0
	膵臓	C25	129	0	0	0	0	0	0	1	1	0	1	3	6	6	11	17	23	23	20	12	5	0	0
	喉頭	C32	4	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	1	0	0	0	0	0
	肺	C33-C34	273	0	0	0	1	0	0	0	0	2	2	4	10	16	29	58	41	49	33	21	7	0	0
	皮膚	C43-C44	84	0	0	0	0	1	0	1	0	0	1	2	4	5	6	5	6	15	12	14	10	2	0
	乳房	C50	603	0	0	0	0	0	1	3	14	42	68	79	43	62	76	66	52	38	32	22	5	0	0
	子宮	C53-C55	184	0	0	0	0	1	2	4	8	8	19	29	26	19	15	20	14	9	8	1	1	0	0
	子宮頸部	C53	59	0	0	0	0	0	1	4	7	3	5	9	3	5	4	2	6	5	3	1	1	0	0
	子宮体部	C54	125	0	0	0	0	1	1	0	1	5	14	20	23	14	11	18	8	4	5	0	0	0	0
	卵巣	C56	78	0	0	0	1	0	2	2	1	5	7	11	12	6	8	6	9	3	2	3	0	0	0
	膀胱	C67	35	0	0	0	0	0	0	0	0	0	1	1	0	2	2	8	3	5	5	6	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	55	0	0	0	0	0	0	0	0	1	1	1	4	6	6	5	11	10	3	4	2	1	0
	脳・中枢神経系	C70-C72	18	1	0	0	1	0	0	0	2	2	2	1	0	2	3	2	0	1	0	1	0	0	0
	甲状腺	C73	78	0	0	0	0	2	2	3	6	6	11	8	2	8	3	5	6	6	5	4	1	0	0
	悪性リンパ腫	C81-C85 C96	105	0	0	0	0	1	0	0	1	4	1	5	3	9	8	18	22	13	10	8	1	1	0
	多発性骨髄腫	C88-C90	30	0	0	0	0	0	0	0	0	0	0	1	5	2	0	7	5	6	3	1	0	0	0
	白血病	C91-C95	38	1	0	0	1	0	1	1	0	3	0	3	6	4	5	4	4	2	0	2	0	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	6,050	8	6	5	6	15	18	19	62	113	196	280	319	467	711	997	1,006	803	592	322	95	10	0
	口腔・咽頭	C00-C14	130	0	0	0	0	1	0	0	2	2	4	7	5	7	18	26	25	16	11	3	3	0	0
	食道	C15	142	0	0	0	0	0	0	0	0	1	3	4	10	13	26	23	33	18	11	0	0	0	0
	胃	C16	621	0	0	1	0	0	0	0	3	3	3	12	21	47	74	106	115	95	82	45	14	0	0
	大腸（結腸・直腸）	C18-C20	892	0	0	0	0	0	1	0	13	7	27	42	54	71	114	147	122	147	85	40	21	1	0
	結腸	C18	589	0	0	0	0	0	0	0	6	2	13	23	30	43	65	97	81	110	71	30	17	1	0
	直腸	C19-C20	303	0	0	0	0	0	1	0	7	5	14	19	24	28	49	50	41	37	14	10	4	0	0
	肝および肝内胆管	C22	279	0	0	1	0	0	0	0	0	0	2	4	4	19	32	46	58	46	39	24	4	0	0
	胆のう・胆管	C23-C24	141	0	0	0	0	0	0	0	0	1	3	3	4	4	17	21	16	23	28	14	6	1	0
	膵臓	C25	291	0	0	0	0	0	0	1	1	0	2	9	16	17	32	50	61	44	34	19	5	0	0
	喉頭	C32	38	0	0	0	0	0	0	0	0	0	0	0	3	0	8	10	11	4	2	0	0	0	0
	肺	C33-C34	753	0	0	0	1	0	0	1	0	2	7	18	25	49	87	142	162	123	83	46	7	0	0
	皮膚	C43-C44	161	0	0	1	0	2	0	1	1	3	4	4	9	6	14	9	20	29	21	23	12	2	0
	乳房	C50	606	0	0	0	0	0	1	3	14	42	68	79	43	63	76	66	52	39	33	22	5	0	0
	子宮	C53-C55	184	0	0	0	0	1	2	4	8	8	19	29	26	19	15	20	14	9	8	1	1	0	0
	子宮頸部	C53	59	0	0	0	0	0	1	4	7	3	5	9	3	5	4	2	6	5	3	1	1	0	0
	子宮体部	C54	125	0	0	0	0	1	1	0	1	5	14	20	23	14	11	18	8	4	5	0	0	0	0
	卵巣	C56	78	0	0	0	1	0	2	2	1	5	7	11	12	6	8	6	9	3	2	3	0	0	0
	前立腺	C61	617	0	0	0	0	0	1	0	0	0	1	6	20	57	80	140	140	83	58	26	3	2	0
	膀胱	C67	153	0	0	0	0	0	0	0	0	0	3	1	3	9	17	31	26	19	24	16	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	192	0	0	0	0	0	0	0	2	3	5	11	14	15	24	36	33	21	14	10	2	2	0
	脳・中枢神経系	C70-C72	51	1	3	0	2	0	0	0	3	4	5	1	1	5	8	8	5	2	1	1	1	0	0
	甲状腺	C73	110	0	0	0	0	2	4	3	7	10	18	9	3	11	5	10	9	7	6	5	1	0	0
	悪性リンパ腫	C81-C85 C96	210	0	1	0	0	1	0	0	2	7	4	7	9	17	20	36	41	29	23	11	1	1	0
	多発性骨髄腫	C88-C90	59	0	0	0	0	0	0	0	0	0	1	1	7	4	5	14	9	11	6	1	0	0	0
	白血病	C91-C95	90	3	1	0	1	2	2	1	0	6	0	6	11	6	10	15	13	5	4	3	0	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	3,763	4	6	4	2	8	10	3	21	32	70	121	183	298	497	732	721	512	358	154	24	3	0
	食道	C15 D001	131	0	0	0	0	0	0	0	0	0	2	4	8	12	25	25	30	16	9	0	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	649	0	0	0	0	0	2	0	8	7	21	40	53	69	103	125	78	84	44	13	2	0	0
	結腸 *2	C18 D010	422	0	0	0	0	0	1	0	4	5	11	20	30	45	60	84	57	59	36	8	2	0	0
	直腸 *2	C19-C20 D011-D012	227	0	0	0	0	0	1	0	4	2	10	20	23	24	43	41	21	25	8	5	0	0	0
	肺	C33-C34 D021-D022	487	0	0	0	0	0	0	1	0	0	5	14	16	33	60	86	122	74	50	26	0	0	0
	皮膚	C43-C44 D030-D049	88	0	0	1	0	1	0	0	1	3	3	2	5	1	10	7	16	15	10	10	3	0	0
	乳房	C50 D05	4	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	0	0	0
	膀胱	C67 D090	237	0	0	0	0	0	0	0	0	0	4	3	8	17	34	42	43	34	32	18	2	0	0
女	全部位	C00-C96 D00-D09	2,968	4	0	1	4	10	23	38	78	113	171	206	192	238	293	366	348	350	265	188	73	7	0
	食道	C15 D001	30	0	0	0	0	0	0	0	0	1	1	2	2	4	5	2	6	5	2	0	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	470	0	0	0	0	0	0	0	8	5	20	22	28	34	44	66	63	83	48	29	19	1	0
	結腸 *2	C18 D010	337	0	0	0	0	0	0	0	5	2	11	18	18	20	30	47	42	65	40	23	15	1	0
	直腸 *2	C19-C20 D011-D012	133	0	0	0	0	0	0	0	3	3	9	4	10	14	14	19	21	18	8	6	4	0	0
	肺	C33-C34 D021-D022	287	0	0	0	1	0	0	0	1	2	2	5	10	20	32	59	44	50	33	21	7	0	0
	皮膚	C43-C44 D030-D049	95	0	0	0	0	1	0	1	1	0	1	3	5	6	6	5	6	16	13	18	11	2	0
	乳房	C50 D05	674	0	0	0	0	0	1	3	16	48	77	88	53	69	82	77	55	43	35	22	5	0	0
	子宮	C53-C55 D06	309	0	0	0	0	3	16	26	37	28	34	35	32	24	18	23	14	9	8	1	1	0	0
	子宮頸部	C53 D06	184	0	0	0	0	2	15	26	36	23	20	15	9	10	7	5	6	5	3	1	1	0	0
	膀胱	C67 D090	62	0	0	0	0	0	0	0	0	0	2	2	1	4	6	11	8	8	8	10	2	0	0
総数 *3	全部位	C00-C96 D00-D09	6,731	8	6	5	6	18	33	41	99	145	241	327	375	536	790	1,098	1,069	862	623	342	97	10	0
	食道	C15 D001	161	0	0	0	0	0	0	0	0	1	3	6	10	16	30	27	36	21	11	0	0	0	0
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,119	0	0	0	0	0	2	0	16	12	41	62	81	103	147	191	141	167	92	42	21	1	0
	結腸 *2	C18 D010	759	0	0	0	0	0	1	0	9	7	22	38	48	65	90	131	99	124	76	31	17	1	0
	直腸 *2	C19-C20 D011-D012	360	0	0	0	0	0	1	0	7	5	19	24	33	38	57	60	42	43	16	11	4	0	0
	肺	C33-C34 D021-D022	774	0	0	0	1	0	0	1	1	2	7	19	26	53	92	145	166	124	83	47	7	0	0
	皮膚	C43-C44 D030-D049	183	0	0	1	0	2	0	1	2	3	4	5	10	7	16	12	22	31	23	28	14	2	0
	乳房	C50 D05	678	0	0	0	0	0	1	3	16	48	77	88	53	70	82	77	55	44	37	22	5	0	0
	子宮	C53-C55 D06	309	0	0	0	0	3	16	26	37	28	34	35	32	24	18	23	14	9	8	1	1	0	0
	子宮頸部	C53 D06	184	0	0	0	0	2	15	26	36	23	20	15	9	10	7	5	6	5	3	1	1	0	0
	膀胱	C67 D090	299	0	0	0	0	0	0	0	0	0	6	5	9	21	40	53	51	42	40	28	4	0	0

*1 総数は年齢不詳を含む
*2 粘膜がんを含む
*3 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	864.8	28.7	37.9	22.8	9.6	39.7	47.8	15.2	86.3	114.5	193.6	362.5	558.1	1,001.1	1,546.6	2,275.4	3,155.3	3,074.9	3,487.5	3,353.8	2,510.9	3,157.9	・
	口腔・咽頭	C00-C14	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	7.9	13.1	24.2	7.3	26.6	52.1	67.9	60.3	84.7	51.7	0.0	327.5	0.0	・
	食道	C15	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	6.9	29.2	38.1	79.9	74.7	125.3	84.7	93.1	0.0	0.0	0.0	・
	胃	C16	109.2	0.0	0.0	5.7	0.0	0.0	0.0	0.0	4.5	7.9	3.3	24.2	43.8	121.8	173.8	295.5	408.3	456.0	558.8	519.6	764.2	0.0	・
	大腸（結腸・直腸）	C18-C20	125.8	0.0	0.0	0.0	0.0	0.0	5.3	0.0	31.8	15.8	45.9	107.0	120.4	182.7	267.6	326.0	306.3	462.5	403.6	259.8	218.3	0.0	・
	結腸	C18	78.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	7.9	23.0	48.3	58.4	118.0	139.0	217.3	208.8	319.2	331.2	165.3	218.3	0.0	・
	直腸	C19-C20	47.3	0.0	0.0	0.0	0.0	0.0	5.3	0.0	18.2	7.9	23.0	58.7	62.0	64.7	128.6	108.7	97.4	143.3	72.4	94.5	0.0	0.0	・
	肝および肝内胆管	C22	48.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	6.9	10.9	60.9	76.5	122.3	199.5	188.9	238.0	354.3	109.2	0.0	・
	胆のう・胆管	C23-C24	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	10.9	7.6	41.7	40.8	69.6	84.7	124.2	118.1	109.2	0.0	・
	膵臓	C25	40.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	20.7	36.5	41.9	73.0	112.1	176.3	136.8	144.9	165.3	0.0	0.0	・
	喉頭	C32	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0	24.3	30.6	51.0	19.5	20.7	0.0	0.0	0.0	・
	肺	C33-C34	120.8	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	16.4	48.3	54.7	125.6	201.6	285.3	561.5	482.1	517.4	590.5	0.0	0.0	・
	皮膚	C43-C44	19.4	0.0	0.0	5.7	0.0	5.0	0.0	0.0	4.5	11.8	9.8	6.9	18.2	3.8	27.8	13.6	65.0	91.2	93.1	212.6	218.3	0.0	・
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	6.5	10.3	0.0	0.0	0.0	・
	前立腺	C61	155.3	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.3	20.7	73.0	217.0	278.0	475.4	649.6	540.7	600.2	614.1	327.5	2,105.3	・
	膀胱	C67	29.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	10.9	26.6	52.1	78.1	106.7	91.2	196.6	236.2	218.3	0.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	34.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	7.9	13.1	34.5	36.5	34.3	62.6	105.3	102.1	71.7	113.8	141.7	0.0	1,052.6	・
	脳・中枢神経系	C70-C72	8.3	0.0	18.9	0.0	4.8	0.0	0.0	0.0	4.5	7.9	9.8	0.0	3.6	11.4	17.4	20.4	23.2	6.5	10.3	0.0	109.2	0.0	・
	甲状腺	C73	8.1	0.0	0.0	0.0	0.0	0.0	10.6	0.0	4.5	15.8	23.0	3.5	3.6	11.4	7.0	17.0	13.9	6.5	10.3	23.6	0.0	0.0	・
	悪性リンパ腫	C81-C85 C96	26.4	0.0	6.3	0.0	0.0	0.0	0.0	0.0	4.5	11.8	9.8	6.9	21.9	30.5	41.7	61.1	88.2	104.2	134.5	70.9	0.0	0.0	・
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	7.3	7.6	17.4	23.8	18.6	32.6	31.0	0.0	0.0	0.0	・
	白血病	C91-C95	13.1	14.3	6.3	0.0	0.0	9.9	5.3	0.0	0.0	11.8	0.0	10.4	18.2	7.6	17.4	37.4	41.8	19.5	41.4	23.6	0.0	0.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	633.4	29.8	0.0	6.0	20.9	38.7	54.4	88.9	207.3	344.9	472.7	623.4	615.0	767.0	907.0	1,029.9	1,265.7	1,556.9	1,486.4	1,746.4	2,015.1	1,075.3	・
	口腔・咽頭	C00-C14	9.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	10.2	18.9	46.6	14.1	35.0	29.1	0.0	0.0	・
	食道	C15	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.5	7.1	7.4	11.3	10.2	3.1	23.3	23.5	11.7	0.0	0.0	0.0	・
	胃	C16	45.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.6	4.1	6.9	17.8	33.3	56.4	81.8	59.8	104.8	117.6	163.2	223.1	195.9	0.0	・
	大腸（結腸・直腸）	C18-C20	95.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.9	12.3	44.9	39.2	77.8	86.5	126.2	160.6	217.4	357.5	268.1	281.4	531.8	153.6	・
	結腸	C18	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0	20.7	32.1	51.9	45.1	85.2	103.9	139.8	286.9	227.3	223.1	419.8	153.6	・
	直腸	C19-C20	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	12.3	24.2	7.1	25.9	41.4	40.9	56.7	77.6	70.6	40.8	58.2	112.0	0.0	・
	肝および肝内胆管	C22	21.1	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	11.3	34.1	31.5	58.2	80.0	93.3	87.3	84.0	0.0	・
	胆のう・胆管	C23-C24	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	10.4	0.0	3.7	7.5	17.0	28.3	3.9	47.0	93.3	87.3	139.9	153.6	・
	脾臓	C25	31.3	0.0	0.0	0.0	0.0	0.0	0.0	5.6	4.8	0.0	3.5	10.7	22.2	22.6	37.5	53.5	89.3	108.2	116.6	116.4	139.9	0.0	・
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.4	3.1	0.0	4.7	0.0	0.0	0.0	0.0	・
	肺	C33-C34	66.2	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	8.2	6.9	14.2	37.0	60.2	98.9	182.7	159.2	230.5	192.4	203.7	195.9	0.0	・
	皮膚	C43-C44	20.4	0.0	0.0	0.0	0.0	5.5	0.0	5.6	0.0	0.0	3.5	7.1	14.8	18.8	20.5	15.7	23.3	70.6	70.0	135.8	279.9	307.2	・
	乳房	C50	146.1	0.0	0.0	0.0	0.0	0.0	6.0	16.7	67.5	172.4	234.6	281.4	159.3	233.1	259.1	207.9	201.9	178.7	186.5	213.4	139.9	0.0	・
	子宮	C53-C55	44.6	0.0	0.0	0.0	0.0	5.5	12.1	22.2	38.6	32.8	65.6	103.3	96.3	71.4	51.1	63.0	54.4	42.3	46.6	9.7	28.0	0.0	・
	子宮頸部	C53	14.3	0.0	0.0	0.0	0.0	0.0	6.0	22.2	33.7	12.3	17.3	32.1	11.1	18.8	13.6	6.3	23.3	23.5	17.5	9.7	28.0	0.0	・
	子宮体部	C54	30.3	0.0	0.0	0.0	0.0	5.5	6.0	0.0	4.8	20.5	48.3	71.2	85.2	52.6	37.5	56.7	31.1	18.8	29.1	0.0	0.0	0.0	・
	卵巣	C56	18.9	0.0	0.0	0.0	5.2	0.0	12.1	11.1	4.8	20.5	24.2	39.2	44.5	22.6	27.3	18.9	34.9	14.1	11.7	29.1	0.0	0.0	・
	膀胱	C67	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.6	0.0	7.5	6.8	25.2	11.6	23.5	29.1	58.2	56.0	0.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.5	3.6	14.8	22.6	20.5	15.7	42.7	47.0	17.5	38.8	56.0	153.6	・
	脳・中枢神経系	C70-C72	4.4	7.4	0.0	0.0	5.2	0.0	0.0	0.0	9.6	8.2	6.9	3.6	0.0	7.5	10.2	6.3	0.0	4.7	0.0	9.7	0.0	0.0	・
	甲状腺	C73	18.9	0.0	0.0	0.0	0.0	11.1	12.1	16.7	28.9	24.6	38.0	28.5	7.4	30.1	10.2	15.7	23.3	28.2	29.1	38.8	28.0	0.0	・
	悪性リンパ腫	C81-C85 C96	25.4	0.0	0.0	0.0	0.0	5.5	0.0	0.0	4.8	16.4	3.5	17.8	11.1	33.8	27.3	56.7	85.4	61.1	58.3	77.6	28.0	153.6	・
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	18.5	7.5	0.0	22.0	19.4	28.2	17.5	9.7	0.0	0.0	・
	白血病	C91-C95	9.2	7.4	0.0	0.0	5.2	0.0	6.0	5.6	0.0	12.3	0.0	10.7	22.2	15.0	17.0	12.6	15.5	9.4	0.0	19.4	0.0	153.6	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	746.9	29.2	19.3	14.6	15.0	39.2	50.9	50.3	145.0	227.5	329.7	490.9	586.4	883.3	1,223.8	1,629.2	2,126.5	2,193.4	2,207.5	2,214.4	2,116.3	1,340.5	・
	口腔・咽頭	C00-C14	16.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	4.7	4.0	6.7	12.3	9.2	13.2	31.0	42.5	52.8	43.7	41.0	20.6	66.8	0.0	・
	食道	C15	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	7.0	18.4	24.6	44.8	37.6	69.8	49.2	41.0	0.0	0.0	0.0	・
	胃	C16	76.7	0.0	0.0	2.9	0.0	0.0	0.0	0.0	7.0	6.0	5.0	21.0	38.6	88.9	127.4	173.2	243.1	259.5	305.8	309.5	311.9	0.0	・
	大腸（結腸・直腸）	C18-C20	110.1	0.0	0.0	0.0	0.0	0.0	2.8	0.0	30.4	14.1	45.4	73.6	99.3	134.3	196.2	240.2	257.9	401.5	317.0	275.1	467.8	134.0	・
	結腸	C18	72.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	4.0	21.9	40.3	55.1	81.3	111.9	158.5	171.2	300.5	264.7	206.3	378.7	134.0	・
	直腸	C19-C20	37.4	0.0	0.0	0.0	0.0	0.0	2.8	0.0	16.4	10.1	23.5	33.3	44.1	53.0	84.3	81.7	86.7	101.1	52.2	68.8	89.1	0.0	・
	肝および肝内胆管	C22	34.4	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.0	7.4	35.9	55.1	75.2	122.6	125.6	145.4	165.1	89.1	0.0	・
	胆のう・胆管	C23-C24	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	5.3	7.4	7.6	29.3	34.3	33.8	62.8	104.4	96.3	133.7	134.0	・
	膵臓	C25	35.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	0.0	3.4	15.8	29.4	32.2	55.1	81.7	128.9	120.2	126.8	130.7	111.4	0.0	・
	喉頭	C32	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	13.8	16.3	23.3	10.9	7.5	0.0	0.0	0.0	・
	肺	C33-C34	93.0	0.0	0.0	0.0	2.5	0.0	0.0	2.6	0.0	4.0	11.8	31.6	46.0	92.7	149.7	232.0	342.4	336.0	309.5	316.3	155.9	0.0	・
	皮膚	C43-C44	19.9	0.0	0.0	2.9	0.0	5.2	0.0	2.6	2.3	6.0	6.7	7.0	16.5	11.3	24.1	14.7	42.3	79.2	78.3	158.2	267.3	268.1	・
	乳房	C50	74.8	0.0	0.0	0.0	0.0	0.0	2.8	7.9	32.7	84.5	114.4	138.5	79.0	119.2	130.8	107.8	109.9	106.5	123.1	151.3	111.4	0.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	1.8	5.5	17.0	29.3	50.7	55.0	51.9	89.5	110.0	89.1	0.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	6.0	8.4	19.3	25.7	28.4	41.3	58.8	69.8	57.4	52.2	68.8	44.6	268.1	・
	脳・中枢神経系	C70-C72	6.3	3.7	9.7	0.0	5.0	0.0	0.0	0.0	7.0	8.1	8.4	1.8	1.8	9.5	13.8	13.1	10.6	5.5	3.7	6.9	22.3	0.0	・
	甲状腺	C73	13.6	0.0	0.0	0.0	0.0	5.2	11.3	7.9	16.4	20.1	30.3	15.8	5.5	20.8	8.6	16.3	19.0	19.1	22.4	34.4	22.3	0.0	・
	悪性リンパ腫	C81-C85 C96	25.9	0.0	3.2	0.0	0.0	2.6	0.0	0.0	4.7	14.1	6.7	12.3	16.5	32.2	34.4	58.8	86.7	79.2	85.8	75.6	22.3	134.0	・
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.8	12.9	7.6	8.6	22.9	19.0	30.0	22.4	6.9	0.0	0.0	・
	白血病	C91-C95	11.1	11.0	3.2	0.0	2.5	5.2	5.7	2.6	0.0	12.1	0.0	10.5	20.2	11.3	17.2	24.5	27.5	13.7	14.9	20.6	0.0	134.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-1. 年齢階級別罹患率（人口10万対，100歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96 D00-D09	947.1	28.7	37.9	22.8	9.6	39.7	53.1	15.2	95.4	126.4	229.7	417.7	667.6	1,134.3	1,727.4	2,485.9	3,345.6	3,335.5	3,704.9	3,637.2	2,620.1	3,157.9	・
	食道	C15 D001	33.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	13.8	29.2	45.7	86.9	84.9	139.2	104.2	93.1	0.0	0.0	0.0	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	163.3	0.0	0.0	0.0	0.0	0.0	10.6	0.0	36.4	27.6	68.9	138.1	193.3	262.6	358.0	424.5	361.9	547.2	455.3	307.0	218.3	0.0	・
	結腸 *2	C18 D010	106.2	0.0	0.0	0.0	0.0	0.0	5.3	0.0	18.2	19.7	36.1	69.0	109.4	171.3	208.5	285.3	264.5	384.4	372.6	188.9	218.3	0.0	・
	直腸 *2	C19-C20 D011-D012	57.1	0.0	0.0	0.0	0.0	0.0	5.3	0.0	18.2	7.9	32.8	69.0	83.9	91.4	149.5	139.2	97.4	162.9	82.8	118.1	0.0	0.0	・
	肺	C33-C34 D021-D022	122.6	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	16.4	48.3	58.4	125.6	208.5	292.1	566.1	482.1	517.4	614.1	0.0	0.0	・
	皮膚	C43-C44 D030-D049	22.1	0.0	0.0	5.7	0.0	5.0	0.0	0.0	4.5	11.8	9.8	6.9	18.2	3.8	34.8	23.8	74.2	97.7	103.5	236.2	327.5	0.0	・
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	6.5	20.7	0.0	0.0	0.0	・
	膀胱	C67 D090	59.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1	10.4	29.2	64.7	118.2	142.6	199.5	221.5	331.2	425.1	218.3	0.0	・
女	全部位	C00-C96 D00-D09	719.2	29.8	0.0	6.0	20.9	55.3	139.0	211.1	376.0	464.0	590.0	733.9	711.3	894.8	999.1	1,152.7	1,351.1	1,646.3	1,544.7	1,824.0	2,043.1	1,075.3	・
	食道	C15 D001	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.5	7.1	7.4	15.0	17.0	6.3	23.3	23.5	11.7	0.0	0.0	0.0	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	113.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.6	20.5	69.0	78.4	103.7	127.8	150.0	207.9	244.6	390.4	279.8	281.4	531.8	153.6	・
	結腸 *2	C18 D010	81.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.1	8.2	38.0	64.1	66.7	75.2	102.3	148.0	163.1	305.7	233.2	223.1	419.8	153.6	・
	直腸 *2	C19-C20 D011-D012	32.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	12.3	31.1	14.2	37.0	52.6	47.7	59.8	81.5	84.7	46.6	58.2	112.0	0.0	・
	肺	C33-C34 D021-D022	69.5	0.0	0.0	0.0	5.2	0.0	0.0	0.0	4.8	8.2	6.9	17.8	37.0	75.2	109.1	185.8	170.8	235.2	192.4	203.7	195.9	0.0	・
	皮膚	C43-C44 D030-D049	23.0	0.0	0.0	0.0	0.0	5.5	0.0	5.6	4.8	0.0	3.5	10.7	18.5	22.6	20.5	15.7	23.3	75.3	75.8	174.6	307.9	307.2	・
	乳房	C50 D05	163.3	0.0	0.0	0.0	0.0	0.0	6.0	16.7	77.1	197.1	265.7	313.5	196.4	259.4	279.6	242.5	213.5	202.3	204.0	213.4	139.9	0.0	・
	子宮	C53-C55 D06	74.9	0.0	0.0	0.0	0.0	16.6	96.7	144.5	178.4	115.0	117.3	124.7	118.6	90.2	61.4	72.4	54.4	42.3	46.6	9.7	28.0	0.0	・
総数 *3	子宮頸部	C53 D06	44.6	0.0	0.0	0.0	0.0	11.1	90.7	144.5	173.5	94.4	69.0	53.4	33.3	37.6	23.9	15.7	23.3	23.5	17.5	9.7	28.0	0.0	・
	膀胱	C67 D090	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	7.1	3.7	15.0	20.5	34.6	31.1	37.6	46.6	97.0	56.0	0.0	・
	全部位	C00-C96 D00-D09	831.0	29.2	19.3	14.6	15.0	47.1	93.3	108.6	231.6	291.9	405.4	573.3	689.3	1,013.8	1,359.7	1,794.2	2,259.7	2,354.5	2,323.1	2,352.0	2,160.8	1,340.5	・
	食道	C15 D001	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	10.5	18.4	30.3	51.6	44.1	76.1	57.4	41.0	0.0	0.0	0.0	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	138.2	0.0	0.0	0.0	0.0	0.0	5.7	0.0	37.4	24.2	69.0	108.7	148.9	194.8	253.0	312.1	298.0	456.2	343.1	288.8	467.8	134.0	・
	結腸 *2	C18 D010	93.7	0.0	0.0	0.0	0.0	0.0	2.8	0.0	21.1	14.1	37.0	66.6	88.2	122.9	154.9	214.1	209.3	338.7	283.4	213.2	378.7	134.0	・
	直腸 *2	C19-C20 D011-D012	44.4	0.0	0.0	0.0	0.0	0.0	2.8	0.0	16.4	10.1	32.0	42.1	60.7	71.9	98.1	98.0	88.8	117.5	59.7	75.6	89.1	0.0	・
	肺	C33-C34 D021-D022	95.6	0.0	0.0	0.0	2.5	0.0	0.0	2.6	2.3	4.0	11.8	33.3	47.8	100.2	158.4	236.9	350.9	338.7	309.5	323.2	155.9	0.0	・
	皮膚	C43-C44 D030-D049	22.6	0.0	0.0	2.9	0.0	5.2	0.0	2.6	4.7	6.0	6.7	8.8	18.4	13.2	27.5	19.6	46.5	84.7	85.8	192.6	311.9	268.1	・
総数 *3	乳房	C50 D05	83.7	0.0	0.0	0.0	0.0	0.0	2.8	7.9	37.4	96.6	129.5	154.3	97.4	132.4	141.1	125.8	116.3	120.2	138.0	151.3	111.4	0.0	・
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67 D090	36.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1	8.8	16.5	39.7	68.8	86.6	107.8	114.7	149.2	192.6	89.1	0.0	・

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	864.8	28.7	37.9	22.8	9.6	39.7	47.8	15.2	86.3	114.5	193.6	362.5	558.1	1,001.1	1,546.6	2,275.4	3,155.3	3,074.9	3,387.4	・
	口腔・咽頭	C00-C14	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	7.9	13.1	24.2	7.3	26.6	52.1	67.9	60.3	84.7	53.7	・
	食道	C15	29.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	6.9	29.2	38.1	79.9	74.7	125.3	84.7	60.4	・
	胃	C16	109.2	0.0	0.0	5.7	0.0	0.0	0.0	0.0	4.5	7.9	3.3	24.2	43.8	121.8	173.8	295.5	408.3	456.0	556.7	・
	大腸（結腸・直腸）	C18-C20	125.8	0.0	0.0	0.0	0.0	0.0	5.3	0.0	31.8	15.8	45.9	107.0	120.4	182.7	267.6	326.0	306.3	462.5	348.8	・
	結腸	C18	78.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.6	7.9	23.0	48.3	58.4	118.0	139.0	217.3	208.8	319.2	275.0	・
	直腸	C19-C20	47.3	0.0	0.0	0.0	0.0	0.0	5.3	0.0	18.2	7.9	23.0	58.7	62.0	64.7	128.6	108.7	97.4	143.3	73.8	・
	肝および肝内胆管	C22	48.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	6.9	10.9	60.9	76.5	122.3	199.5	188.9	261.6	・
	胆のう・胆管	C23-C24	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.4	10.9	7.6	41.7	40.8	69.6	84.7	120.7	・
	膵臓	C25	40.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	20.7	36.5	41.9	73.0	112.1	176.3	136.8	140.9	・
	喉頭	C32	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0	24.3	30.6	51.0	19.5	13.4	・
	肺	C33-C34	120.8	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	16.4	48.3	54.7	125.6	201.6	285.3	561.5	482.1	503.1	・
	皮膚	C43-C44	19.4	0.0	0.0	5.7	0.0	5.0	0.0	0.0	4.5	11.8	9.8	6.9	18.2	3.8	27.8	13.6	65.0	91.2	134.2	・
	乳房	C50	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	6.5	6.7	・
	前立腺	C61	155.3	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.3	20.7	73.0	217.0	278.0	475.4	649.6	540.7	597.0	・
	膀胱	C67	29.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	0.0	10.9	26.6	52.1	78.1	106.7	91.2	207.9	・
	腎・尿路（膀胱除く）	C64-C66 C68	34.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.1	7.9	13.1	34.5	36.5	34.3	62.6	105.3	102.1	71.7	120.7	・
	脳・中枢神経系	C70-C72	8.3	0.0	18.9	0.0	4.8	0.0	0.0	0.0	4.5	7.9	9.8	0.0	3.6	11.4	17.4	20.4	23.2	6.5	13.4	・
	甲状腺	C73	8.1	0.0	0.0	0.0	0.0	0.0	10.6	0.0	4.5	15.8	23.0	3.5	3.6	11.4	7.0	17.0	13.9	6.5	13.4	・
	悪性リンパ腫	C81-C85 C96	26.4	0.0	6.3	0.0	0.0	0.0	0.0	0.0	4.5	11.8	9.8	6.9	21.9	30.5	41.7	61.1	88.2	104.2	107.3	・
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	7.3	7.6	17.4	23.8	18.6	32.6	20.1	・
	白血病	C91-C95	13.1	14.3	6.3	0.0	0.0	9.9	5.3	0.0	0.0	11.8	0.0	10.4	18.2	7.6	17.4	37.4	41.8	19.5	33.5	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	633.4	29.8	0.0	6.0	20.9	38.7	54.4	88.9	207.3	344.9	472.7	623.4	615.0	767.0	907.0	1,029.9	1,265.7	1,556.9	1,622.2	・
	口腔・咽頭	C00-C14	9.0	0.0	0.0	0.0	0.0	5.5	0.0	0.0	0.0	0.0	0.0	0.0	11.1	0.0	10.2	18.9	46.6	14.1	28.4	・
	食道	C15	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.5	7.1	7.4	11.3	10.2	3.1	23.3	23.5	6.3	・
	胃	C16	45.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.6	4.1	6.9	17.8	33.3	56.4	81.8	59.8	104.8	117.6	183.0	・
	大腸（結腸・直腸）	C18-C20	95.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.9	12.3	44.9	39.2	77.8	86.5	126.2	160.6	217.4	357.5	299.8	・
	結腸	C18	67.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0	20.7	32.1	51.9	45.1	85.2	103.9	139.8	286.9	246.2	・
	直腸	C19-C20	27.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	12.3	24.2	7.1	25.9	41.4	40.9	56.7	77.6	70.6	53.7	・
	肝および肝内胆管	C22	21.1	0.0	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	11.3	34.1	31.5	58.2	80.0	88.4	・
	胆のう・胆管	C23-C24	15.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	10.4	0.0	3.7	7.5	17.0	28.3	3.9	47.0	97.8	・
	膵臓	C25	31.3	0.0	0.0	0.0	0.0	0.0	0.0	5.6	4.8	0.0	3.5	10.7	22.2	22.6	37.5	53.5	89.3	108.2	116.8	・
	喉頭	C32	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.4	3.1	0.0	4.7	0.0	・
	肺	C33-C34	66.2	0.0	0.0	0.0	5.2	0.0	0.0	0.0	0.0	8.2	6.9	14.2	37.0	60.2	98.9	182.7	159.2	230.5	192.5	・
	皮膚	C43-C44	20.4	0.0	0.0	0.0	0.0	5.5	0.0	5.6	0.0	0.0	3.5	7.1	14.8	18.8	20.5	15.7	23.3	70.6	119.9	・
	乳房	C50	146.1	0.0	0.0	0.0	0.0	0.0	6.0	16.7	67.5	172.4	234.6	281.4	159.3	233.1	259.1	207.9	201.9	178.7	186.2	・
	子宮	C53-C55	44.6	0.0	0.0	0.0	0.0	5.5	12.1	22.2	38.6	32.8	65.6	103.3	96.3	71.4	51.1	63.0	54.4	42.3	31.6	・
	子宮頸部	C53	14.3	0.0	0.0	0.0	0.0	0.0	6.0	22.2	33.7	12.3	17.3	32.1	11.1	18.8	13.6	6.3	23.3	23.5	15.8	・
	子宮体部	C54	30.3	0.0	0.0	0.0	0.0	5.5	6.0	0.0	4.8	20.5	48.3	71.2	85.2	52.6	37.5	56.7	31.1	18.8	15.8	・
	卵巣	C56	18.9	0.0	0.0	0.0	5.2	0.0	12.1	11.1	4.8	20.5	24.2	39.2	44.5	22.6	27.3	18.9	34.9	14.1	15.8	・
	膀胱	C67	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.6	0.0	7.5	6.8	25.2	11.6	23.5	41.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	13.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.5	3.6	14.8	22.6	20.5	15.7	42.7	47.0	31.6	・
	脳・中枢神経系	C70-C72	4.4	7.4	0.0	0.0	5.2	0.0	0.0	0.0	9.6	8.2	6.9	3.6	0.0	7.5	10.2	6.3	0.0	4.7	3.2	・
	甲状腺	C73	18.9	0.0	0.0	0.0	0.0	11.1	12.1	16.7	28.9	24.6	38.0	28.5	7.4	30.1	10.2	15.7	23.3	28.2	31.6	・
	悪性リンパ腫	C81-C85 C96	25.4	0.0	0.0	0.0	0.0	5.5	0.0	0.0	4.8	16.4	3.5	17.8	11.1	33.8	27.3	56.7	85.4	61.1	63.1	・
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	18.5	7.5	0.0	22.0	19.4	28.2	12.6	・
	白血病	C91-C95	9.2	7.4	0.0	0.0	5.2	0.0	6.0	5.6	0.0	12.3	0.0	10.7	22.2	15.0	17.0	12.6	15.5	9.4	9.5	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	746.9	29.2	19.3	14.6	15.0	39.2	50.9	50.3	145.0	227.5	329.7	490.9	586.4	883.3	1,223.8	1,629.2	2,126.5	2,193.4	2,187.0	・
	口腔・咽頭	C00-C14	16.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	4.7	4.0	6.7	12.3	9.2	13.2	31.0	42.5	52.8	43.7	36.5	・
	食道	C15	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	7.0	18.4	24.6	44.8	37.6	69.8	49.2	23.6	・
	胃	C16	76.7	0.0	0.0	2.9	0.0	0.0	0.0	0.0	7.0	6.0	5.0	21.0	38.6	88.9	127.4	173.2	243.1	259.5	302.6	・
	大腸（結腸・直腸）	C18-C20	110.1	0.0	0.0	0.0	0.0	0.0	2.8	0.0	30.4	14.1	45.4	73.6	99.3	134.3	196.2	240.2	257.9	401.5	315.5	・
	結腸	C18	72.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.0	4.0	21.9	40.3	55.1	81.3	111.9	158.5	171.2	300.5	255.4	・
	直腸	C19-C20	37.4	0.0	0.0	0.0	0.0	0.0	2.8	0.0	16.4	10.1	23.5	33.3	44.1	53.0	84.3	81.7	86.7	101.1	60.1	・
	肝および肝内胆管	C22	34.4	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.0	7.4	35.9	55.1	75.2	122.6	125.6	143.8	・
	胆のう・胆管	C23-C24	17.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	5.3	7.4	7.6	29.3	34.3	33.8	62.8	105.2	・
	膵臓	C25	35.9	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.3	0.0	3.4	15.8	29.4	32.2	55.1	81.7	128.9	120.2	124.5	・
	喉頭	C32	4.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.5	0.0	13.8	16.3	23.3	10.9	4.3	・
	肺	C33-C34	93.0	0.0	0.0	0.0	2.5	0.0	0.0	2.6	0.0	4.0	11.8	31.6	46.0	92.7	149.7	232.0	342.4	336.0	291.9	・
	皮膚	C43-C44	19.9	0.0	0.0	2.9	0.0	5.2	0.0	2.6	2.3	6.0	6.7	7.0	16.5	11.3	24.1	14.7	42.3	79.2	124.5	・
	乳房	C50	74.8	0.0	0.0	0.0	0.0	0.0	2.8	7.9	32.7	84.5	114.4	138.5	79.0	119.2	130.8	107.8	109.9	106.5	128.8	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	18.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	1.8	5.5	17.0	29.3	50.7	55.0	51.9	94.4	・
	腎・尿路（膀胱除く）	C64-C66 C68	23.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	6.0	8.4	19.3	25.7	28.4	41.3	58.8	69.8	57.4	60.1	・
	脳・中枢神経系	C70-C72	6.3	3.7	9.7	0.0	5.0	0.0	0.0	0.0	7.0	8.1	8.4	1.8	1.8	9.5	13.8	13.1	10.6	5.5	6.4	・
	甲状腺	C73	13.6	0.0	0.0	0.0	0.0	5.2	11.3	7.9	16.4	20.1	30.3	15.8	5.5	20.8	8.6	16.3	19.0	19.1	25.8	・
	悪性リンパ腫	C81-C85 C96	25.9	0.0	3.2	0.0	0.0	2.6	0.0	0.0	4.7	14.1	6.7	12.3	16.5	32.2	34.4	58.8	86.7	79.2	77.3	・
	多発性骨髄腫	C88-C90	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.8	12.9	7.6	8.6	22.9	19.0	30.0	15.0	・
	白血病	C91-C95	11.1	11.0	3.2	0.0	2.5	5.2	5.7	2.6	0.0	12.1	0.0	10.5	20.2	11.3	17.2	24.5	27.5	13.7	17.2	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96 D00-D09	947.1	28.7	37.9	22.8	9.6	39.7	53.1	15.2	95.4	126.4	229.7	417.7	667.6	1,134.3	1,727.4	2,485.9	3,345.6	3,335.5	3,615.5	・
	食道	C15 D001	33.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	13.8	29.2	45.7	86.9	84.9	139.2	104.2	60.4	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	163.3	0.0	0.0	0.0	0.0	0.0	10.6	0.0	36.4	27.6	68.9	138.1	193.3	262.6	358.0	424.5	361.9	547.2	395.8	・
	結腸 *2	C18 D010	106.2	0.0	0.0	0.0	0.0	0.0	5.3	0.0	18.2	19.7	36.1	69.0	109.4	171.3	208.5	285.3	264.5	384.4	308.6	・
	直腸 *2	C19-C20 D011-D012	57.1	0.0	0.0	0.0	0.0	0.0	5.3	0.0	18.2	7.9	32.8	69.0	83.9	91.4	149.5	139.2	97.4	162.9	87.2	・
	肺	C33-C34 D021-D022	122.6	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	0.0	16.4	48.3	58.4	125.6	208.5	292.1	566.1	482.1	509.8	・
	皮膚	C43-C44 D030-D049	22.1	0.0	0.0	5.7	0.0	5.0	0.0	0.0	4.5	11.8	9.8	6.9	18.2	3.8	34.8	23.8	74.2	97.7	154.3	・
	乳房	C50 D05	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	6.5	13.4	・
	膀胱	C67 D090	59.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.1	10.4	29.2	64.7	118.2	142.6	199.5	221.5	348.8	・
女	全部位	C00-C96 D00-D09	719.2	29.8	0.0	6.0	20.9	55.3	139.0	211.1	376.0	464.0	590.0	733.9	711.3	894.8	999.1	1,152.7	1,351.1	1,646.3	1,682.1	・
	食道	C15 D001	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	3.5	7.1	7.4	15.0	17.0	6.3	23.3	23.5	6.3	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	113.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38.6	20.5	69.0	78.4	103.7	127.8	150.0	207.9	244.6	390.4	306.1	・
	結腸 *2	C18 D010	81.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.1	8.2	38.0	64.1	66.7	75.2	102.3	148.0	163.1	305.7	249.3	・
	直腸 *2	C19-C20 D011-D012	32.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	12.3	31.1	14.2	37.0	52.6	47.7	59.8	81.5	84.7	56.8	・
	肺	C33-C34 D021-D022	69.5	0.0	0.0	0.0	5.2	0.0	0.0	0.0	4.8	8.2	6.9	17.8	37.0	75.2	109.1	185.8	170.8	235.2	192.5	・
	皮膚	C43-C44 D030-D049	23.0	0.0	0.0	0.0	0.0	5.5	0.0	5.6	4.8	0.0	3.5	10.7	18.5	22.6	20.5	15.7	23.3	75.3	138.9	・
	乳房	C50 D05	163.3	0.0	0.0	0.0	0.0	0.0	6.0	16.7	77.1	197.1	265.7	313.5	196.4	259.4	279.6	242.5	213.5	202.3	195.7	・
	子宮	C53-C55 D06	74.9	0.0	0.0	0.0	0.0	16.6	96.7	144.5	178.4	115.0	117.3	124.7	118.6	90.2	61.4	72.4	54.4	42.3	31.6	・
総数 *3	子宮頸部	C53 D06	44.6	0.0	0.0	0.0	0.0	11.1	90.7	144.5	173.5	94.4	69.0	53.4	33.3	37.6	23.9	15.7	23.3	23.5	15.8	・
	膀胱	C67 D090	15.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	7.1	3.7	15.0	20.5	34.6	31.1	37.6	63.1	・
	全部位	C00-C96 D00-D09	831.0	29.2	19.3	14.6	15.0	47.1	93.3	108.6	231.6	291.9	405.4	573.3	689.3	1,013.8	1,359.7	1,794.2	2,259.7	2,354.5	2,300.7	・
	食道	C15 D001	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	5.0	10.5	18.4	30.3	51.6	44.1	76.1	57.4	23.6	・
	大腸（結腸・直腸）*2	C18-C20 D010-D012	138.2	0.0	0.0	0.0	0.0	0.0	5.7	0.0	37.4	24.2	69.0	108.7	148.9	194.8	253.0	312.1	298.0	456.2	334.8	・
	結腸 *2	C18 D010	93.7	0.0	0.0	0.0	0.0	0.0	2.8	0.0	21.1	14.1	37.0	66.6	88.2	122.9	154.9	214.1	209.3	338.7	268.3	・
	直腸 *2	C19-C20 D011-D012	44.4	0.0	0.0	0.0	0.0	0.0	2.8	0.0	16.4	10.1	32.0	42.1	60.7	71.9	98.1	98.0	88.8	117.5	66.5	・
	肺	C33-C34 D021-D022	95.6	0.0	0.0	0.0	2.5	0.0	0.0	2.6	2.3	4.0	11.8	33.3	47.8	100.2	158.4	236.9	350.9	338.7	294.0	・
	皮膚	C43-C44 D030-D049	22.6	0.0	0.0	2.9	0.0	5.2	0.0	2.6	4.7	6.0	6.7	8.8	18.4	13.2	27.5	19.6	46.5	84.7	143.8	・
	乳房	C50 D05	83.7	0.0	0.0	0.0	0.0	0.0	2.8	7.9	37.4	96.6	129.5	154.3	97.4	132.4	141.1	125.8	116.3	120.2	137.4	・
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67 D090	36.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.1	8.8	16.5	39.7	68.8	86.6	107.8	114.7	154.5	・

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山梨県

2020年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	5,913	17.8	31.7	0.0	48.3	2.2
口腔・咽頭	C00-C14	128	3.9	18.0	0.0	75.0	3.1
食道	C15	141	19.9	34.8	0.0	44.0	1.4
胃	C16	599	21.5	32.4	0.0	43.4	2.7
大腸（結腸・直腸）	C18-C20	875	20.3	21.5	0.0	56.3	1.8
結腸	C18	576	20.5	22.6	0.0	55.6	1.4
直腸	C19-C20	299	20.1	19.4	0.0	57.9	2.7
肝および肝内胆管	C22	267	9.7	55.1	0.0	31.8	3.4
胆のう・胆管	C23-C24	135	10.4	31.1	0.0	58.5	0.0
膵臓	C25	279	12.2	34.1	0.0	52.3	1.4
喉頭	C32	38	0.0	13.2	0.0	86.8	0.0
肺	C33-C34	726	17.9	45.5	0.0	35.0	1.7
皮膚	C43-C44	161	0.0	10.6	0.0	88.8	0.6
乳房	C50	600	31.2	17.8	0.0	48.2	2.8
乳房（女性のみ）	C50	597	31.3	17.8	0.0	48.1	2.8
子宮	C53-C55	184	17.4	20.7	0.0	60.9	1.1
子宮頸部	C53	59	18.6	16.9	0.0	61.0	3.4
子宮体部	C54	125	16.8	22.4	0.0	60.8	0.0
卵巣	C56	76	13.2	25.0	0.0	57.9	3.9
前立腺	C61	609	22.7	45.8	0.0	27.6	3.9
膀胱	C67	150	4.0	28.0	0.0	66.0	2.0
腎・尿路（膀胱除く）	C64-C66 C68	187	22.5	44.4	0.0	31.0	2.1
脳・中枢神経系	C70-C72	50	0.0	10.0	0.0	88.0	2.0
甲状腺	C73	107	26.2	31.8	0.0	39.3	2.8
悪性リンパ腫	C81-C85 C96	207	13.5	27.5	0.0	56.0	2.9
多発性骨髄腫	C88-C90	56	7.1	51.8	0.0	41.1	0.0
白血病	C91-C95	90	11.1	25.6	0.0	62.2	1.1

*1 DC0を除く総数

表4. 発見経緯（%）： 部位別

B. 上皮内がんを含む

山梨県2020年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	6,594	19.2	32.0	0.0	46.8	2.1
食道	C15 D001	160	24.4	35.0	0.0	39.4	1.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,102	24.6	23.7	0.0	50.1	1.6
結腸 *2	C18 D010	746	24.9	24.7	0.0	49.1	1.3
直腸 *2	C19-C20 D011-D012	356	23.9	21.6	0.0	52.2	2.2
肺	C33-C34 D021-D022	747	17.9	45.8	0.0	34.5	1.7
皮膚	C43-C44 D030-D049	183	0.0	9.8	0.0	89.6	0.5
乳房	C50 D05	672	32.9	19.3	0.0	44.9	2.8
乳房（女性のみ）	C50 D05	668	33.1	19.2	0.0	44.9	2.8
子宮	C53-C55 D06	309	25.9	27.2	0.0	46.0	1.0
子宮頸部	C53 D06	184	32.1	30.4	0.0	35.9	1.6
膀胱	C67 D090	296	7.4	31.1	0.0	60.5	1.0

*1 DC0を除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合（％）： 部位別

A. 上皮内がんを除く

山梨県

2020年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,767	49.8	9.3	13.3	18.0	9.6	22.5
口腔・咽頭	C00-C14	128	37.5	13.3	33.6	7.8	7.8	46.9
食道	C15	141	46.8	8.5	26.2	12.8	5.7	34.8
胃	C16	599	54.9	10.7	6.0	17.4	11.0	16.7
大腸（結腸・直腸）	C18-C20	875	43.4	17.5	11.8	19.7	7.7	29.3
結腸	C18	576	44.1	16.1	11.6	19.6	8.5	27.8
直腸	C19-C20	299	42.1	20.1	12.0	19.7	6.0	32.1
肝および肝内胆管	C22	267	59.2	4.5	8.6	13.9	13.9	13.1
胆のう・胆管	C23-C24	135	16.3	3.0	40.7	22.2	17.8	43.7
膵臓	C25	279	26.5	7.5	21.5	36.6	7.9	29.0
喉頭	C32	38	65.8	7.9	18.4	2.6	5.3	26.3
肺	C33-C34	726	39.9	9.9	8.0	34.0	8.1	17.9
皮膚	C43-C44	161	80.1	1.2	9.3	0.0	9.3	10.6
乳房	C50	600	63.0	19.7	3.5	6.3	7.5	23.2
乳房（女性のみ）	C50	597	62.8	19.8	3.5	6.4	7.5	23.3
子宮	C53-C55	184	54.3	2.7	23.9	14.1	4.9	26.6
子宮頸部	C53	59	40.7	3.4	28.8	16.9	10.2	32.2
子宮体部	C54	125	60.8	2.4	21.6	12.8	2.4	24.0
卵巣	C56	76	28.9	1.3	47.4	15.8	6.6	48.7
前立腺	C61	609	63.1	1.3	14.0	12.2	9.5	15.3
膀胱	C67	150	72.0	2.0	8.7	5.3	11.3	10.7
腎・尿路（膀胱除く）	C64-C66 C68	187	65.2	0.5	16.0	10.7	7.5	16.6
脳・中枢神経系	C70-C72	50	70.0	0.0	12.0	4.0	14.0	12.0
甲状腺	C73	107	43.0	25.2	11.2	5.6	15.0	36.4
悪性リンパ腫	C81-C85 C96	204	28.4	0.5	14.7	43.1	13.2	15.2
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合（％）： 部位別

B. 上皮内がんを含む

山梨県2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,448	10.3	44.6	8.3	11.9	16.1	8.8	20.2
食道	C15 D001	160	10.0	41.3	7.5	23.1	11.3	6.9	30.6
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,102	20.5	34.5	13.9	9.3	15.6	6.2	23.2
結腸 *3	C18 D010	746	22.7	34.0	12.5	9.0	15.1	6.7	21.4
直腸 *3	C19-C20 D011-D012	356	16.0	35.4	16.9	10.1	16.6	5.1	27.0
肺	C33-C34 D021-D022	747	2.8	38.8	9.6	7.8	33.1	7.9	17.4
皮膚	C43-C44 D030-D049	183	12.0	70.5	1.1	8.2	0.0	8.2	9.3
乳房	C50 D05	672	9.5	56.5	17.7	3.1	5.8	7.3	20.8
乳房（女性のみ）	C50 D05	668	9.4	56.4	17.8	3.1	5.8	7.3	21.0
子宮	C53-C55 D06	309	38.8	32.4	1.6	14.2	8.4	4.5	15.9
子宮頸部	C53 D06	184	65.2	13.0	1.1	9.2	5.4	6.0	10.3
膀胱	C67 D090	296	49.3	36.5	1.0	4.4	2.7	6.1	5.4

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前（%）： 部位別

A. 上皮内がんを除く

山梨県

2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	5,767	0.9	47.8	6.5	11.8	17.3	15.7	18.3
口腔・咽頭	C00-C14	128	0.8	32.8	14.1	32.8	7.0	12.5	46.9
食道	C15	141	9.9	36.9	6.4	26.2	12.8	7.8	32.6
胃	C16	599	0.5	56.9	6.5	8.8	14.4	12.9	15.4
大腸（結腸・直腸）	C18-C20	875	0.5	42.3	12.5	12.0	19.7	13.1	24.5
結腸	C18	576	0.5	42.7	12.2	11.1	19.6	13.9	23.3
直腸	C19-C20	299	0.3	41.5	13.0	13.7	19.7	11.7	26.8
肝および肝内胆管	C22	267	0.4	56.2	4.5	9.7	13.5	15.7	14.2
胆のう・胆管	C23-C24	135	0.0	17.0	3.7	37.0	18.5	23.7	40.7
膵臓	C25	279	0.0	28.0	5.0	20.8	36.6	9.7	25.8
喉頭	C32	38	0.0	65.8	7.9	13.2	2.6	10.5	21.1
肺	C33-C34	726	0.4	32.0	7.2	6.9	32.9	20.7	14.0
皮膚	C43-C44	161	1.9	70.8	1.2	8.1	0.0	18.0	9.3
乳房	C50	600	2.7	65.7	12.8	3.5	6.2	9.2	16.3
乳房（女性のみ）	C50	597	2.7	65.7	12.9	3.5	6.2	9.0	16.4
子宮	C53-C55	184	1.1	47.3	1.6	15.8	11.4	22.8	17.4
子宮頸部	C53	59	3.4	37.3	5.1	22.0	15.3	16.9	27.1
子宮体部	C54	125	0.0	52.0	0.0	12.8	9.6	25.6	12.8
卵巣	C56	76	0.0	30.3	1.3	13.2	11.8	43.4	14.5
前立腺	C61	609	0.0	65.5	1.3	11.3	12.2	9.7	12.6
膀胱	C67	150	2.0	68.0	2.0	9.3	6.0	12.7	11.3
腎・尿路（膀胱除く）	C64-C66 C68	187	0.5	55.1	0.5	10.2	10.2	23.5	10.7
脳・中枢神経系	C70-C72	50	0.0	72.0	0.0	12.0	2.0	14.0	12.0
甲状腺	C73	107	0.0	44.9	8.4	9.3	5.6	31.8	17.8
悪性リンパ腫	C81-C85 C96	204	0.0	28.4	0.5	14.2	43.1	13.7	14.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前（%）： 部位別

B. 上皮内がんを含む

山梨県2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	6,448	7.0	43.9	5.8	10.6	15.5	17.3	16.4
食道	C15 D001	160	16.3	33.8	5.6	23.1	11.3	10.0	28.7
大腸（結腸・直腸）*3	C18-C20 D010-D012	1,102	13.3	34.7	9.9	9.5	15.6	17.0	19.4
結腸 *3	C18 D010	746	14.6	33.9	9.4	8.6	15.1	18.4	18.0
直腸 *3	C19-C20 D011-D012	356	10.7	36.2	11.0	11.5	16.6	14.0	22.5
肺	C33-C34 D021-D022	747	0.9	31.6	7.0	6.7	32.0	21.8	13.7
皮膚	C43-C44 D030-D049	183	12.6	62.3	1.1	7.1	0.0	16.9	8.2
乳房	C50 D05	672	9.8	60.9	11.5	3.1	5.7	9.1	14.6
乳房（女性のみ）	C50 D05	668	9.9	60.8	11.5	3.1	5.7	9.0	14.7
子宮	C53-C55 D06	309	38.8	28.5	1.0	9.4	6.8	15.5	10.4
子宮頸部	C53 D06	184	65.2	12.5	1.6	7.1	4.9	8.7	8.7
膀胱	C67 D090	296	14.5	41.9	1.0	4.7	3.0	34.8	5.7

*1 DC0、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後（％）： 部位別

A. 上皮内がんを除く

山梨県2020年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	3,435	57.6	10.7	10.8	5.2	15.7	21.5
口腔・咽頭	C00-C14	49	49.0	4.1	18.4	4.1	24.5	22.4
食道	C15	69	72.5	7.2	7.2	0.0	13.0	14.5
胃	C16	453	63.4	12.1	5.3	6.6	12.6	17.4
大腸（結腸・直腸）	C18-C20	722	48.9	19.8	11.2	11.9	8.2	31.0
結腸	C18	489	48.9	18.4	11.2	12.3	9.2	29.7
直腸	C19-C20	233	48.9	22.7	11.2	11.2	6.0	33.9
肝および肝内胆管	C22	112	60.7	2.7	3.6	1.8	31.3	6.3
胆のう・胆管	C23-C24	69	15.9	1.4	50.7	10.1	21.7	52.2
膵臓	C25	65	24.6	12.3	18.5	6.2	38.5	30.8
喉頭	C32	9	44.4	0.0	33.3	0.0	22.2	33.3
肺	C33-C34	318	65.1	9.4	7.2	3.5	14.8	16.7
皮膚	C43-C44	148	81.1	1.4	9.5	0.0	8.1	10.8
乳房	C50	453	72.2	17.2	1.5	0.4	8.6	18.8
乳房（女性のみ）	C50	450	72.0	17.3	1.6	0.4	8.7	18.9
子宮	C53-C55	148	63.5	3.4	20.9	7.4	4.7	24.3
子宮頸部	C53	37	59.5	5.4	18.9	5.4	10.8	24.3
子宮体部	C54	111	64.9	2.7	21.6	8.1	2.7	24.3
卵巣	C56	64	31.3	0.0	50.0	7.8	10.9	50.0
前立腺	C61	181	52.5	0.6	12.2	0.6	34.3	12.7
膀胱	C67	120	46.7	1.7	2.5	0.8	48.3	4.2
腎・尿路（膀胱除く）	C64-C66 C68	143	72.7	0.0	14.0	2.8	10.5	14.0
脳・中枢神経系	C70-C72	35	54.3	0.0	14.3	5.7	25.7	14.3
甲状腺	C73	94	43.6	25.5	10.6	1.1	19.1	36.2
悪性リンパ腫	C81-C85 C96	33	15.2	0.0	3.0	9.1	72.7	3.0
多発性骨髄腫	C88-C90	－	－	－	－	－	－	－
白血病	C91-C95	－	－	－	－	－	－	－

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後（％）： 部位別

B. 上皮内がんを含む

山梨県2020年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	4,090	15.4	48.5	9.0	9.1	4.4	13.7	18.0
食道	C15 D001	84	13.1	59.5	6.0	6.0	0.0	15.5	11.9
大腸（結腸・直腸）*3	C18-C20 D010-D012	945	23.5	37.4	15.1	8.6	9.1	6.3	23.7
結腸 *3	C18 D010	656	25.3	36.4	13.7	8.4	9.1	7.0	22.1
直腸 *3	C19-C20 D011-D012	289	19.4	39.4	18.3	9.0	9.0	4.8	27.3
肺	C33-C34 D021-D022	338	5.9	61.2	8.9	6.8	3.3	13.9	15.7
皮膚	C43-C44 D030-D049	170	11.8	70.6	1.2	8.2	0.0	8.2	9.4
乳房	C50 D05	522	11.9	63.0	15.1	1.3	0.4	8.2	16.5
乳房（女性のみ）	C50 D05	518	11.8	62.9	15.3	1.4	0.4	8.3	16.6
子宮	C53-C55 D06	262	42.0	35.9	1.9	11.8	4.2	4.2	13.7
子宮頸部	C53 D06	151	72.8	14.6	1.3	4.6	1.3	5.3	6.0
膀胱	C67 D090	266	53.4	21.1	0.8	1.1	0.4	23.3	1.9

*1 DC0、「660：手術なし・術前治療後」、「777：該当せず」を除く総数

*2 リンパ節転移＋隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合（％）： 部位別

A. 上皮内がんを除く

山梨県

2020年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・ 不明
全部位	C00-C96	5,913	24.0	22.8	8.2	11.6	28.9	11.6	1.8	21.8
口腔・咽頭	C00-C14	128	36.7	0.8	1.6	51.6	50.0	1.6	0.0	18.0
食道	C15	141	1.4	22.0	34.0	31.2	41.8	0.0	0.7	13.5
胃	C16	599	12.5	27.7	30.6	0.2	17.7	0.0	0.5	25.5
大腸（結腸・直腸）	C18-C20	875	17.1	53.5	14.5	2.6	29.9	0.1	1.4	15.9
結腸	C18	576	18.2	52.6	12.3	0.3	26.7	0.2	1.2	18.4
直腸	C19-C20	299	15.1	55.2	18.7	7.0	36.1	0.0	1.7	11.0
肝および肝内胆管	C22	267	9.7	19.1	1.1	4.9	18.4	0.0	22.8	37.1
胆のう・胆管	C23-C24	135	31.9	9.6	3.0	0.7	28.9	0.0	0.0	40.7
膵臓	C25	279	22.9	4.3	0.0	1.4	52.3	0.0	0.7	40.9
喉頭	C32	38	15.8	0.0	2.6	73.7	42.1	0.0	0.0	13.2
肺	C33-C34	726	5.8	31.8	0.0	19.4	33.5	0.0	0.4	26.0
皮膚	C43-C44	161	86.3	0.0	0.0	2.5	5.0	0.0	1.9	10.6
乳房	C50	600	77.5	0.0	0.2	30.0	30.5	54.5	0.3	9.3
乳房（女性のみ）	C50	597	77.4	0.0	0.2	30.2	30.7	54.4	0.3	9.4
子宮	C53-C55	184	46.7	33.2	0.5	6.5	45.7	0.5	0.0	10.9
子宮頸部	C53	59	44.1	18.6	0.0	20.3	44.1	0.0	0.0	18.6
子宮体部	C54	125	48.0	40.0	0.8	0.0	46.4	0.8	0.0	7.2
卵巣	C56	76	71.1	9.2	0.0	0.0	44.7	0.0	0.0	15.8
前立腺	C61	609	2.8	19.2	0.0	10.5	3.0	56.2	0.2	19.5
膀胱	C67	150	4.7	5.3	70.7	6.7	24.7	0.7	10.0	20.0
腎・尿路（膀胱除く）	C64-C66 C68	187	7.0	62.0	1.6	2.1	13.9	0.0	0.0	18.7
脳・中枢神経系	C70-C72	50	54.0	0.0	0.0	46.0	46.0	0.0	0.0	34.0
甲状腺	C73	107	71.0	0.9	0.9	11.2	2.8	3.7	0.0	26.2
悪性リンパ腫	C81-C85 C96	207	4.3	2.9	0.5	9.2	62.8	1.0	1.0	29.5
多発性骨髄腫	C88-C90	56	0.0	0.0	0.0	3.6	83.9	1.8	1.8	14.3
白血病	C91-C95	90	0.0	0.0	0.0	4.4	70.0	2.2	0.0	26.7

*1 DC0を除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合（％）： 部位別

B. 上皮内がんを含む

山梨県2020年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	治療なし ・不明
全部位	C00-C96 D00-D09	6,594	24.5	21.7	12.8	10.8	26.2	10.6	1.9	20.1
食道	C15 D001	160	1.9	19.4	36.3	28.1	36.9	0.0	0.6	16.3
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,102	14.2	43.8	30.0	2.1	24.0	0.1	1.1	12.9
結腸 *2	C18 D010	746	14.6	42.4	29.8	0.3	20.9	0.1	0.9	14.6
直腸 *2	C19-C20 D011-D012	356	13.2	46.9	30.6	5.9	30.3	0.0	1.4	9.3
肺	C33-C34 D021-D022	747	5.6	33.6	0.0	18.9	32.5	0.0	0.4	25.4
皮膚	C43-C44 D030-D049	183	86.9	0.0	0.0	2.2	4.4	0.0	1.6	10.4
乳房	C50 D05	672	78.9	0.0	0.1	30.2	27.4	50.3	0.3	9.2
乳房（女性のみ）	C50 D05	668	78.7	0.0	0.1	30.4	27.5	50.3	0.3	9.3
子宮	C53-C55 D06	309	53.7	28.8	1.0	3.9	27.2	0.3	0.3	11.0
子宮頸部	C53 D06	184	57.6	21.2	1.1	6.5	14.1	0.0	0.5	13.6
膀胱	C67 D090	296	3.7	3.4	83.1	3.7	18.2	1.0	10.8	10.5

*1 DC0を除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

A. 上皮内がんを除く

山梨県

2020年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	3, 172	84. 3	12. 4	3. 3
口腔・咽頭	C00-C14	50	90. 0	6. 0	4. 0
食道	C15	75	84. 0	13. 3	2. 7
胃	C16	407	90. 2	7. 6	2. 2
大腸（結腸・直腸）	C18-C20	703	86. 1	9. 8	4. 1
結腸	C18	455	85. 1	10. 5	4. 4
直腸	C19-C20	248	87. 9	8. 5	3. 6
肝および肝内胆管	C22	80	85. 0	13. 8	1. 3
胆のう・胆管	C23-C24	60	76. 7	20. 0	3. 3
膵臓	C25	76	82. 9	15. 8	1. 3
喉頭	C32	7	71. 4	14. 3	14. 3
肺	C33-C34	272	91. 9	7. 4	0. 7
皮膚	C43-C44	139	92. 1	7. 2	0. 7
乳房	C50	466	81. 1	10. 5	8. 4
乳房（女性のみ）	C50	463	81. 0	10. 6	8. 4
子宮	C53-C55	146	89. 7	10. 3	0. 0
子宮頸部	C53	35	82. 9	17. 1	0. 0
子宮体部	C54	111	91. 9	8. 1	0. 0
卵巣	C56	61	85. 2	14. 8	0. 0
前立腺	C61	134	75. 4	24. 6	0. 0
膀胱	C67	113	38. 1	59. 3	2. 7
腎・尿路（膀胱除く）	C64-C66 C68	132	94. 7	3. 0	2. 3
脳・中枢神経系	C70-C72	27	74. 1	25. 9	0. 0
甲状腺	C73	78	91. 0	6. 4	2. 6
悪性リンパ腫	C81-C85 C96	16	43. 8	31. 3	25. 0
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

表7. 外科的・鏡視下・内視鏡的治療の範囲（％）： 部位別

B. 上皮内がんを含む

山梨県2020年

部位	ICD-10	集計対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	3,813	86.0	10.8	3.2
食道	C15 D001	86	84.9	11.6	3.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	927	88.2	7.6	4.2
結腸 *2	C18 D010	622	88.3	7.9	3.9
直腸 *2	C19-C20 D011-D012	305	88.2	6.9	4.9
肺	C33-C34 D021-D022	292	92.1	7.2	0.7
皮膚	C43-C44 D030-D049	159	90.6	8.2	1.3
乳房	C50 D05	531	82.9	9.6	7.5
乳房（女性のみ）	C50 D05	527	82.7	9.7	7.6
子宮	C53-C55 D06	256	92.2	7.8	0.0
子宮頸部	C53 D06	145	92.4	7.6	0.0
膀胱	C67 D090	258	69.4	28.3	2.3

*1 外科的、鏡視下、内視鏡的治療のいずれかが「1：あり」 DC0を除く総数

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山梨県 2020年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.41	0.39	0.40	3.9	5.7	4.6	1.7	3.0	2.3	84.5	84.2	84.4	80.4	81.0	80.6
口腔・咽頭	C00-C14	0.31	0.32	0.32	2.2	5.4	3.1	1.1	2.7	1.5	94.6	89.2	93.1	94.6	86.5	92.3
食道	C15	0.44	0.38	0.43	1.7	0.0	1.4	0.9	0.0	0.7	97.4	96.2	97.2	97.4	96.2	97.2
胃	C16	0.42	0.55	0.46	5.1	8.0	6.0	2.5	5.9	3.5	92.2	83.4	89.5	92.2	82.9	89.4
大腸（結腸・直腸）	C18-C20	0.35	0.42	0.38	2.2	5.6	3.7	0.6	3.6	1.9	93.0	86.7	90.2	92.6	86.7	90.0
結腸	C18	0.37	0.47	0.41	2.9	6.1	4.4	1.0	3.6	2.2	91.0	84.5	87.9	90.4	84.5	87.6
直腸	C19-C20	0.33	0.32	0.33	1.1	4.3	2.3	0.0	3.5	1.3	96.3	92.2	94.7	96.3	92.2	94.7
肝および肝内胆管	C22	0.73	0.68	0.71	5.7	13.8	8.2	3.1	6.9	4.3	40.6	29.9	37.3	39.6	29.9	36.6
胆のう・胆管	C23-C24	0.83	0.79	0.82	6.4	19.0	12.1	0.0	9.5	4.3	76.9	52.4	66.0	57.7	41.3	50.4
膵臓	C25	0.72	1.03	0.86	7.4	15.5	11.0	3.1	5.4	4.1	62.3	50.4	57.0	52.5	45.0	49.1
喉頭	C32	0.21	0.00	0.18	0.0	0.0	0.0	0.0	0.0	0.0	97.1	100.0	97.4	94.1	100.0	94.7
肺	C33-C34	0.69	0.48	0.61	7.7	9.2	8.2	2.7	5.1	3.6	76.0	74.4	75.4	67.9	66.3	67.3
皮膚	C43-C44	0.06	0.05	0.06	0.0	1.2	0.6	0.0	0.0	0.0	100.0	98.8	99.4	100.0	98.8	99.4
乳房	C50	0.00	0.16	0.16	0.0	1.7	1.7	0.0	1.0	1.0	100.0	96.4	96.4	100.0	94.9	94.9
子宮	C53-C55	-	0.19	0.19	-	0.5	0.5	-	0.0	0.0	-	97.8	97.8	-	97.3	97.3
子宮頸部	C53	-	0.15	0.15	-	0.0	0.0	-	0.0	0.0	-	98.3	98.3	-	98.3	98.3
子宮体部	C54	-	0.14	0.14	-	0.8	0.8	-	0.0	0.0	-	97.6	97.6	-	96.8	96.8
卵巣	C56	-	0.36	0.36	-	3.8	3.8	-	2.6	2.6	-	88.5	88.5	-	83.3	83.3
前立腺	C61	0.14	-	0.14	1.6	-	1.6	1.3	-	1.3	87.2	-	87.2	84.0	-	84.0
膀胱	C67	0.41	0.57	0.44	3.4	5.7	3.9	1.7	2.9	2.0	93.2	77.1	89.5	81.4	77.1	80.4
腎・尿路（膀胱除く）	C64-C66 C68	0.28	0.47	0.33	2.9	9.1	4.7	2.2	3.6	2.6	90.5	70.9	84.9	82.5	65.5	77.6
脳・中枢神経系	C70-C72	0.30	0.17	0.25	3.0	0.0	2.0	3.0	0.0	2.0	57.6	72.2	62.7	57.6	72.2	62.7
甲状腺	C73	0.16	0.18	0.17	3.1	3.8	3.6	3.1	2.6	2.7	93.8	91.0	91.8	84.4	82.1	82.7
悪性リンパ腫	C81-C85 C96	0.35	0.38	0.37	4.8	5.7	5.2	1.9	1.0	1.4	92.4	91.4	91.9	90.5	86.7	88.6
多発性骨髄腫	C88-C90	0.48	0.33	0.41	3.4	6.7	5.1	3.4	6.7	5.1	96.6	93.3	94.9	93.1	83.3	88.1
白血病	C91-C95	0.50	0.58	0.53	0.0	2.6	1.1	0.0	0.0	0.0	94.2	94.7	94.4	71.2	71.1	71.1

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山梨県 2020年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で 「がん」が確認された症例 DCI (%)			死亡情報のみの 症例 DCO (%)			病理学的裏付けの ある症例 MV (%)			組織学的裏付けの ある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.38	0.34	0.36	3.6	5.1	4.2	1.5	2.7	2.0	85.9	86.1	85.9	82.0	83.2	82.5
食道	C15 D001	0.39	0.33	0.38	1.5	0.0	1.2	0.8	0.0	0.6	97.7	96.7	97.5	97.7	96.7	97.5
大腸（結腸・直腸）*2	C18-C20 D010-D012	0.27	0.35	0.31	1.7	4.9	3.0	0.5	3.0	1.5	94.6	88.9	92.2	94.3	88.9	92.0
結腸 *2	C18 D010	0.27	0.38	0.32	2.1	5.3	3.6	0.7	3.0	1.7	93.4	87.2	90.6	92.9	87.2	90.4
直腸 *2	C19-C20 D011-D012	0.27	0.28	0.28	0.9	3.8	1.9	0.0	3.0	1.1	96.9	93.2	95.6	96.9	93.2	95.6
肺	C33-C34 D021-D022	0.68	0.46	0.60	7.8	8.7	8.1	2.7	4.9	3.5	76.4	75.6	76.1	68.2	67.9	68.1
皮膚	C43-C44 D030-D049	0.06	0.04	0.05	0.0	1.1	0.5	0.0	0.0	0.0	100.0	98.9	99.5	100.0	98.9	99.5
乳房	C50 D05	0.00	0.15	0.14	0.0	1.6	1.6	0.0	0.9	0.9	100.0	96.7	96.8	100.0	95.0	95.0
子宮	C53-C55 D06	-	0.11	0.11	-	0.3	0.3	-	0.0	0.0	-	98.7	98.7	-	98.1	98.1
子宮頸部	C53 D06	-	0.05	0.05	-	0.0	0.0	-	0.0	0.0	-	99.5	99.5	-	98.9	98.9
膀胱	C67 D090	0.20	0.32	0.23	1.7	3.2	2.0	0.8	1.6	1.0	96.6	87.1	94.6	89.5	87.1	89.0

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 部位別、性別

山梨県

2020年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,418	1,015	2,433	100.0	100.0	100.0	363.5	251.1	306.3	129.9	72.8	97.9	86.7	50.9	66.7	8.7	5.3	7.0
口腔・咽頭	C00-C14	29	12	41	2.0	1.2	1.7	7.4	3.0	5.2	3.1	0.6	1.8	2.2	0.4	1.3	0.3	0.0	0.2
食道	C15	51	10	61	3.6	1.0	2.5	13.1	2.5	7.7	4.6	0.8	2.5	3.0	0.6	1.7	0.3	0.1	0.2
胃	C16	184	103	287	13.0	10.1	11.8	47.2	25.5	36.1	15.5	7.2	10.8	10.1	5.3	7.3	0.9	0.6	0.7
大腸（結腸・直腸）	C18-C20	177	166	343	12.5	16.4	14.1	45.4	41.1	43.2	16.8	10.0	13.1	11.0	6.9	8.8	1.0	0.6	0.8
結腸	C18	115	129	244	8.1	12.7	10.0	29.5	31.9	30.7	10.7	7.8	9.1	7.0	5.4	6.2	0.7	0.5	0.6
直腸	C19-C20	62	37	99	4.4	3.6	4.1	15.9	9.2	12.5	6.2	2.2	4.1	3.9	1.5	2.6	0.3	0.1	0.2
肝および肝内胆管	C22	140	59	199	9.9	5.8	8.2	35.9	14.6	25.1	13.0	3.2	7.7	9.0	2.1	5.3	1.0	0.2	0.6
胆のう・胆管	C23-C24	65	50	115	4.6	4.9	4.7	16.7	12.4	14.5	5.4	2.6	3.8	3.4	1.8	2.5	0.3	0.2	0.2
膵臓	C25	116	133	249	8.2	13.1	10.2	29.7	32.9	31.3	12.3	9.4	10.8	8.4	6.3	7.4	1.0	0.7	0.8
喉頭	C32	7	0	7	0.5	0.0	0.3	1.8	0.0	0.9	0.7	0.0	0.3	0.4	0.0	0.2	0.1	0.0	0.0
肺	C33-C34	332	131	463	23.4	12.9	19.0	85.1	32.4	58.3	32.0	8.5	19.3	21.6	5.5	13.0	2.4	0.5	1.4
皮膚	C43-C44	5	4	9	0.4	0.4	0.4	1.3	1.0	1.1	0.4	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
乳房	C50	0	98	98	0.0	9.7	4.0	0.0	24.2	12.3	0.0	10.8	5.5	0.0	8.0	4.1	0.0	0.9	0.5
子宮	C53-C55	-	35	35	-	3.4	1.4	-	8.7	-	-	4.8	-	-	3.6	-	-	0.5	-
子宮頸部	C53	-	9	9	-	0.9	0.4	-	2.2	-	-	1.5	-	-	1.2	-	-	0.1	-
子宮体部	C54	-	18	18	-	1.8	0.7	-	4.5	-	-	2.1	-	-	1.6	-	-	0.2	-
卵巣	C56	-	28	28	-	2.8	1.2	-	6.9	-	-	2.6	-	-	1.8	-	-	0.2	-
前立腺	C61	85	-	85	6.0	-	3.5	21.8	-	-	5.8	-	-	3.6	-	-	0.2	-	-
膀胱	C67	48	20	68	3.4	2.0	2.8	12.3	4.9	8.6	3.4	0.9	2.0	2.2	0.6	1.2	0.1	0.0	0.1
腎・尿路（膀胱除く）	C64-C66 C68	38	26	64	2.7	2.6	2.6	9.7	6.4	8.1	3.2	1.8	2.4	2.1	1.1	1.6	0.2	0.1	0.2
脳・中枢神経系	C70-C72	10	3	13	0.7	0.3	0.5	2.6	0.7	1.6	1.3	0.6	0.9	0.9	0.4	0.7	0.1	0.0	0.1
甲状腺	C73	5	14	19	0.4	1.4	0.8	1.3	3.5	2.4	0.4	0.5	0.5	0.3	0.4	0.3	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	37	40	77	2.6	3.9	3.2	9.5	9.9	9.7	3.5	2.5	2.9	2.2	1.7	1.9	0.2	0.2	0.2
多発性骨髄腫	C88-C90	14	10	24	1.0	1.0	1.0	3.6	2.5	3.0	1.0	0.7	0.8	0.6	0.5	0.5	0.0	0.1	0.0
白血病	C91-C95	26	22	48	1.8	2.2	2.0	6.7	5.4	6.0	2.8	2.1	2.4	2.0	1.6	1.7	0.2	0.2	0.2

*1 総数は男女および性別不詳の合計（死亡の場所が不詳及び外国を含む）

表10. 年齢階級別死亡数： 部位別、性別			山梨県																			2020年			
性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,418	0	0	0	2	1	0	1	1	5	11	17	38	61	140	213	260	262	230	147	25	4	0
	口腔・咽頭	C00-C14	29	0	0	0	0	0	0	0	0	0	0	1	1	2	7	4	5	4	3	0	2	0	0
	食道	C15	51	0	0	0	0	0	0	0	0	0	0	0	1	3	6	7	10	12	8	4	0	0	0
	胃	C16	184	0	0	0	0	0	0	0	0	1	2	1	1	6	16	22	40	33	32	26	4	0	0
	大腸（結腸・直腸）	C18-C20	177	0	0	0	0	0	0	0	1	1	3	2	9	6	14	19	33	43	30	15	1	0	0
	結腸	C18	115	0	0	0	0	0	0	0	1	0	1	1	5	5	10	15	19	26	21	10	1	0	0
	直腸	C19-C20	62	0	0	0	0	0	0	0	0	1	2	1	4	1	4	4	14	17	9	5	0	0	0
	肝および肝内胆管	C22	140	0	0	0	0	0	0	0	0	0	2	2	3	7	19	25	21	19	25	16	1	0	0
	胆のう・胆管	C23-C24	65	0	0	0	0	0	0	1	0	0	0	1	0	1	5	8	7	19	10	9	4	0	0
	膵臓	C25	116	0	0	0	0	0	0	0	0	1	1	2	6	6	19	22	23	18	11	6	1	0	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	1	0	0	0	0
	肺	C33-C34	332	0	0	0	0	0	0	0	0	2	2	7	10	22	27	65	60	55	51	29	2	0	0
	皮膚	C43-C44	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0	1	1	0	0
	乳房	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	85	0	0	0	0	0	0	0	0	0	0	0	1	1	2	7	13	17	16	21	5	2	0
	膀胱	C67	48	0	0	0	0	0	0	0	0	0	0	0	1	1	1	5	8	8	10	10	2	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	38	0	0	0	0	0	0	0	0	0	0	1	0	1	6	4	4	8	10	4	0	0	0
	脳・中枢神経系	C70-C72	10	0	0	0	0	0	0	0	0	0	1	0	1	1	2	0	3	1	1	0	0	0	0
	甲状腺	C73	5	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	1	0	0	0
	悪性リンパ腫	C81-C85 C96	37	0	0	0	0	0	0	0	0	0	0	0	2	2	3	6	8	8	7	1	0	0	0
	多発性骨髄腫	C88-C90	14	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	3	4	5	0	0	0	0
	白血病	C91-C95	26	0	0	0	0	1	0	0	0	0	0	0	1	0	4	6	7	3	3	1	0	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,015	0	0	0	0	0	1	4	2	6	9	21	25	44	77	116	124	151	190	172	68	5	0
	口腔・咽頭	C00-C14	12	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	2	3	2	1	0	0
	食道	C15	10	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	1	2	1	2	0	0	0
	胃	C16	103	0	0	0	0	0	1	1	0	1	0	1	0	7	6	14	11	9	22	22	8	0	0
	大腸（結腸・直腸）	C18-C20	166	0	0	0	0	0	0	2	0	0	1	2	5	2	12	12	16	22	33	38	20	1	0
	結腸	C18	129	0	0	0	0	0	0	2	0	0	0	2	5	1	9	9	10	16	28	30	16	1	0
	直腸	C19-C20	37	0	0	0	0	0	0	0	0	0	1	0	0	1	3	3	6	6	5	8	4	0	0
	肝および肝内胆管	C22	59	0	0	0	0	0	0	0	0	0	0	0	0	2	4	7	6	11	16	10	3	0	0
	胆のう・胆管	C23-C24	50	0	0	0	0	0	0	0	0	0	0	0	1	2	4	2	3	8	14	12	3	1	0
	膵臓	C25	133	0	0	0	0	0	0	0	0	0	0	2	3	10	7	16	25	21	28	15	6	0	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	131	0	0	0	0	0	0	0	0	1	1	1	1	4	8	15	24	27	20	22	7	0	0
	皮膚	C43-C44	4	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	3	0	0	0
	乳房	C50	98	0	0	0	0	0	0	0	1	4	1	7	8	7	11	13	8	8	15	9	6	0	0
	子宮	C53-C55	35	0	0	0	0	0	0	0	0	0	3	5	4	1	5	8	3	2	4	0	0	0	0
	子宮頸部	C53	9	0	0	0	0	0	0	0	0	0	2	1	2	0	2	1	0	0	1	0	0	0	0
	子宮体部	C54	18	0	0	0	0	0	0	0	0	0	1	1	2	1	2	6	2	1	2	0	0	0	0
	卵巣	C56	28	0	0	0	0	0	0	0	0	0	2	0	2	2	2	4	2	7	6	1	0	0	0
	膀胱	C67	20	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	1	5	3	6	3	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	26	0	0	0	0	0	0	0	0	0	0	0	1	0	2	5	5	6	1	2	3	1	0
	脳・中枢神経系	C70-C72	3	0	0	0	0	0	0	0	1	0	0	0	0	0	1	0	1	0	0	0	0	0	0
	甲状腺	C73	14	0	0	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	3	7	1	0	0
	悪性リンパ腫	C81-C85 C96	40	0	0	0	0	0	0	0	0	0	0	0	0	2	5	4	5	7	7	8	1	1	0
	多発性骨髄腫	C88-C90	10	0	0	0	0	0	0	0	0	0	0	1	0	0	0	2	1	2	2	2	0	0	0
	白血病	C91-C95	22	0	0	0	0	0	0	1	0	0	1	0	0	2	2	4	2	3	5	1	0	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2 全部位		C00-C97	2,433	0	0	0	2	1	1	5	3	11	20	38	63	105	217	329	384	413	420	319	93	9	0
	口腔・咽頭	C00-C14	41	0	0	0	0	0	0	0	0	0	0	1	1	2	8	6	6	6	6	2	3	0	0
	食道	C15	61	0	0	0	0	0	0	0	0	0	0	0	1	4	9	7	11	14	9	6	0	0	0
	胃	C16	287	0	0	0	0	0	1	1	0	2	2	2	1	13	22	36	51	42	54	48	12	0	0
	大腸（結腸・直腸）	C18-C20	343	0	0	0	0	0	0	2	1	1	4	4	14	8	26	31	49	65	63	53	21	1	0
	結腸	C18	244	0	0	0	0	0	0	2	1	0	1	3	10	6	19	24	29	42	49	40	17	1	0
	直腸	C19-C20	99	0	0	0	0	0	0	0	0	1	3	1	4	2	7	7	20	23	14	13	4	0	0
	肝および肝内胆管	C22	199	0	0	0	0	0	0	0	0	0	2	2	3	9	23	32	27	30	41	26	4	0	0
	胆のう・胆管	C23-C24	115	0	0	0	0	0	0	1	0	0	0	1	1	3	9	10	10	27	24	21	7	1	0
	膵臓	C25	249	0	0	0	0	0	0	0	0	1	1	4	9	16	26	38	48	39	39	21	7	0	0
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	2	1	2	1	1	0	0	0	0
	肺	C33-C34	463	0	0	0	0	0	0	0	0	3	3	8	11	26	35	80	84	82	71	51	9	0	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	4	1	0	0
	乳房	C50	98	0	0	0	0	0	0	0	1	4	1	7	8	7	11	13	8	8	15	9	6	0	0
	子宮	C53-C55	35	0	0	0	0	0	0	0	0	0	3	5	4	1	5	8	3	2	4	0	0	0	0
	子宮頸部	C53	9	0	0	0	0	0	0	0	0	0	2	1	2	0	2	1	0	0	1	0	0	0	0
	子宮体部	C54	18	0	0	0	0	0	0	0	0	0	1	1	2	1	2	6	2	1	2	0	0	0	0
	卵巣	C56	28	0	0	0	0	0	0	0	0	0	2	0	2	2	2	4	2	7	6	1	0	0	0
	前立腺	C61	85	0	0	0	0	0	0	0	0	0	0	0	1	1	2	7	13	17	16	21	5	2	0
	膀胱	C67	68	0	0	0	0	0	0	0	0	0	0	1	1	1	1	6	9	13	13	16	5	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	64	0	0	0	0	0	0	0	0	0	0	1	1	1	8	9	9	14	11	6	3	1	0
	脳・中枢神経系	C70-C72	13	0	0	0	0	0	0	0	1	0	1	0	1	1	3	0	4	1	1	0	0	0	0
	甲状腺	C73	19	0	0	0	0	0	0	0	0	0	0	0	0	2	0	0	0	4	4	8	1	0	0
	悪性リンパ腫	C81-C85 C96	77	0	0	0	0	0	0	0	0	0	0	0	2	4	8	10	13	15	14	9	1	1	0
	多発性骨髄腫	C88-C90	24	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	4	6	7	2	0	0	0
	白血病	C91-C95	48	0	0	0	0	1	0	1	0	0	1	0	1	2	6	10	9	6	8	2	0	1	0

*1 総数は年齢不詳を含む
*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	363.5	0.0	0.0	0.0	9.8	5.3	0.0	5.3	4.7	20.2	36.7	59.6	140.8	234.5	489.1	725.6	1,208.6	1,709.3	2,382.7	3,475.2	2,729.3	4,255.3	・
	口腔・咽頭	C00-C14	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.7	7.7	24.5	13.6	23.2	26.1	31.1	0.0	218.3	0.0	・
	食道	C15	13.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.5	21.0	23.8	46.5	78.3	82.9	94.6	0.0	0.0	・
	胃	C16	47.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	3.5	3.7	23.1	55.9	74.9	185.9	215.3	331.5	614.7	436.7	0.0	・
	大腸（結腸・直腸）	C18-C20	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.0	10.0	7.0	33.3	23.1	48.9	64.7	153.4	280.5	310.8	354.6	109.2	0.0	・
	結腸	C18	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.3	3.5	18.5	19.2	34.9	51.1	88.3	169.6	217.5	236.4	109.2	0.0	・
	直腸	C19-C20	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	3.5	14.8	3.8	14.0	13.6	65.1	110.9	93.2	118.2	0.0	0.0	・
	肝および肝内胆管	C22	35.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	7.0	11.1	26.9	66.4	85.2	97.6	124.0	259.0	378.3	109.2	0.0	・
	胆のう・胆管	C23-C24	16.7	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.5	0.0	3.8	17.5	27.3	32.5	124.0	103.6	212.8	436.7	0.0	・
	膵臓	C25	29.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.3	7.0	22.2	23.1	66.4	74.9	106.9	117.4	114.0	141.8	109.2	0.0	・
	喉頭	C32	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	3.4	9.3	6.5	10.4	0.0	0.0	0.0	・
	肺	C33-C34	85.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	6.7	24.6	37.0	84.6	94.3	221.4	278.9	358.8	528.3	685.6	218.3	0.0	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.6	6.5	0.0	23.6	109.2	0.0	・
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	前立腺	C61	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.8	7.0	23.8	60.4	110.9	165.8	496.5	545.9	2,127.7	・
	膀胱	C67	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.8	3.5	17.0	37.2	52.2	103.6	236.4	218.3	2,127.7	・
	腎・尿路（膀胱除く）	C64-C66 C68	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	3.8	21.0	13.6	18.6	52.2	103.6	94.6	0.0	0.0	・
	脳・中枢神経系	C70-C72	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.7	3.8	7.0	0.0	13.9	6.5	10.4	0.0	0.0	0.0	・
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	13.0	10.4	23.6	0.0	0.0	・
	悪性リンパ腫	C81-C85 C96	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	7.7	10.5	20.4	37.2	52.2	72.5	23.6	0.0	0.0	・
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.4	13.9	26.1	51.8	0.0	0.0	0.0	・
	白血病	C91-C95	6.7	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	14.0	20.4	32.5	19.6	31.1	23.6	0.0	0.0	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	251.1	0.0	0.0	0.0	0.0	0.0	6.4	23.2	10.0	25.4	32.1	77.6	95.1	168.2	264.7	366.8	482.7	711.1	1,108.9	1,670.1	1,905.8	769.2	・
	口腔・咽頭	C00-C14	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.3	3.9	9.4	17.5	19.4	28.0	0.0	・
	食道	C15	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	10.3	0.0	3.9	9.4	5.8	19.4	0.0	0.0	・
	胃	C16	25.5	0.0	0.0	0.0	0.0	0.0	6.4	5.8	0.0	4.2	0.0	3.7	0.0	26.8	20.6	44.3	42.8	42.4	128.4	213.6	224.2	0.0	・
	大腸（結腸・直腸）	C18-C20	41.1	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	3.6	7.4	19.0	7.6	41.2	37.9	62.3	103.6	192.6	369.0	560.5	153.8	・
	結腸	C18	31.9	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	0.0	7.4	19.0	3.8	30.9	28.5	38.9	75.3	163.4	291.3	448.4	153.8	・
	直腸	C19-C20	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	3.8	10.3	9.5	23.4	28.3	29.2	77.7	112.1	0.0	・
	肝および肝内胆管	C22	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	13.7	22.1	23.4	51.8	93.4	97.1	84.1	0.0	・
	胆のう・胆管	C23-C24	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	7.6	13.7	6.3	11.7	37.7	81.7	116.5	84.1	153.8	・
	膵臓	C25	32.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	11.4	38.2	24.1	50.6	97.3	98.9	163.4	145.6	168.2	0.0	・
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	C33-C34	32.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	3.6	3.7	3.8	15.3	27.5	47.4	93.4	127.1	116.7	213.6	196.2	0.0	・
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.8	29.1	0.0	0.0	・
	乳房	C50	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	16.9	3.6	25.9	30.4	26.8	37.8	41.1	31.1	37.7	87.5	87.4	168.2	0.0	・
	子宮	C53-C55	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	18.5	15.2	3.8	17.2	25.3	11.7	9.4	23.3	0.0	0.0	0.0	・
	子宮頸部	C53	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	7.6	0.0	6.9	3.2	0.0	0.0	5.8	0.0	0.0	0.0	・
	子宮体部	C54	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	7.6	3.8	6.9	19.0	7.8	4.7	11.7	0.0	0.0	0.0	・
	卵巣	C56	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	7.6	7.6	6.9	12.6	7.8	33.0	35.0	9.7	0.0	0.0	・
	膀胱	C67	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	3.2	3.9	23.5	17.5	58.3	84.1	0.0	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	6.9	15.8	19.5	28.3	5.8	19.4	84.1	153.8	・
	脳・中枢神経系	C70-C72	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	3.9	0.0	0.0	0.0	0.0	0.0	・
	甲状腺	C73	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	9.4	17.5	68.0	28.0	0.0	・
	悪性リンパ腫	C81-C85 C96	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	17.2	12.6	19.5	33.0	40.9	77.7	28.0	153.8	・
	多発性骨髄腫	C88-C90	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	6.3	3.9	9.4	11.7	19.4	0.0	0.0	・
	白血病	C91-C95	5.4	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	3.6	0.0	0.0	7.6	6.9	12.6	7.8	14.1	29.2	9.7	0.0	153.8	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対、100歳以上まるめ）： 部位別、性別

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	306.3	0.0	0.0	0.0	5.1	2.8	3.0	13.8	7.2	22.7	34.4	68.4	118.3	201.3	376.0	539.5	813.5	1,129.6	1,567.9	2,195.6	2,074.0	1,209.7	・
	口腔・咽頭	C00-C14	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	3.8	13.9	9.8	12.7	16.4	22.4	13.8	66.9	0.0	・
	食道	C15	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.7	15.6	11.5	23.3	38.3	33.6	41.3	0.0	0.0	・
	胃	C16	36.1	0.0	0.0	0.0	0.0	0.0	3.0	2.8	0.0	4.1	3.4	3.6	1.9	24.9	38.1	59.0	108.0	114.9	201.6	330.4	267.6	0.0	・
	大腸（結腸・直腸）	C18-C20	43.2	0.0	0.0	0.0	0.0	0.0	0.0	5.5	2.4	2.1	6.9	7.2	26.3	15.3	45.0	50.8	103.8	177.8	235.2	364.8	468.3	134.4	・
	結腸	C18	30.7	0.0	0.0	0.0	0.0	0.0	0.0	5.5	2.4	0.0	1.7	5.4	18.8	11.5	32.9	39.4	61.4	114.9	182.9	275.3	379.1	134.4	・
	直腸	C19-C20	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	5.2	1.8	7.5	3.8	12.1	11.5	42.4	62.9	52.3	89.5	89.2	0.0	・
	肝および肝内胆管	C22	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.6	5.6	17.3	39.8	52.5	57.2	82.1	153.1	179.0	89.2	0.0	・
	胆のう・胆管	C23-C24	14.5	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	1.8	1.9	5.8	15.6	16.4	21.2	73.8	89.6	144.5	156.1	134.4	・
	膵臓	C25	31.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.7	7.2	16.9	30.7	45.0	62.3	101.7	106.7	145.6	144.5	156.1	0.0	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	1.6	4.2	2.7	3.7	0.0	0.0	0.0	・
	肺	C33-C34	58.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	5.2	14.4	20.6	49.8	60.6	131.2	178.0	224.3	265.1	351.0	200.7	0.0	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.1	2.7	3.7	27.5	22.3	0.0	・
	乳房	C50	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	8.3	1.7	12.6	15.0	13.4	19.1	21.3	16.9	21.9	56.0	61.9	133.8	0.0	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	1.9	1.7	9.8	19.1	35.6	48.5	110.1	111.5	268.8	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	1.9	13.9	14.8	19.1	38.3	41.1	41.3	66.9	134.4	・
	脳・中枢神経系	C70-C72	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	1.7	0.0	1.9	1.9	5.2	0.0	8.5	2.7	3.7	0.0	0.0	0.0	・
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	10.9	14.9	55.1	22.3	0.0	・
	悪性リンパ腫	C81-C85 C96	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	7.7	13.9	16.4	27.5	41.0	52.3	61.9	22.3	134.4	・
	多発性骨髄腫	C88-C90	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.7	4.9	8.5	16.4	26.1	13.8	0.0	0.0	・
	白血病	C91-C95	6.0	0.0	0.0	0.0	0.0	2.8	0.0	2.8	0.0	0.0	1.7	0.0	1.9	3.8	10.4	16.4	19.1	16.4	29.9	13.8	0.0	134.4	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）：

部位別、性別

山梨県

2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	363.5	0.0	0.0	0.0	9.8	5.3	0.0	5.3	4.7	20.2	36.7	59.6	140.8	234.5	489.1	725.6	1,208.6	1,709.3	2,726.1	・
	口腔・咽頭	C00-C14	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.7	7.7	24.5	13.6	23.2	26.1	33.6	・
	食道	C15	13.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.5	21.0	23.8	46.5	78.3	80.6	・
	胃	C16	47.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	3.5	3.7	23.1	55.9	74.9	185.9	215.3	416.3	・
	大腸（結腸・直腸）	C18-C20	45.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.0	10.0	7.0	33.3	23.1	48.9	64.7	153.4	280.5	308.9	・
	結腸	C18	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	3.3	3.5	18.5	19.2	34.9	51.1	88.3	169.6	214.9	・
	直腸	C19-C20	15.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	6.7	3.5	14.8	3.8	14.0	13.6	65.1	110.9	94.0	・
	肝および肝内胆管	C22	35.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	7.0	11.1	26.9	66.4	85.2	97.6	124.0	282.0	・
	胆のう・胆管	C23-C24	16.7	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	3.5	0.0	3.8	17.5	27.3	32.5	124.0	154.4	・
	膵臓	C25	29.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	3.3	7.0	22.2	23.1	66.4	74.9	106.9	117.4	120.9	・
	喉頭	C32	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	3.4	9.3	6.5	6.7	・
	肺	C33-C34	85.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	6.7	24.6	37.0	84.6	94.3	221.4	278.9	358.8	550.6	・
	皮膚	C43-C44	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	4.6	6.5	13.4	・
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	前立腺	C61	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.8	7.0	23.8	60.4	110.9	295.4	・
	膀胱	C67	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	3.8	3.5	17.0	37.2	52.2	161.1	・
	腎・尿路（膀胱除く）	C64-C66 C68	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.0	3.8	21.0	13.6	18.6	52.2	94.0	・
	脳・中枢神経系	C70-C72	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	3.7	3.8	7.0	0.0	13.9	6.5	6.7	・
	甲状腺	C73	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	13.0	13.4	・
	悪性リンパ腫	C81-C85 C96	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	7.7	10.5	20.4	37.2	52.2	53.7	・
	多発性骨髄腫	C88-C90	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	3.4	13.9	26.1	33.6	・
	白血病	C91-C95	6.7	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	14.0	20.4	32.5	19.6	26.9	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	251.1	0.0	0.0	0.0	0.0	0.0	6.4	23.2	10.0	25.4	32.1	77.6	95.1	168.2	264.7	366.8	482.7	711.1	1,374.4	・
	口腔・咽頭	C00-C14	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	6.3	3.9	9.4	19.0	・
	食道	C15	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	10.3	0.0	3.9	9.4	9.5	・
	胃	C16	25.5	0.0	0.0	0.0	0.0	0.0	6.4	5.8	0.0	4.2	0.0	3.7	0.0	26.8	20.6	44.3	42.8	42.4	164.3	・
	大腸（結腸・直腸）	C18-C20	41.1	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	3.6	7.4	19.0	7.6	41.2	37.9	62.3	103.6	290.7	・
	結腸	C18	31.9	0.0	0.0	0.0	0.0	0.0	0.0	11.6	0.0	0.0	0.0	7.4	19.0	3.8	30.9	28.5	38.9	75.3	237.0	・
	直腸	C19-C20	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	3.8	10.3	9.5	23.4	28.3	53.7	・
	肝および肝内胆管	C22	14.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	13.7	22.1	23.4	51.8	91.6	・
	胆のう・胆管	C23-C24	12.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	7.6	13.7	6.3	11.7	37.7	94.8	・
	膵臓	C25	32.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	11.4	38.2	24.1	50.6	97.3	98.9	154.8	・
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	・
	肺	C33-C34	32.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	3.6	3.7	3.8	15.3	27.5	47.4	93.4	127.1	154.8	・
	皮膚	C43-C44	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.6	・
	乳房	C50	24.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	16.9	3.6	25.9	30.4	26.8	37.8	41.1	31.1	37.7	94.8	・
	子宮	C53-C55	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	18.5	15.2	3.8	17.2	25.3	11.7	9.4	12.6	・
	子宮頸部	C53	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	3.7	7.6	0.0	6.9	3.2	0.0	0.0	3.2	・
	子宮体部	C54	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.7	7.6	3.8	6.9	19.0	7.8	4.7	6.3	・
	卵巣	C56	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	0.0	7.6	7.6	6.9	12.6	7.8	33.0	22.1	・
	膀胱	C67	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	3.2	3.9	23.5	37.9	・
	腎・尿路（膀胱除く）	C64-C66 C68	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	6.9	15.8	19.5	28.3	22.1	・
	脳・中枢神経系	C70-C72	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	3.9	0.0	0.0	・
	甲状腺	C73	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	9.4	34.8	・
	悪性リンパ腫	C81-C85 C96	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.6	17.2	12.6	19.5	33.0	53.7	・
	多発性骨髄腫	C88-C90	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	6.3	3.9	9.4	12.6	・
	白血病	C91-C95	5.4	0.0	0.0	0.0	0.0	0.0	0.0	5.8	0.0	0.0	3.6	0.0	0.0	7.6	6.9	12.6	7.8	14.1	22.1	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県2020年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	306.3	0.0	0.0	0.0	5.1	2.8	3.0	13.8	7.2	22.7	34.4	68.4	118.3	201.3	376.0	539.5	813.5	1,129.6	1,806.9	・
	口腔・咽頭	C00-C14	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	3.8	13.9	9.8	12.7	16.4	23.6	・
	食道	C15	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.7	15.6	11.5	23.3	38.3	32.2	・
	胃	C16	36.1	0.0	0.0	0.0	0.0	0.0	3.0	2.8	0.0	4.1	3.4	3.6	1.9	24.9	38.1	59.0	108.0	114.9	244.9	・
	大腸（結腸・直腸）	C18-C20	43.2	0.0	0.0	0.0	0.0	0.0	0.0	5.5	2.4	2.1	6.9	7.2	26.3	15.3	45.0	50.8	103.8	177.8	296.5	・
	結腸	C18	30.7	0.0	0.0	0.0	0.0	0.0	0.0	5.5	2.4	0.0	1.7	5.4	18.8	11.5	32.9	39.4	61.4	114.9	229.9	・
	直腸	C19-C20	12.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	5.2	1.8	7.5	3.8	12.1	11.5	42.4	62.9	66.6	・
	肝および肝内胆管	C22	25.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.6	5.6	17.3	39.8	52.5	57.2	82.1	152.5	・
	胆のう・胆管	C23-C24	14.5	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	1.8	1.9	5.8	15.6	16.4	21.2	73.8	113.9	・
	膵臓	C25	31.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	1.7	7.2	16.9	30.7	45.0	62.3	101.7	106.7	143.9	・
	喉頭	C32	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	1.6	4.2	2.7	2.1	・
	肺	C33-C34	58.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	5.2	14.4	20.6	49.8	60.6	131.2	178.0	224.3	281.5	・
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.1	2.7	12.9	・
	乳房	C50	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	8.3	1.7	12.6	15.0	13.4	19.1	21.3	16.9	21.9	64.5	・
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	1.9	1.7	9.8	19.1	35.6	77.3	・
	腎・尿路（膀胱除く）	C64-C66 C68	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	1.9	1.9	13.9	14.8	19.1	38.3	45.1	・
	脳・中枢神経系	C70-C72	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	1.7	0.0	1.9	1.9	5.2	0.0	8.5	2.7	2.1	・
	甲状腺	C73	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	10.9	27.9	・
	悪性リンパ腫	C81-C85 C96	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	7.7	13.9	16.4	27.5	41.0	53.7	・
	多発性骨髄腫	C88-C90	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.7	4.9	8.5	16.4	19.3	・
	白血病	C91-C95	6.0	0.0	0.0	0.0	0.0	2.8	0.0	2.8	0.0	0.0	1.7	0.0	1.9	3.8	10.4	16.4	19.1	16.4	23.6	・

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2020年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山 梨	3,436	4	6	4	2	8	9	3	19	29	59	105	153	263	445	670	680	472	337	142	23	3	0
	甲府市	819	*	*	0	0	0	*	*	*	*	13	25	27	56	96	158	167	123	89	40	*	*	0
	富士吉田市	247	0	0	0	0	*	0	*	*	0	*	*	10	22	26	44	54	40	31	*	*	0	0
	都留市	80	0	*	*	0	0	0	0	*	0	*	*	*	*	11	15	11	*	*	*	*	0	0
	山梨市	117	0	0	*	0	0	0	0	*	*	*	*	*	*	10	25	22	15	14	*	*	0	0
	大月市	131	0	*	0	0	0	0	0	*	0	*	*	*	*	22	26	27	21	*	*	*	0	0
	韭崎市	136	0	0	0	*	0	0	0	0	*	*	*	*	13	20	28	26	15	15	*	0	0	0
	南アルプス市	285	*	*	0	0	*	0	*	*	*	*	11	20	26	45	55	46	32	23	13	*	0	0
	北杜市	197	0	0	0	0	*	*	0	0	0	*	*	*	21	18	36	42	27	28	10	*	0	0
	甲斐市	256	*	*	0	0	*	*	0	*	*	*	*	14	12	39	44	61	33	20	*	*	0	0
	笛吹市	277	0	0	0	0	*	*	0	*	*	*	10	11	17	30	68	56	38	28	*	*	0	0
	上野原市	127	0	0	0	0	0	0	0	0	*	*	*	*	11	17	20	26	17	13	*	0	0	0
	甲州市	132	0	0	0	0	0	*	0	*	0	*	*	10	*	19	28	20	21	10	*	*	0	0
	中央市	116	0	0	*	0	0	*	0	0	*	*	*	*	*	17	21	27	10	*	*	0	0	0
	市川三郷町	84	0	0	0	0	*	0	0	0	*	*	*	*	*	12	14	12	14	10	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	*	0	0	0	0	0	0
	身延町	66	0	0	0	0	0	0	0	0	0	0	*	*	*	11	18	12	*	*	*	*	0	0
	南部町	47	0	*	0	0	0	0	0	0	0	0	0	*	*	*	*	11	*	*	*	*	0	0
	富士川町	48	0	0	0	0	0	0	0	0	*	0	0	*	*	*	12	*	*	*	*	0	0	0
	昭和町	58	0	0	0	0	0	0	0	0	*	*	*	*	*	*	12	*	10	*	0	0	0	0
	道志村	10	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	0	0	0	0
	西桂町	20	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	忍野村	37	0	0	0	0	0	*	0	*	*	0	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	28	0	0	0	0	0	0	0	*	0	0	*	0	*	*	*	*	*	*	0	0	0	0
	鳴沢村	13	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	0	0	0	0	0
	富士河口湖町	94	0	0	0	*	0	0	0	*	*	*	*	*	14	10	15	24	12	*	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	0	*	0	0	*	0	0	0	0	0	0	0	0

A. 上皮内がんを除く

2020年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山 梨	2,614	4	0	1	4	7	9	16	43	84	137	175	166	204	266	327	326	331	255	180	72	7	0
	甲府市	669	*	0	*	0	0	*	*	*	20	33	52	32	56	56	63	88	108	68	54	22	*	0
	富士吉田市	177	0	0	0	0	0	*	0	*	*	*	14	*	*	21	20	20	27	19	11	*	*	0
	都留市	57	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	山梨市	116	0	0	0	0	0	*	*	0	*	*	*	*	*	17	11	13	*	*	12	*	0	0
	大月市	86	0	0	0	0	0	0	0	*	0	*	*	*	10	10	*	10	*	16	11	*	0	0
	韮崎市	106	*	0	0	0	0	*	*	*	0	*	*	*	10	14	19	21	*	*	*	0	0	0
	南アルプス市	229	0	0	0	0	0	0	*	*	*	10	13	20	16	25	38	30	30	16	12	*	0	0
	北杜市	131	0	0	0	0	0	0	0	*	*	*	*	*	13	11	20	17	18	13	*	*	*	0
	甲斐市	207	0	0	0	0	*	*	*	*	10	15	12	20	13	20	29	22	28	16	*	*	0	0
	笛吹市	201	0	0	0	*	*	0	0	*	*	*	17	13	17	22	35	25	23	15	12	*	*	0
	上野原市	88	*	0	0	0	0	0	0	*	*	*	*	*	*	*	20	*	10	*	*	*	*	0
	甲州市	92	0	0	0	0	*	0	0	*	*	*	*	10	*	*	13	11	11	*	*	*	0	0
	中央市	105	0	0	0	0	*	*	*	*	*	*	*	*	*	16	13	15	*	*	*	*	0	0
	市川三郷町	56	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	10	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	0	*	*	*	0	0	0
	身延町	41	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	南部町	19	0	0	0	*	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	富士川町	44	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	0	0
	昭和町	60	*	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	0	*	0	0	0
	西桂町	11	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	0	0	0
	忍野村	*	0	0	0	0	0	0	0	*	0	*	*	*	*	0	*	0	*	0	*	0	0	0
	山中湖村	19	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	*	*	*	*	*	0	0
	鳴沢村	12	0	0	0	0	0	0	0	0	*	0	*	0	*	*	0	0	*	*	*	0	0	0
	富士河口湖町	65	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	*	0	0	0	0	0	0	0	0	0	0	0	0

表42. 市町村別罹患数　：　全部位

A. 上皮内がんを除く

山梨県

2020年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 注2	山 梨	6,050	8	6	5	6	15	18	19	62	113	196	280	319	467	711	997	1,006	803	592	322	95	10	0
	甲府市	1,488	*	*	*	0	0	*	*	15	26	46	77	59	112	152	221	255	231	157	94	27	*	0
	富士吉田市	424	0	0	0	0	*	*	*	*	*	14	21	19	29	47	64	74	67	50	14	10	*	0
	都留市	137	0	*	*	*	0	*	*	*	*	10	*	*	11	18	19	17	11	11	11	*	0	0
	山梨市	233	0	0	*	0	0	*	*	*	*	*	12	12	17	27	36	35	24	23	19	*	0	0
	大月市	217	0	*	0	0	0	0	0	*	0	*	*	10	15	32	34	37	24	25	20	*	0	0
	韮崎市	242	*	0	0	*	0	*	*	*	*	14	11	*	23	34	47	47	20	23	*	0	0	0
	南アルプス市	514	*	*	0	0	*	0	*	*	*	12	24	40	42	70	93	76	62	39	25	*	0	0
	北杜市	328	0	0	0	0	*	*	0	*	*	*	13	12	34	29	56	59	45	41	18	*	*	0
	甲斐市	463	*	*	0	0	*	*	*	*	13	22	18	34	25	59	73	83	61	36	18	*	0	0
	笛吹市	478	0	0	0	*	*	*	0	*	*	*	27	24	34	52	103	81	61	43	20	*	*	0
	上野原市	215	*	0	0	0	0	0	0	*	*	*	*	12	19	25	40	35	27	22	11	*	*	0
	甲州市	224	0	0	0	0	*	*	0	*	*	*	10	20	11	26	41	31	32	19	16	*	0	0
	中央市	221	0	0	*	0	*	*	*	*	*	11	12	13	16	33	34	42	18	18	*	*	0	0
	市川三郷町	140	0	0	0	0	*	0	0	0	*	*	*	13	11	14	18	18	24	18	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	0	0	0
	身延町	107	0	0	0	0	0	0	0	0	*	*	*	*	*	17	23	16	12	*	*	*	0	0
	南部町	66	0	*	0	*	0	0	0	0	0	0	*	*	*	10	12	14	*	*	*	*	0	0
	富士川町	92	0	0	0	0	0	0	0	0	*	0	*	*	*	10	16	16	16	12	*	*	0	0
	昭和町	118	*	0	0	0	0	*	*	*	10	*	11	*	11	15	17	14	13	*	*	0	0	0
	道志村	15	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	0	0	0
	西桂町	31	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	忍野村	46	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	47	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	鳴沢村	25	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	*	*	*	0	0	0
	富士河口湖町	159	0	0	0	*	0	0	*	*	*	*	*	*	20	16	23	32	21	11	*	0	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	*	*	0	0	*	0	0	0	0	0	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2020年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山 梨	3763	4	6	4	2	8	10	3	21	32	70	121	183	298	497	732	721	512	358	154	24	3	0
	甲府市	904	*	*	0	0	0	*	*	*	*	18	26	40	62	104	173	178	134	96	45	*	*	0
	富士吉田市	264	0	0	0	0	*	0	*	*	0	*	*	10	24	29	45	60	44	31	*	*	0	0
	都留市	88	0	*	*	0	0	0	0	*	0	*	*	*	11	11	16	12	*	*	*	*	0	0
	山梨市	128	0	0	*	0	0	0	0	*	*	*	*	*	*	11	29	22	16	14	*	*	0	0
	大月市	140	0	*	0	0	0	0	0	*	0	*	*	*	*	23	31	28	23	*	*	*	0	0
	韭崎市	146	0	0	0	*	0	0	0	0	*	*	*	*	16	21	31	26	17	15	*	0	0	0
	南アルプス市	319	*	*	0	0	*	0	*	*	*	*	14	25	30	51	60	50	35	25	13	*	0	0
	北杜市	216	0	0	0	0	*	*	0	0	0	*	*	*	23	20	40	47	27	32	11	*	0	0
	甲斐市	304	*	*	0	0	*	*	0	*	*	*	*	20	18	50	52	65	41	22	10	*	0	0
	笛吹市	301	0	0	0	0	*	*	0	*	*	*	12	12	21	36	70	57	41	29	*	*	0	0
	上野原市	138	0	0	0	0	0	0	0	0	*	*	*	10	12	18	23	28	18	15	*	0	0	0
	甲州市	138	0	0	0	0	0	*	0	*	0	*	*	11	*	20	29	22	21	11	*	*	0	0
	中央市	123	0	0	*	0	0	*	0	0	*	*	*	*	*	18	23	28	11	*	*	0	0	0
	市川三郷町	85	0	0	0	0	*	0	0	0	*	*	*	*	*	12	14	12	14	10	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	0	0	0	0	*	0	0	0	0	0	0
	身延町	71	0	0	0	0	0	0	0	0	0	0	*	*	*	12	18	12	*	*	*	*	0	0
	南部町	52	0	*	0	0	0	0	0	0	0	0	0	*	*	11	11	11	*	*	*	*	0	0
	富士川町	51	0	0	0	0	0	0	0	0	*	0	*	*	*	*	13	*	*	*	*	0	0	0
	昭和町	63	0	0	0	0	0	0	0	0	*	*	*	*	*	*	12	*	12	*	0	0	0	0
	道志村	10	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	0	0	0	0
	西桂町	21	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	忍野村	41	0	0	0	0	0	*	0	*	*	0	*	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	32	0	0	0	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	鳴沢村	14	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	0	0	0	0	0
	富士河口湖町	103	0	0	0	*	0	0	0	*	*	*	*	*	15	15	17	24	12	*	*	0	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	0	*	0	0	*	0	0	0	0	0	0	0	0

B. 上皮内がんを含む

2020年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山 梨	2968	4	0	1	4	10	23	38	78	113	171	206	192	238	293	366	348	350	265	188	73	7	0
	甲府市	768	*	0	*	0	*	*	*	18	28	44	63	39	64	64	75	95	112	72	54	22	*	0
	富士吉田市	188	0	0	0	0	0	*	0	*	*	10	14	11	*	23	22	22	29	19	11	*	*	0
	都留市	65	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	山梨市	122	0	0	0	0	0	*	*	*	*	*	*	*	11	17	11	13	*	*	13	*	0	0
	大月市	89	0	0	0	0	0	0	0	*	0	*	*	*	10	10	*	11	*	16	11	*	0	0
	韮崎市	118	*	0	0	0	0	*	*	*	*	10	*	*	13	14	20	21	*	*	*	0	0	0
	南アルプス市	262	0	0	0	0	*	0	*	14	*	13	14	23	21	26	40	33	30	16	14	*	0	0
	北杜市	157	0	0	0	0	0	*	0	*	*	*	10	*	17	12	26	21	21	13	*	*	*	0
	甲斐市	241	0	0	0	0	*	*	*	12	14	17	14	22	18	21	29	24	30	17	*	*	0	0
	笛吹市	232	0	0	0	*	*	*	*	*	*	12	19	13	18	27	40	25	24	17	14	*	*	0
	上野原市	97	*	0	0	0	0	0	*	*	*	*	*	*	*	*	20	10	10	*	*	*	*	0
	甲州市	101	0	0	0	0	*	0	*	*	*	*	*	13	*	*	14	11	13	*	*	*	0	0
	中央市	117	0	0	0	0	*	*	*	*	*	*	11	*	*	18	14	15	*	*	*	*	0	0
	市川三郷町	67	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	11	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0	0	*	*	*	0	0	0
	身延町	46	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	南部町	23	0	0	0	*	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0
	富士川町	48	0	0	0	0	0	*	0	0	*	0	*	*	*	*	*	*	*	*	*	*	0	0
	昭和町	72	*	0	0	0	0	*	*	*	11	*	*	*	*	*	*	*	*	*	*	0	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	0	0	*	0	0	0
	西桂町	12	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	*	*	0	0	0	0
	忍野村	17	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	*	0	*	0	0	0
	山中湖村	21	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	*	*	*	*	*	0	0
	鳴沢村	14	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	0	*	*	*	0	0	0
	富士河口湖町	76	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	10	10	*	*	0	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	0	0	0	0	*	0	0	0	0

表42. 市町村別罹患数 全部位

B. 上皮内がんを含む

山梨県

2020年

性別	市区町村	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 注2	山 梨	6,731	8	6	5	6	18	33	41	99	145	241	327	375	536	790	1,098	1,069	862	623	342	97	10	0
	甲府市	1,672	*	*	*	0	*	*	10	25	35	62	89	79	126	168	248	273	246	168	99	28	*	0
	富士吉田市	452	0	0	0	0	*	*	*	*	*	15	22	21	31	52	67	82	73	50	14	10	*	0
	都留市	153	0	*	*	*	0	*	*	*	*	11	11	*	13	19	21	18	12	13	11	*	0	0
	山梨市	250	0	0	*	0	0	*	*	*	*	*	13	12	20	28	40	35	25	23	22	*	0	0
	大月市	229	0	*	0	0	0	0	0	*	0	*	*	10	15	33	39	39	27	25	20	*	0	0
	韮崎市	264	*	0	0	*	0	*	*	*	*	15	13	*	29	35	51	47	22	23	*	0	0	0
	南アルプス市	581	*	*	0	0	*	0	*	15	*	17	28	48	51	77	100	83	65	41	27	*	0	0
	北杜市	373	0	0	0	0	*	*	0	*	*	*	17	13	40	32	66	68	48	45	19	*	*	0
	甲斐市	545	*	*	0	0	*	*	*	13	18	24	21	42	36	71	81	89	71	39	19	*	0	0
	笛吹市	533	0	0	0	*	*	*	*	*	10	16	31	25	39	63	110	82	65	46	22	*	*	0
	上野原市	235	*	0	0	0	0	0	*	*	*	*	*	16	20	27	43	38	28	24	11	*	*	0
	甲州市	239	0	0	0	0	*	*	*	*	*	*	10	24	11	28	43	33	34	20	16	*	0	0
	中央市	240	0	0	*	0	*	*	*	*	*	14	14	13	16	36	37	43	19	18	*	*	0	0
	市川三郷町	152	0	0	0	0	*	0	*	0	*	*	*	14	13	14	18	18	25	19	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	*	*	0	*	0	*	*	*	*	0	0	0
	身延町	117	0	0	0	0	0	0	*	0	*	*	*	*	*	18	24	16	15	*	*	*	0	0
	南部町	75	0	*	0	*	0	0	0	0	0	0	*	*	*	12	15	14	*	*	*	*	0	0
	富士川町	99	0	0	0	0	0	*	0	0	*	0	*	*	*	10	17	16	16	12	*	*	0	0
	昭和町	135	*	0	0	0	0	*	*	*	12	*	12	*	13	15	18	15	15	*	*	0	0	0
	道志村	16	0	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	0	0	0
	西桂町	33	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	忍野村	58	0	0	0	0	0	*	0	*	*	*	*	*	*	10	*	*	*	*	*	0	0	0
	山中湖村	53	0	0	0	0	0	0	0	*	*	*	*	*	*	*	10	*	*	*	*	*	0	0
	鳴沢村	28	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	*	*	*	0	0	0
	富士河口湖町	179	0	0	0	*	0	0	*	*	*	*	*	10	22	23	26	34	22	12	*	0	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	0	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	*	*	*	0	0	*	0	0	0	0	0	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2020年

性別	種別	医療圏／保健所	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山 梨	3,436	4	6	4	2	8	9	3	19	29	59	105	153	263	445	670	680	472	337	142	23	3	0
	医療圏	中北	1,867	*	*	*	*	*	*	*	*	16	33	58	82	142	244	354	377	250	189	79	10	*	0
		峡東	526	0	0	*	0	*	*	0	*	*	*	20	26	30	59	121	98	74	52	22	*	0	0
		峡南	248	0	*	0	0	*	0	0	0	*	*	*	12	17	37	53	44	35	24	10	*	0	0
		富士・東部	795	0	*	*	*	*	*	*	*	*	18	21	33	74	105	142	161	113	72	31	*	0	0
	保健所	甲府市	819	*	*	0	0	0	*	*	*	*	13	25	27	56	96	158	167	123	89	40	*	*	0
		峡南	248	0	*	0	0	*	0	0	0	*	*	*	12	17	37	53	44	35	24	10	*	0	0
		中北	1,048	*	*	*	*	*	*	*	*	10	20	33	55	86	148	196	210	127	100	39	*	0	0
		峡東	526	0	0	*	0	*	*	0	*	*	*	20	26	30	59	121	98	74	52	22	*	0	0
		富士・東部	795	0	*	*	*	*	*	*	*	*	18	21	33	74	105	142	161	113	72	31	*	0	0
女	都道府県	山 梨	2,614	4	0	1	4	7	9	16	43	84	137	175	166	204	266	327	326	331	255	180	72	7	0
	医療圏	中北	1,507	*	0	*	0	*	*	13	29	54	80	108	91	121	148	187	199	200	134	96	32	*	0
		峡東	409	0	0	0	*	*	*	*	*	10	19	29	30	32	46	59	49	43	33	33	15	*	0
		峡南	165	0	0	0	*	0	0	0	0	*	*	*	13	11	15	16	21	27	23	11	*	0	0
		富士・東部	533	*	0	0	*	0	*	*	12	13	32	31	32	40	57	65	57	61	65	40	18	*	0
	保健所	甲府市	669	*	0	*	0	0	*	*	*	20	33	52	32	56	56	63	88	108	68	54	22	*	0
		峡南	165	0	0	0	*	0	0	0	0	*	*	*	13	11	15	16	21	27	23	11	*	0	0
		中北	838	*	0	0	0	*	*	*	20	34	47	56	59	65	92	124	111	92	66	42	10	*	0
		峡東	409	0	0	0	*	*	*	*	*	10	19	29	30	32	46	59	49	43	33	33	15	*	0
		富士・東部	533	*	0	0	*	0	*	*	12	13	32	31	32	40	57	65	57	61	65	40	18	*	0
総数 注2	都道府県	山 梨	6,050	8	6	5	6	15	18	19	62	113	196	280	319	467	711	997	1,006	803	592	322	95	10	0
	医療圏	中北	3,374	*	*	*	*	*	10	15	37	70	113	166	173	263	392	541	576	450	323	175	42	*	0
		峡東	935	0	0	*	*	*	*	*	*	16	24	49	56	62	105	180	147	117	85	55	19	*	0
		峡南	413	0	*	0	*	*	0	0	0	*	*	13	25	28	52	69	65	62	47	21	10	0	0
		富士・東部	1,328	*	*	*	*	*	*	*	19	18	50	52	65	114	162	207	218	174	137	71	24	*	0
	保健所	甲府市	1,488	*	*	*	0	0	*	*	15	26	46	77	59	112	152	221	255	231	157	94	27	*	0
		峡南	413	0	*	0	*	*	0	0	0	*	*	13	25	28	52	69	65	62	47	21	10	0	0
		中北	1,886	*	*	*	*	*	*	10	22	44	67	89	114	151	240	320	321	219	166	81	15	*	0
		峡東	935	0	0	*	*	*	*	*	*	16	24	49	56	62	105	180	147	117	85	55	19	*	0
		富士・東部	1,328	*	*	*	*	*	*	*	19	18	50	52	65	114	162	207	218	174	137	71	24	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2020年

性別	種別	医療圏／保健所	総数 注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山 梨	3,763	4	6	4	2	8	10	3	21	32	70	121	183	298	497	732	721	512	358	154	24	3	0
	医療圏	中北	2,075	*	*	*	*	*	*	*	*	18	41	66	107	163	273	391	403	277	204	87	11	*	0
		峡東	567	0	0	*	0	*	*	0	*	*	*	23	28	35	67	128	101	78	54	24	*	0	0
		峡南	262	0	*	0	0	*	0	0	0	*	*	*	13	19	40	56	44	36	24	12	*	0	0
	保健所	富士・東部	859	0	*	*	*	*	*	*	*	*	19	24	35	81	117	157	173	121	76	31	*	0	0
		甲府市	904	*	*	0	0	0	*	*	*	*	18	26	40	62	104	173	178	134	96	45	*	*	0
		峡南	262	0	*	0	0	*	0	0	0	*	*	*	13	19	40	56	44	36	24	12	*	0	0
		中北	1,171	*	*	*	*	*	*	*	*	11	23	40	67	101	169	218	225	143	108	42	*	0	0
		峡東	567	0	0	*	0	*	*	0	*	*	*	23	28	35	67	128	101	78	54	24	*	0	0
		富士・東部	859	0	*	*	*	*	*	*	*	*	19	24	35	81	117	157	173	121	76	31	*	0	0
女	都道府県	山 梨	2,968	4	0	1	4	10	23	38	78	113	171	206	192	238	293	366	348	350	265	188	73	7	0
	医療圏	中北	1,735	*	0	*	0	*	17	30	56	74	100	128	104	148	161	210	215	209	139	98	33	*	0
		峡東	455	0	0	0	*	*	*	*	*	14	26	31	33	35	52	65	49	46	35	36	15	*	0
		峡南	189	0	0	0	*	0	*	*	0	*	*	11	15	13	15	18	21	30	25	13	*	0	0
	保健所	富士・東部	589	*	0	0	*	0	*	*	16	16	37	36	40	42	65	73	63	65	66	41	18	*	0
		甲府市	768	*	0	*	0	*	*	*	18	28	44	63	39	64	64	75	95	112	72	54	22	*	0
		峡南	189	0	0	0	*	0	*	*	0	*	*	11	15	13	15	18	21	30	25	13	*	0	0
		中北	967	*	0	0	0	*	12	21	38	46	56	65	65	84	97	135	120	97	67	44	11	*	0
		峡東	455	0	0	0	*	*	*	*	*	14	26	31	33	35	52	65	49	46	35	36	15	*	0
		富士・東部	589	*	0	0	*	0	*	*	16	16	37	36	40	42	65	73	63	65	66	41	18	*	0
総数 注2	都道府県	山 梨	6,731	8	6	5	6	18	33	41	99	145	241	327	375	536	790	1,098	1,069	862	623	342	97	10	0
	医療圏	中北	3,810	*	*	*	*	11	22	32	65	92	141	194	211	311	434	601	618	486	343	185	44	*	0
		峡東	1,022	0	0	*	*	*	*	*	11	21	33	54	61	70	119	193	150	124	89	60	19	*	0
		峡南	451	0	*	0	*	*	*	*	0	11	11	19	28	32	55	74	65	66	49	25	10	0	0
	保健所	富士・東部	1,448	*	*	*	*	*	*	*	23	21	56	60	75	123	182	230	236	186	142	72	24	*	0
		甲府市	1,672	*	*	*	0	*	*	10	25	35	62	89	79	126	168	248	273	246	168	99	28	*	0
		峡南	451	0	*	0	*	*	*	*	0	11	11	19	28	32	55	74	65	66	49	25	10	0	0
		中北	2,138	*	*	*	*	10	15	22	40	57	79	105	132	185	266	353	345	240	175	86	16	*	0
		峡東	1,022	0	0	*	*	*	*	*	11	21	33	54	61	70	119	193	150	124	89	60	19	*	0
		富士・東部	1,448	*	*	*	*	*	*	*	23	21	56	60	75	123	182	230	236	186	142	72	24	*	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 詳細部位別、性別 山梨県 2020年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人人口			世界人口			男	女	総数 *
											男	女	総数 *1	男	女	総数 *1			
全部位	000-C96 D00-D47	3,884	3,083	6,967	100.0	100.0	100.0	977.6	747.1	860.2	449.1	416.1	424.2	322.2	320.5	315.9	36.9	33.4	34.9
全部位	000-C96	3,436	2,614	6,050	88.5	84.8	86.8	864.8	633.4	746.9	389.5	321.3	348.5	278.0	243.1	256.3	31.7	26.0	28.7
口唇	C00	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0
舌根<基底>部	C01	5	0	5	0.1	0.0	0.1	1.3	0.0	0.6	0.6	0.0	0.3	0.5	0.0	0.2	0.1	0.0	0.0
その他および部位不明の舌	C02	17	13	30	0.4	0.4	0.4	4.3	3.2	3.7	2.8	1.4	2.1	2.1	1.1	1.6	0.2	0.1	0.2
歯肉	C03	12	7	19	0.3	0.2	0.3	3.0	1.7	2.3	1.3	0.5	0.9	0.8	0.3	0.5	0.1	0.0	0.1
口腔底	C04	3	0	3	0.1	0.0	0.0	0.8	0.0	0.4	0.4	0.0	0.2	0.3	0.0	0.2	0.1	0.0	0.0
口蓋	C05	6	2	8	0.2	0.1	0.1	1.5	0.5	1.0	0.7	0.2	0.4	0.5	0.1	0.3	0.1	0.0	0.1
その他および部位不明の口腔	C06	4	5	9	0.1	0.2	0.1	1.0	1.2	1.1	0.5	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
耳下腺	C07	7	3	10	0.2	0.1	0.1	1.8	0.7	1.2	0.7	0.2	0.5	0.5	0.1	0.3	0.1	0.0	0.0
その他および部位不明の大唾液腺	C08	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
扁桃	C09	4	1	5	0.1	0.0	0.1	1.0	0.2	0.6	0.4	0.2	0.3	0.3	0.1	0.2	0.1	0.0	0.0
中咽頭	C10	10	4	14	0.3	0.1	0.2	2.5	1.0	1.7	1.0	0.3	0.6	0.7	0.2	0.5	0.1	0.0	0.0
鼻<上>咽頭	C11	4	2	6	0.1	0.1	0.1	1.0	0.5	0.7	1.1	0.2	0.6	0.8	0.1	0.5	0.1	0.0	0.0
梨状陥凹<洞>	C12	11	0	11	0.3	0.0	0.2	2.8	0.0	1.4	1.1	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.0
下咽頭	C13	9	0	9	0.2	0.0	0.1	2.3	0.0	1.1	1.1	0.0	0.5	0.7	0.0	0.4	0.1	0.0	0.0
その他および部位不明確の口唇、口腔および咽頭	C14	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	116	26	142	3.0	0.8	2.0	29.2	6.3	17.5	13.3	3.2	8.0	9.3	2.3	5.6	1.2	0.2	0.7
胃	C16	434	187	621	11.2	6.1	8.9	109.2	45.3	76.7	43.4	16.6	28.8	29.6	11.9	20.0	3.4	1.3	2.4
小腸	C17	21	7	28	0.5	0.2	0.4	5.3	1.7	3.5	3.4	0.7	2.1	2.7	0.5	1.6	0.4	0.1	0.2
結腸	C18	312	277	589	8.0	9.0	8.5	78.5	67.1	72.7	36.3	23.5	29.7	25.7	16.3	20.9	3.1	1.8	2.4
直腸S状結腸移行部	C19	27	16	43	0.7	0.5	0.6	6.8	3.9	5.3	3.6	1.8	2.7	2.8	1.3	2.0	0.4	0.2	0.3
直腸	C20	161	99	260	4.1	3.2	3.7	40.5	24.0	32.1	22.6	11.7	17.1	16.7	8.5	12.6	2.0	0.9	1.5
肛門および肛門管	C21	2	2	4	0.1	0.1	0.1	0.5	0.5	0.5	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
肝および肝内胆管	C22	192	87	279	4.9	2.8	4.0	48.3	21.1	34.4	18.7	6.5	12.1	12.6	4.6	8.3	1.4	0.5	0.9
胆のう	C23	18	25	43	0.5	0.8	0.6	4.5	6.1	5.3	1.6	1.9	1.7	1.0	1.4	1.2	0.1	0.2	0.1
その他および部位不明の胆道	C24	60	38	98	1.5	1.2	1.4	15.1	9.2	12.1	6.0	2.4	4.1	4.0	1.7	2.8	0.5	0.2	0.3
膵臓	C25	162	129	291	4.2	4.2	4.2	40.8	31.3	35.9	17.5	10.8	14.0	11.9	7.4	9.6	1.4	0.8	1.1
その他および部位不明の消化器	C26	15	13	28	0.4	0.4	0.4	3.8	3.2	3.5	1.9	1.5	1.7	1.3	1.1	1.2	0.1	0.1	0.1
鼻腔および中耳	C30	1	2	3	0.0	0.1	0.0	0.3	0.5	0.4	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
副鼻腔	C31	5	4	9	0.1	0.1	0.1	1.3	1.0	1.1	0.5	0.6	0.5	0.4	0.4	0.4	0.1	0.1	0.1
喉頭	C32	34	4	38	0.9	0.1	0.5	8.6	1.0	4.7	3.5	0.5	1.9	2.3	0.3	1.3	0.3	0.1	0.2
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	480	273	753	12.4	8.9	10.8	120.8	66.2	93.0	49.5	23.4	35.4	33.2	16.3	24.2	3.7	2.1	2.9
胸腺	C37	15	8	23	0.4	0.3	0.3	3.8	1.9	2.8	2.2	1.3	1.7	1.7	1.0	1.3	0.2	0.1	0.1
心臓、縦隔および胸膜	C38	4	1	5	0.1	0.0	0.1	1.0	0.2	0.6	1.1	0.4	0.7	1.4	0.3	0.9	0.1	0.0	0.1
その他および部位不明確の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	3	0	3	0.1	0.0	0.0	0.8	0.0	0.4	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	2	1	3	0.1	0.0	0.0	0.5	0.2	0.4	0.5	0.2	0.3	0.4	0.1	0.3	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	7	10	17	0.2	0.3	0.2	1.8	2.4	2.1	1.0	1.2	1.1	0.9	0.9	0.9	0.1	0.1	0.1
皮膚のその他	C44	70	74	144	1.8	2.4	2.1	17.6	17.9	17.8	8.0	5.3	6.6	5.7	3.9	4.8	0.5	0.4	0.4
中皮腫	C45	3	0	3	0.1	0.0	0.0	0.8	0.0	0.4	0.3	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
カボジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	C48	9	17	26	0.2	0.6	0.4	2.3	4.1	3.2	1.4	3.3	2.3	1.3	2.6	2.0	0.2	0.2	0.2
その他の結合組織および軟部組織	C49	18	9	27	0.5	0.3	0.4	4.5	2.2	3.3	2.9	1.8	2.3	2.5	2.4	2.4	0.2	0.1	0.2
乳房	C50	3	603	606	0.1	19.6	8.7	0.8	146.1	74.8	0.3	97.7	49.1	0.2	75.5	37.8	0.0	8.2	4.1
外陰	C51	-	5	5	-	0.2	0.1	-	1.2	-	-	0.5	-	-	0.3	-	-	0.0	-
陰	C52	-	4	4	-	0.1	0.1	-	1.0	-	-	0.5	-	-	0.4	-	-	0.1	-
子宮頸部	C53	-	59	59	-	1.9	0.8	-	14.3	-	-	12.0	-	-	9.4	-	-	0.9	-
子宮体部	C54	-	125	125	-	4.1	1.8	-	30.3	-	-	21.9	-	-	17.2	-	-	1.9	-
子宮部位不明	C55	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
卵巣	C56	-	78	78	-	2.5	1.1	-	18.9	-	-	14.3	-	-	11.4	-	-	1.2	-
その他および部位不明の女性性器	C57	-	9	9	-	0.3	0.1	-	2.2	-	-	1.1	-	-	0.7	-	-	0.1	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	1	-	1	0.0	-	0.0	0.3	-	-	0.0	-	-	0.0	-	-	0.0	-	-
前立腺	C61	617	-	617	15.9	-	8.9	155.3	-	-	63.5	-	-	43.3	-	-	5.4	-	-
精巣	C62	17	-	17	0.4	-	0.2	4.3	-	-	5.5	-	-	5.4	-	-	0.4	-	-
その他および部位不明の男性性器	C63	4	-	4	0.1	-	0.1	1.0	-	-	0.8	-	-	0.5	-	-	0.0	-	-
腎																			

付表1. 罹患数、部位割合（％）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（％）： 詳細部位別、性別

山梨県

2020年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	327	354	681	8.4	11.5	9.8	82.3	85.8	84.1	41.5	75.9	57.4	30.3	61.0	44.7	3.8	5.9	4.8
口腔、食道および胃	D00	20	8	28	0.5	0.3	0.4	5.0	1.9	3.5	2.7	0.9	1.8	1.9	0.7	1.3	0.2	0.1	0.2
食道	D001	15	4	19	0.4	0.1	0.3	3.8	1.0	2.3	1.9	0.5	1.2	1.3	0.4	0.8	0.2	0.1	0.1
その他および部位不明の消化器	D01	159	87	246	4.1	2.8	3.5	40.0	21.1	30.4	23.3	13.3	18.2	17.6	10.2	13.8	2.2	1.2	1.7
結腸	D010	110	60	170	2.8	1.9	2.4	27.7	14.5	21.0	15.9	9.5	12.5	11.9	7.2	9.5	1.5	0.9	1.2
直腸S状結腸移行部	D011	8	5	13	0.2	0.2	0.2	2.0	1.2	1.6	1.3	0.8	1.1	1.0	0.7	0.9	0.1	0.1	0.1
直腸	D012	31	13	44	0.8	0.4	0.6	7.8	3.2	5.4	4.5	1.9	3.1	3.4	1.4	2.4	0.5	0.1	0.3
中耳および呼吸器系	D02	8	14	22	0.2	0.5	0.3	2.0	3.4	2.7	1.0	2.1	1.5	0.7	1.6	1.1	0.1	0.2	0.1
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	7	14	21	0.2	0.5	0.3	1.8	3.4	2.6	0.8	2.1	1.4	0.6	1.6	1.1	0.1	0.2	0.1
上皮内黒色腫	D03	2	1	3	0.1	0.0	0.0	0.5	0.2	0.4	0.2	0.2	0.2	0.1	0.2	0.2	0.0	0.0	0.0
皮膚のその他	D04	9	10	19	0.2	0.3	0.3	2.3	2.4	2.3	0.7	0.9	0.8	0.5	0.7	0.6	0.1	0.1	0.1
乳房	D05	1	71	72	0.0	2.3	1.0	0.3	17.2	8.9	0.0	12.5	6.3	0.0	9.6	4.8	0.0	1.1	0.5
子宮頸部	D06	-	125	125	-	4.1	1.8	-	30.3	-	-	41.4	-	-	34.6	-	-	2.9	-
その他および部位不明の性器	D07	0	4	4	0.0	0.1	0.1	0.0	1.0	0.5	0.0	1.2	0.6	0.0	1.1	0.5	0.0	0.1	0.0
その他および部位不明	D09	128	34	162	3.3	1.1	2.3	32.2	8.2	20.0	13.5	3.3	8.1	9.4	2.3	5.6	1.1	0.3	0.7
膀胱	D090	119	27	146	3.1	0.9	2.1	30.0	6.5	18.0	12.5	2.5	7.2	8.7	1.8	5.1	1.0	0.2	0.6
良性腫瘍	D32-D35	58	68	126	1.5	2.2	1.8	14.6	16.5	15.6	10.1	13.2	11.5	7.8	12.1	9.8	0.9	1.1	1.0
髄膜	D32	23	39	62	0.6	1.3	0.9	5.8	9.5	7.7	3.2	5.8	4.5	2.4	4.3	3.3	0.3	0.5	0.4
脳および中枢神経系	D33	22	14	36	0.6	0.5	0.5	5.5	3.4	4.4	4.7	3.6	4.1	3.8	4.0	3.9	0.4	0.3	0.3
下垂体	D352	13	15	28	0.3	0.5	0.4	3.3	3.6	3.5	2.1	3.8	2.9	1.6	3.8	2.6	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	62	44	106	1.6	1.4	1.5	15.6	10.7	13.1	7.9	5.2	6.4	6.0	3.8	4.9	0.6	0.4	0.5
髄膜	D42	2	6	8	0.1	0.2	0.1	0.5	1.5	1.0	0.2	1.0	0.6	0.1	0.7	0.4	0.0	0.1	0.1
脳および中枢神経系	D43	5	3	8	0.1	0.1	0.1	1.3	0.7	1.0	1.2	0.6	0.9	1.2	0.4	0.8	0.1	0.0	0.1
下垂体	D443	1	1	2	0.0	0.0	0.0	0.3	0.2	0.2	0.2	0.5	0.3	0.2	0.5	0.3	0.0	0.0	0.0
頭蓋咽頭管	D444	1	0	1	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D46	6	3	9	0.2	0.1	0.1	1.5	0.7	1.1	0.7	0.3	0.5	0.5	0.2	0.3	0.1	0.0	0.0
骨髄異形成症候群	D46	30	19	49	0.8	0.6	0.7	7.6	4.6	6.0	3.2	1.6	2.3	2.2	1.1	1.6	0.2	0.1	0.2
慢性骨髄増殖性疾患	D471	2	5	7	0.1	0.2	0.1	0.5	1.2	0.9	0.3	0.4	0.4	0.2	0.3	0.3	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	12	5	17	0.3	0.2	0.2	3.0	1.2	2.1	1.7	0.7	1.2	1.3	0.6	0.9	0.1	0.1	0.1

*1 総数は男女および性別不詳の合計

2020年

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合（％）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（％）： 詳細部位別、性別

山梨県2020年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
その他および部位不明の性器	D07	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
髄膜	D32	1	0	1	0.1	0.0	0.0	0.3	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D352	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	32	18	50	2.2	1.7	2.0	8.2	4.5	6.3	2.8	1.0	1.8	1.8	0.7	1.2	0.1	0.1	0.1
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	7	3	10	0.5	0.3	0.4	1.8	0.7	1.3	0.7	0.4	0.5	0.4	0.2	0.3	0.0	0.0	0.0
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増加症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	22	12	34	1.5	1.1	1.3	5.6	3.0	4.3	1.6	0.5	1.0	1.1	0.3	0.6	0.1	0.0	0.1
慢性骨髄増殖性疾患	D471	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細（％）： 部位別

A. 上皮内がんを除く

山梨県

2020年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	+その他 *4	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96	5,913	27.1	6.2	0.9	2.8	16.1	4.3	0.3	0.8	14.5	0.4	3.7	1.1	21.8
口腔・咽頭	C00-C14	128	19.5	1.6	0.0	7.8	4.7	30.5	0.0	2.3	4.7	0.0	10.9	0.0	18.0
食道	C15	141	6.4	27.7	4.3	5.7	7.1	19.9	0.0	0.0	9.2	0.0	5.7	0.7	13.5
胃	C16	599	26.0	27.7	2.5	0.0	6.0	0.2	0.0	0.0	11.5	0.2	0.0	0.3	25.5
大腸（結腸・直腸）	C18-C20	875	39.8	9.9	3.1	0.2	3.1	0.3	0.0	0.2	24.3	0.8	1.7	0.6	15.9
結腸	C18	576	42.9	8.3	2.6	0.0	2.4	0.0	0.0	0.2	24.0	0.7	0.0	0.5	18.4
直腸	C19-C20	299	33.8	13.0	4.0	0.7	4.3	1.0	0.0	0.3	25.1	1.0	5.0	0.7	11.0
肝および肝内胆管	C22	267	25.1	0.7	0.0	2.2	6.0	2.2	6.4	0.0	3.7	0.4	0.0	16.1	37.1
胆のう・胆管	C23-C24	135	26.7	3.0	0.0	0.7	14.1	0.0	0.0	0.0	14.8	0.0	0.0	0.0	40.7
膵臓	C25	279	5.4	0.0	0.0	0.7	29.7	0.7	0.0	0.0	21.9	0.0	0.0	0.7	40.9
喉頭	C32	38	5.3	2.6	0.0	31.6	2.6	34.2	0.0	5.3	2.6	0.0	2.6	0.0	13.2
肺	C33-C34	726	29.5	0.0	0.0	9.9	17.5	8.7	0.0	0.7	7.2	0.0	0.1	0.4	26.0
皮膚	C43-C44	161	81.4	0.0	0.0	0.0	1.9	0.6	0.0	1.2	1.9	1.2	0.6	0.6	10.6
乳房	C50	600	13.5	0.0	0.0	1.5	10.3	0.8	0.0	2.2	36.8	0.0	25.2	0.3	9.3
乳房（女性のみ）	C50	597	13.4	0.0	0.0	1.5	10.4	0.8	0.0	2.2	36.7	0.0	25.3	0.3	9.4
子宮	C53-C55	184	41.8	0.0	0.0	0.5	3.8	5.4	0.0	0.5	37.0	0.0	0.0	0.0	10.9
子宮頸部	C53	59	33.9	0.0	0.0	1.7	3.4	16.9	0.0	1.7	23.7	0.0	0.0	0.0	18.6
子宮体部	C54	125	45.6	0.0	0.0	0.0	4.0	0.0	0.0	0.0	43.2	0.0	0.0	0.0	7.2
卵巣	C56	76	39.5	0.0	0.0	0.0	3.9	0.0	0.0	0.0	40.8	0.0	0.0	0.0	15.8
前立腺	C61	609	19.4	0.0	0.0	3.9	47.8	6.6	0.0	0.0	2.6	0.0	0.0	0.2	19.5
膀胱	C67	150	2.0	38.7	2.0	0.0	1.3	2.0	0.0	2.7	19.3	8.0	2.0	2.0	20.0
腎・尿路（膀胱除く）	C64-C66 C68	187	66.3	0.5	0.0	0.5	8.6	1.6	0.0	0.0	3.7	0.0	0.0	0.0	18.7
脳・中枢神経系	C70-C72	50	16.0	0.0	0.0	2.0	0.0	10.0	0.0	2.0	4.0	0.0	32.0	0.0	34.0
甲状腺	C73	107	57.9	0.9	0.0	0.0	0.9	0.0	0.0	8.4	2.8	0.0	2.8	0.0	26.2
悪性リンパ腫	C81-C85 C96	207	2.4	0.5	0.0	2.9	53.1	5.8	0.0	0.0	4.3	0.0	0.5	1.0	29.5
多発性骨髄腫	C88-C90	56	0.0	0.0	0.0	1.8	80.4	1.8	1.8	0.0	0.0	0.0	0.0	0.0	14.3
白血病	C91-C95	90	0.0	0.0	0.0	1.1	68.9	3.3	0.0	0.0	0.0	0.0	0.0	0.0	26.7

*1 DC0を除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ

付表3. 初回治療内容割合詳細（％）： 部位別

B. 上皮内がんを含む

山梨県

2020年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			治療あり 他の組合せ *5	治療なし ・不明	
								+放射線	+その他 *4	+放射線	+薬物	+その他 *4			+放射線 +薬物
全部位	C00-C96 D00-D09	6,594	28.0	10.5	0.8	2.5	14.5	3.8	0.3	1.0	13.5	0.6	3.4	1.0	20.1
食道	C15 D001	160	6.3	30.6	3.8	5.6	6.3	17.5	0.0	0.0	8.1	0.0	5.0	0.6	16.3
大腸（結腸・直腸）*6	C18-C20 D010-D012	1,102	33.2	26.3	2.5	0.2	2.5	0.3	0.0	0.2	19.5	0.6	1.4	0.5	12.9
結腸 *6	C18 D010	746	35.0	26.5	2.1	0.0	1.9	0.0	0.0	0.1	18.8	0.5	0.0	0.4	14.6
直腸 *6	C19-C20 D011-D012	356	29.5	25.8	3.4	0.6	3.7	0.8	0.0	0.3	21.1	0.8	4.2	0.6	9.3
肺	C33-C34 D021-D022	747	31.3	0.0	0.0	9.6	17.0	8.4	0.0	0.7	7.0	0.0	0.1	0.4	25.4
皮膚	C43-C44 D030-D049	183	82.5	0.0	0.0	0.0	1.6	0.5	0.0	1.1	1.6	1.1	0.5	0.5	10.4
乳房	C50 D05	672	17.4	0.0	0.0	1.5	9.2	0.7	0.0	4.5	33.9	0.0	23.2	0.3	9.2
乳房（女性のみ）	C50 D05	668	17.2	0.0	0.0	1.5	9.3	0.7	0.0	4.5	33.8	0.0	23.4	0.3	9.3
子宮	C53-C55 D06	309	59.9	0.6	0.0	0.3	2.3	3.2	0.0	0.3	22.0	0.0	0.0	0.3	11.0
子宮頸部	C53 D06	184	69.6	1.1	0.0	0.5	1.1	5.4	0.0	0.5	7.6	0.0	0.0	0.5	13.6
膀胱	C67 D090	296	2.4	54.4	1.4	0.0	0.7	1.0	0.0	1.7	16.2	9.8	1.0	1.0	10.5

*1 DC0を除く総数

*2 外科的、鏡視下治療のいずれかが「1:あり」

*3 化学療法、内分泌療法のいずれかが「1:あり」

*4 その他治療が「1:あり」

*5 左記以外の治療組合せ

*6 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

A. 上皮内がんを除く																										山梨県			2020年
全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮			子宮頸部	子宮体部	前立腺
C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55			C53	C54	C61
医療圏／保健所	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男	
山梨県	3,436	2,614	6,050	434	187	621	500	392	892	312	277	589	188	115	303	192	87	279	480	273	753	3	603	606	184	59	125	617	
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中北	1,867	1,507	3,374	237	100	337	278	221	499	171	143	314	107	78	185	111	56	167	271	145	416	*	376	378	106	37	69	318	
峡東	526	409	935	54	26	80	68	60	128	44	43	87	24	17	41	32	12	44	76	47	123	0	92	92	23	*	17	83	
峡南	248	165	413	38	17	55	37	28	65	21	19	40	16	*	25	13	*	18	33	24	57	0	33	33	13	*	11	40	
富士・東部	795	533	1,328	105	44	149	117	83	200	76	72	148	41	11	52	36	14	50	100	57	157	*	102	103	42	14	28	176	
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
甲府市	819	669	1,488	104	45	149	134	115	249	85	74	159	49	41	90	58	19	77	124	58	182	0	166	166	43	14	29	129	
峡南	248	165	413	38	17	55	37	28	65	21	19	40	16	*	25	13	*	18	33	24	57	0	33	33	13	*	11	40	
中北	1,048	838	1,886	133	55	188	144	106	250	86	69	155	58	37	95	53	37	90	147	87	234	*	210	212	63	23	40	189	
峡東	526	409	935	54	26	80	68	60	128	44	43	87	24	17	41	32	12	44	76	47	123	0	92	92	23	*	17	83	
富士・東部	795	533	1,328	105	44	149	117	83	200	76	72	148	41	11	52	36	14	50	100	57	157	*	102	103	42	14	28	176	

総数は年齢不詳を含む男女および性別不詳の合計
(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表4. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

B. 上皮内がんを含む																			山梨県		2020年			
医療圏／保健所	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸*1			肺			乳房			子宮		子宮頸部			
	C00-C96		D00-D09	C18-C20		D010-D012	C18		D010	C19-C20		D011-D012	C33-C34		D021-D022	C50		D05	C53-C55		D06	C53		D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女		女			
山梨県	3,763	2,968	6,731	649	470	1,119	422	337	759	227	133	360	487	287	774	4	674	678		309		184		
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		0		
中北	2,075	1,735	3,810	371	270	641	240	181	421	131	89	220	275	159	434	*	421	424		193		124		
峡東	567	455	1,022	92	69	161	62	48	110	30	21	51	78	47	125	0	99	99		43		26		
峡南	262	189	451	46	35	81	29	26	55	17	*	26	33	24	57	0	37	37		21		10		
富士・東部	859	589	1,448	140	96	236	91	82	173	49	14	63	101	57	158	*	117	118		52		24		
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		0		0		
甲府市	904	768	1,672	169	143	312	112	97	209	57	46	103	126	65	191	0	180	180		76		47		
峡南	262	189	451	46	35	81	29	26	55	17	*	26	33	24	57	0	37	37		21		10		
中北	1,171	967	2,138	202	127	329	128	84	212	74	43	117	149	94	243	*	241	244		117		77		
峡東	567	455	1,022	92	69	161	62	48	110	30	21	51	78	47	125	0	99	99		43		26		
富士・東部	859	589	1,448	140	96	236	91	82	173	49	14	63	101	57	158	*	117	118		52		24		

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数　：　部位別、性別

A. 上皮内がんを除く

山梨県																								2020年				
市区町村	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮	子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
山梨県	3,436	2,614	6,050	434	187	621	500	392	892	312	277	589	188	115	303	192	87	279	480	273	753	3	603	606	184	59	125	617
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
甲府市	819	669	1,488	104	45	149	134	115	249	85	74	159	49	41	90	58	19	77	124	58	182	0	166	166	43	14	29	129
富士吉田市	247	177	424	29	17	46	49	32	81	32	27	59	17	*	22	*	*	*	31	20	51	0	34	34	12	*	*	63
都留市	80	57	137	*	*	10	11	*	15	*	*	11	*	0	*	*	*	*	12	*	17	*	12	13	*	*	*	14
山梨市	117	116	233	*	*	15	*	14	23	*	10	16	*	*	*	11	*	15	14	12	26	0	24	24	*	0	*	23
大月市	131	86	217	19	*	25	14	15	29	*	14	19	*	*	10	*	*	*	17	11	28	0	18	18	*	*	*	27
韭崎市	136	106	242	15	*	24	27	14	41	18	*	26	*	*	15	*	*	12	21	10	31	0	29	29	*	*	*	25
南アルプス市	285	229	514	35	11	46	32	32	64	18	20	38	14	12	26	13	*	20	42	21	63	*	48	49	18	*	12	53
北杜市	197	131	328	34	11	45	24	21	45	15	13	28	*	*	17	14	*	18	25	15	40	0	30	30	12	*	*	32
甲斐市	256	207	463	31	14	45	34	26	60	20	21	41	14	*	19	14	10	24	36	21	57	0	48	48	18	*	*	45
笛吹市	277	201	478	32	17	49	35	33	68	22	24	46	13	*	22	15	*	20	40	25	65	0	43	43	13	*	*	47
上野原市	127	88	215	22	*	26	16	17	33	13	13	26	*	*	*	*	*	11	19	12	31	0	12	12	*	*	*	22
甲州市	132	92	224	15	*	16	24	13	37	16	*	25	*	*	12	*	*	*	22	10	32	0	25	25	*	*	*	13
中央市	116	105	221	12	*	20	13	*	22	*	*	11	*	*	11	*	*	*	19	14	33	*	26	27	*	*	*	25
市川三郷町	84	56	140	12	*	19	11	*	20	*	*	13	*	*	*	*	*	*	12	*	19	0	11	11	*	*	*	14
早川町	*	*	*	0	*	*	*	*	*	0	*	*	*	0	*	0	0	0	0	*	*	0	*	*	0	0	0	0
身延町	66	41	107	*	*	10	13	*	19	*	*	14	*	*	*	*	*	*	*	*	17	0	10	10	*	*	*	12
南部町	47	19	66	10	*	11	*	*	12	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	*	0	*	*
富士川町	48	44	92	*	*	14	*	*	10	*	*	*	*	*	*	*	*	*	*	*	12	0	*	*	*	0	*	*
昭和町	58	60	118	*	*	*	14	*	18	*	*	11	*	*	*	*	*	*	*	*	10	0	29	29	*	*	*	*
道志村	10	*	15	0	*	*	*	0	*	*	0	*	*	0	*	*	0	*	*	*	*	0	*	*	0	0	0	*
西桂町	20	11	31	0	*	*	*	*	*	*	*	*	0	0	0	0	0	0	*	*	*	0	*	*	0	0	0	*
忍野村	37	*	46	*	*	*	*	*	*	0	*	*	*	0	*	*	0	*	*	0	*	0	*	*	0	0	0	10
山中湖村	28	19	47	*	*	*	*	*	*	*	*	*	*	*	*	*	0	*	*	0	*	0	*	*	*	0	*	*
鳴沢村	13	12	25	*	*	*	*	0	*	*	0	*	0	0	0	0	*	*	0	*	*	0	*	*	*	0	*	*
富士河口湖町	94	65	159	16	*	24	13	*	20	*	*	16	*	0	*	*	*	*	*	*	13	0	13	13	*	*	*	22
小菅村	*	*	*	*	0	*	*	*	*	*	*	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	0
丹波山村	*	*	*	0	0	0	*	0	*	*	0	*	*	0	*	0	0	0	0	0	0	0	0	0	*	*	0	*

総数は年齢不詳を含む男女および性別不詳の合計
(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

市区町村	山梨県																			2020年
	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸 *1			肺			乳房			子宮	子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-012			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
山梨県	3,763	2,968	6,731	649	470	1,119	422	337	759	227	133	360	487	287	774	4	674	678	309	184
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	904	768	1,672	169	143	312	112	97	209	57	46	103	126	65	191	0	180	180	76	47
富士吉田市	264	188	452	55	36	91	37	30	67	18	*	24	31	20	51	0	38	38	12	*
都留市	88	65	153	11	*	15	*	*	11	*	0	*	12	*	17	*	15	16	10	*
山梨市	128	122	250	16	14	30	12	10	22	*	*	*	15	12	27	0	24	24	*	*
大月市	140	89	229	17	16	33	*	15	22	10	*	11	17	11	28	0	18	18	*	*
韮崎市	146	118	264	29	16	45	19	*	28	10	*	17	21	10	31	0	31	31	12	*
南アルプス市	319	262	581	52	36	88	32	23	55	20	13	33	43	21	64	*	56	58	32	20
北杜市	216	157	373	27	25	52	16	16	32	11	*	20	25	20	45	0	39	39	17	*
甲斐市	304	241	545	59	34	93	40	27	67	19	*	26	37	23	60	0	55	55	33	24
笛吹市	301	232	533	50	42	92	34	29	63	16	13	29	40	25	65	0	45	45	28	20
上野原市	138	97	235	22	18	40	19	14	33	*	*	*	20	12	32	0	14	14	*	*
甲州市	138	101	239	26	13	39	16	*	25	10	*	14	23	10	33	0	30	30	*	*
中央市	123	117	240	17	12	29	*	*	16	*	*	13	19	14	33	*	28	29	12	*
市川三郷町	85	67	152	11	12	23	*	*	16	*	*	*	12	*	19	0	12	12	*	*
早川町	*	*	*	*	*	*	0	*	*	*	0	*	0	*	*	0	*	*	0	0
身延町	71	46	117	17	*	24	13	*	19	*	*	*	*	*	17	0	12	12	*	*
南部町	52	23	75	11	*	19	*	*	13	*	*	*	*	*	*	0	*	*	*	0
富士川町	51	48	99	*	*	11	*	*	*	*	*	*	*	*	12	0	10	10	*	*
昭和町	63	72	135	18	*	22	12	*	14	*	*	*	*	*	10	0	32	32	11	*
道志村	10	*	16	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	0	0
西桂町	21	12	33	*	*	*	*	*	*	0	0	0	*	*	*	0	*	*	0	0
忍野村	41	17	58	*	*	*	0	*	*	*	*	*	*	0	*	0	*	*	*	*
山中湖村	32	21	53	*	*	11	*	*	*	*	*	*	*	0	*	0	*	*	*	*
鳴沢村	14	14	28	*	0	*	*	0	*	0	0	0	0	*	*	0	*	*	*	0
富士河口湖町	103	76	179	18	10	28	10	*	19	*	*	*	*	*	13	0	17	17	*	*
小菅村	*	*	*	*	*	*	*	*	*	0	0	0	0	0	0	0	0	0	*	0
丹波山村	*	*	*	*	0	*	*	0	*	*	0	*	0	0	0	0	0	0	*	*

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)