横川流域における基準降雨

【甲府地域】

降雨波形:中央集中型 24時間総雨量 : 176.56mm : 45.48mm/h 最大降雨強度(1時間) 生起確率:10年に1度

最大降雨強度(10分間) : 112.46mm/h

時	分	降雨量 (mm/h)	時	分	降雨量 (mm/h)	時	分	降雨量 (mm/h)	時	分	降雨量 (mm/h)
0	0-10	3. 03	4	0-10	4. 64	12	0-10	48. 95	18	0-10	4. 52
	10 - 20	3. 06		10 - 20	4. 72		10 - 20	29.00		10-20	4. 45
	20 - 30	3. 08		20 - 30	4. 81		20 - 30	21. 97		20 - 30	4. 38
	30 - 40	3. 11	U	30-40	4. 90		30-40	18. 17		30-40	4. 31
	40 - 50	3. 14		40 - 50	4. 99		40 - 50	15. 72		40 - 50	4. 25
	50 - 60	3. 17		50 - 60	5. 09		50 - 60	13. 99		50 - 60	4. 19
1	0-10	3. 20		0-10	5. 19	13	0-10	12. 68	19	0-10	4. 13
	10-20	3. 23		10-20	5. 30		10-20	11. 65		10-20	4. 07
	20 - 30	3. 26	7	20 - 30	5. 42		20 - 30	10. 82		20-30	4. 01
	30-40	3. 29		30-40	5. 55		30-40	10. 13		30-40	3. 96
	40-50	3. 32		40 - 50	5. 68		40-50	9. 55		40-50	3. 91
	50 - 60	3. 35		50 - 60	5. 82		50 - 60	9. 04		50-60	3. 86
2	0-10	3. 39	8	0-10	5. 97	14	0-10	8. 60	20	0-10	3. 81
	10-20	3. 42		10-20	6. 13		10-20	8. 22		10-20	3. 77
	20-30	3. 46		20-30	6. 31		20-30	7. 87		20-30	3. 72
	30-40	3. 50		30-40	6. 49		30-40	7. 56		30-40	3. 68
	40-50	3. 53		40-50	6. 70		40-50	7. 29		40-50	3. 63
	50-60	3. 57		50-60	6. 92		50-60	7. 03		50-60	3. 59
3	0-10	3. 61	9	0-10	7. 16	15	0-10	6. 80	21	0-10	3. 55
	10-20	3. 66		10-20	7. 42		10-20	6. 59		10-20	3. 51
	20-30	3. 70		20-30	7. 71		20-30	6. 40		20-30	3. 48
	30-40	3. 74		30-40	8. 04		30-40	6. 22		30-40	3. 44
	40-50	3. 79		40-50	8. 40		40-50	6. 05		40-50	3. 40
	50-60	3. 84		50-60	8. 82		50-60	5. 89		50-60	3. 37
4	0-10	3. 88	10	0-10	9. 28	16	0-10	5. 75	22	0-10	3. 34
	10-20	3. 94		10-20	9. 83		10-20	5. 61		10-20	3. 30
	20-30	3. 99		20-30	10. 46		20-30	5. 48		20-30	3. 27
	30-40 40-50	4. 04		30-40	11. 22		30-40	5. 36		30-40	3. 24
	50—60	4. 10 4. 16		40-50 50-60	12. 14 13. 29		40-50 50-60	5. 25 5. 14		40-50 50-60	3. 21 3. 18
5	0-10	4. 22 4. 28	11	0-10 10-20	14. 79 16. 83	17	0-10 10-20	5. 04 4. 04	23	0-10	3. 15 3. 12
	10-20 20-30	4. 28		20-30			20-30	4. 94		10-20 20-30	3. 12
	30-40	4. 35		30-40	19. 83 24. 85		30-40	4. 85 4. 76		30-40	3. 10
	40-50			40-50	35. 66		40-50	4. 76		40-50	
	50—60	4. 49 4. 56		50—60			50-60			50-60	3.04
	50-60	4. 50		00-00	112. 46		00 - 00	4. 60		50-60	3. 02