

全国がん登録

都道府県版標準集計表 2016

(山梨県)

表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96	3,819	2,773	6,593	100.0	100.0	100.0	940.6	654.0	794.3	452.0	346.2	390.1	321.9	261.2	285.9	38.8	28.6	33.4
口腔・咽頭	C00-C14	91	42	133	2.4	1.5	2.0	22.4	9.9	16.0	12.5	4.9	8.6	9.4	3.5	6.4	1.2	0.3	0.7
食道	C15	131	32	163	3.4	1.2	2.5	32.3	7.5	19.6	15.7	4.1	9.5	10.9	3.1	6.8	1.3	0.4	0.9
胃	C16	584	264	848	15.3	9.5	12.9	143.8	62.3	102.2	66.9	24.8	44.3	46.5	17.6	31.1	5.8	2.0	3.9
大腸(結腸・直腸)	C18-C20	575	450	1,025	15.1	16.2	15.5	141.6	106.1	123.5	70.0	44.5	56.5	49.4	31.9	40.3	6.1	3.9	5.0
結腸	C18	359	330	689	9.4	11.9	10.5	88.4	77.8	83.0	41.8	30.0	35.5	29.0	21.1	24.8	3.5	2.6	3.0
直腸	C19-C20	216	120	336	5.7	4.3	5.1	53.2	28.3	40.5	28.3	14.5	21.1	20.5	10.8	15.5	2.7	1.3	2.0
肝および肝内胆管	C22	271	122	393	7.1	4.4	6.0	66.7	28.8	47.3	30.7	8.3	18.9	21.3	5.4	13.0	2.6	0.6	1.6
胆のう・胆管	C23-C24	86	78	164	2.3	2.8	2.5	21.2	18.4	19.8	8.2	5.1	6.5	5.3	3.5	4.3	0.6	0.3	0.5
膵臓	C25	135	126	261	3.5	4.5	4.0	33.3	29.7	31.4	14.9	10.1	12.3	10.2	6.9	8.4	1.2	0.8	1.0
喉頭	C32	29	5	34	0.8	0.2	0.5	7.1	1.2	4.1	3.7	0.6	2.1	2.7	0.4	1.5	0.4	0.0	0.2
肺	C33-C34	531	237	769	13.9	8.5	11.7	130.8	55.9	92.7	58.1	24.0	39.5	40.0	17.3	27.7	5.0	2.2	3.6
皮膚	C43-C44	80	90	170	2.1	3.2	2.6	19.7	21.2	20.5	8.4	8.0	8.0	5.8	6.0	5.7	0.7	0.6	0.6
乳房	C50	5	622	627	0.1	22.4	9.5	1.2	146.7	75.5	0.6	104.4	52.7	0.4	80.7	40.6	0.0	8.8	4.4
子宮	C53-C55	-	186	186	-	6.7	2.8	-	43.9	-	-	33.1	-	-	25.9	-	-	2.8	-
子宮頸部	C53	-	65	65	-	2.3	1.0	-	15.3	-	-	12.1	-	-	9.6	-	-	1.0	-
子宮体部	C54	-	119	119	-	4.3	1.8	-	28.1	-	-	20.8	-	-	16.1	-	-	1.8	-
卵巣	C56	-	82	82	-	3.0	1.2	-	19.3	-	-	15.7	-	-	12.8	-	-	1.3	-
前立腺	C61	633	-	633	16.6	-	9.6	155.9	-	-	69.3	-	-	47.5	-	-	6.4	-	-
膀胱	C67	121	39	160	3.2	1.4	2.4	29.8	9.2	19.3	12.7	3.5	7.7	8.8	2.6	5.4	1.1	0.3	0.7
腎・尿路(膀胱除く)	C64-C66 C68	130	60	190	3.4	2.2	2.9	32.0	14.2	22.9	16.4	6.4	11.1	11.8	4.6	8.0	1.4	0.5	0.9
脳・中枢神経系	C70-C72	24	32	56	0.6	1.2	0.8	5.9	7.5	6.7	4.1	6.1	5.0	3.5	5.6	4.5	0.4	0.5	0.4
甲状腺	C73	41	86	127	1.1	3.1	1.9	10.1	20.3	15.3	7.9	17.2	12.5	6.2	14.2	10.1	0.7	1.3	1.0
悪性リンパ腫	C81-C85 C96	127	87	214	3.3	3.1	3.2	31.3	20.5	25.8	16.9	10.4	13.4	12.3	7.7	9.8	1.3	0.8	1.0
多発性骨髄腫	C88-C90	35	24	59	0.9	0.9	0.9	8.6	5.7	7.1	3.7	2.5	3.0	2.6	1.9	2.2	0.3	0.2	0.2
白血病	C91-C95	63	28	91	1.6	1.0	1.4	15.5	6.6	11.0	10.3	4.0	7.1	9.2	3.6	6.4	0.8	0.3	0.6

*1 総数は男女および性別不詳の合計

表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 部位別、性別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C96 D00-D09	4,181	3,206	7,388	100.0	100.0	100.0	1,029.8	756.1	890.1	500.9	435.7	458.1	357.0	333.0	338.5	43.1	35.5	38.9
食道	C15 D001	155	39	194	3.7	1.2	2.6	38.2	9.2	23.4	18.7	5.0	11.4	13.0	3.7	8.1	1.6	0.5	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	746	541	1,287	17.8	16.9	17.4	183.7	127.6	155.1	95.7	57.3	75.7	68.6	41.6	54.7	8.5	5.1	6.8
結腸 *2	C18 D010	476	394	870	11.4	12.3	11.8	117.2	92.9	104.8	59.2	39.2	48.7	41.9	28.2	34.8	5.1	3.5	4.3
直腸 *2	C19-C20 D011-D012	270	147	417	6.5	4.6	5.6	66.5	34.7	50.2	36.6	18.0	27.0	26.7	13.4	19.9	3.5	1.6	2.5
肺	C33-C34 D021-D022	531	237	769	12.7	7.4	10.4	130.8	55.9	92.7	58.1	24.0	39.5	40.0	17.3	27.7	5.0	2.2	3.6
皮膚	C43-C44 D030-D049	94	101	195	2.2	3.2	2.6	23.2	23.8	23.5	10.2	8.8	9.3	7.0	6.5	6.6	0.8	0.7	0.7
乳房	C50 D05	5	712	717	0.1	22.2	9.7	1.2	167.9	86.4	0.6	120.7	60.8	0.4	93.2	46.8	0.0	10.2	5.1
子宮	C53-C55 D06	-	358	358	-	11.2	4.8	-	84.4	-	-	84.9	-	-	69.2	-	-	6.4	-
子宮頸部	C53 D06	-	237	237	-	7.4	3.2	-	55.9	-	-	63.8	-	-	52.9	-	-	4.6	-
膀胱	C67 D090	242	70	312	5.8	2.2	4.2	59.6	16.5	37.6	27.2	6.5	16.0	18.8	4.7	11.3	2.2	0.5	1.4

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C96	3,819	6	1	1	2	8	6	11	15	34	60	116	219	299	722	646	611	549	365	122	20	6	0
	口腔・咽頭	C00-C14	91	0	0	0	0	0	0	0	0	1	5	6	10	15	21	9	6	9	6	3	0	0	0
	食道	C15	131	0	0	0	0	0	0	0	0	2	2	4	12	11	24	20	19	24	8	5	0	0	0
	胃	C16	584	0	0	0	0	0	0	0	1	3	8	19	38	44	110	99	83	99	60	17	3	0	0
	大腸（結腸・直腸）	C18-C20	575	0	0	0	0	0	0	1	1	6	10	23	49	51	111	91	83	85	46	16	2	0	0
	結腸	C18	359	0	0	0	0	0	0	0	0	2	5	12	29	33	55	56	57	61	36	11	2	0	0
	直腸	C19-C20	216	0	0	0	0	0	0	1	1	4	5	11	20	18	56	35	26	24	10	5	0	0	0
	肝および肝内胆管	C22	271	0	0	0	0	2	0	0	0	0	1	5	20	23	43	48	44	48	25	8	4	0	0
	胆のう・胆管	C23-C24	86	0	0	0	0	0	0	0	0	0	0	1	2	2	13	15	15	17	13	7	1	0	0
	膵臓	C25	135	0	0	0	0	0	0	0	0	2	1	4	7	8	20	24	25	18	21	5	0	0	0
	喉頭	C32	29	0	0	0	0	0	0	0	0	0	0	1	3	7	2	6	3	5	0	2	0	0	0
	肺	C33-C34	531	0	0	0	0	0	0	0	0	2	3	13	16	43	111	93	101	74	52	20	2	1	0
	皮膚	C43-C44	80	0	0	0	0	0	0	0	0	1	1	2	5	4	2	19	13	8	18	5	1	1	0
	乳房	C50	5	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	2	0	0	0	0	0
	前立腺	C61	633	0	0	0	0	0	0	0	0	1	3	8	17	40	164	127	133	75	49	10	5	1	0
	膀胱	C67	121	0	0	0	0	0	0	0	0	2	1	2	4	4	24	23	22	10	18	9	0	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	130	0	0	0	0	0	0	1	1	1	4	6	11	15	22	16	15	21	13	3	1	0	0
	脳・中枢神経系	C70-C72	24	0	1	0	0	0	1	0	1	1	1	3	0	2	5	4	3	0	2	0	0	0	0
	甲状腺	C73	41	0	0	0	0	0	0	3	3	1	5	5	4	5	8	3	3	1	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	127	0	0	1	0	0	1	3	2	0	7	4	10	11	10	19	19	22	15	2	0	1	0
	多発性骨髄腫	C88-C90	35	0	0	0	0	0	0	1	0	0	0	1	1	1	9	4	3	6	6	3	0	0	0
	白血病	C91-C95	63	2	0	0	1	4	1	0	1	3	2	4	2	2	10	9	8	7	4	2	1	0	0

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C96	2,773	2	0	2	4	2	14	23	52	101	156	165	177	252	334	320	305	354	282	163	58	7	0
	口腔・咽頭	C00-C14	42	0	0	0	0	0	0	0	0	2	4	2	4	2	4	0	8	7	4	2	2	1	0
	食道	C15	32	0	0	0	0	0	0	0	0	1	2	1	3	6	3	6	3	3	4	0	0	0	0
	胃	C16	264	0	0	0	0	0	0	1	1	6	2	9	12	22	30	33	34	48	34	21	10	1	0
	大腸（結腸・直腸）	C18-C20	450	0	0	0	0	0	1	0	4	6	8	21	19	37	49	75	51	76	62	29	12	0	0
	結腸	C18	330	0	0	0	0	0	0	0	3	4	3	10	15	22	33	58	39	54	58	20	11	0	0
	直腸	C19-C20	120	0	0	0	0	0	1	0	1	2	5	11	4	15	16	17	12	22	4	9	1	0	0
	肝および肝内胆管	C22	122	0	0	0	0	0	0	0	0	0	1	0	1	8	8	14	21	26	22	15	6	0	0
	胆のう・胆管	C23-C24	78	0	0	0	0	0	0	0	0	0	0	2	1	8	2	5	9	17	15	18	1	0	0
	膵臓	C25	126	0	0	0	0	0	0	1	0	0	0	2	5	6	16	16	20	24	22	12	2	0	0
	喉頭	C32	5	0	0	0	0	0	0	0	0	0	0	0	1	0	0	1	3	0	0	0	0	0	0
	肺	C33-C34	237	0	0	0	0	0	0	0	1	3	4	7	15	17	55	30	23	42	30	7	3	0	0
	皮膚	C43-C44	90	0	0	0	0	0	0	0	1	1	6	0	4	8	11	6	7	11	16	11	6	2	0
	乳房	C50	622	0	0	0	0	0	0	9	23	48	77	65	53	72	89	58	48	36	27	14	3	0	0
	子宮	C53-C55	186	0	0	0	0	0	2	3	7	15	21	24	18	22	23	22	12	6	5	3	3	0	0
	子宮頸部	C53	65	0	0	0	0	0	2	2	4	9	7	4	4	6	8	7	3	2	4	1	2	0	0
	子宮体部	C54	119	0	0	0	0	0	0	1	3	6	14	20	14	16	14	14	9	4	1	2	1	0	0
	卵巣	C56	82	0	0	0	0	1	4	2	3	4	8	13	8	10	11	6	2	6	2	0	2	0	0
	膀胱	C67	39	0	0	0	0	0	0	0	0	0	4	1	2	1	3	5	4	3	7	5	4	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	60	0	0	0	0	0	0	1	1	1	2	1	2	6	7	8	13	6	5	6	0	1	0
	脳・中枢神経系	C70-C72	32	1	0	0	2	0	2	1	2	1	1	1	4	4	1	2	0	7	3	0	0	0	0
	甲状腺	C73	86	0	0	0	2	1	4	3	6	9	8	7	9	5	6	7	9	2	2	6	0	0	0
	悪性リンパ腫	C81-C85 C96	87	0	0	1	0	0	1	0	1	0	3	5	9	6	8	9	21	11	7	2	1	2	0
	多発性骨髄腫	C88-C90	24	0	0	0	0	0	0	0	0	0	2	1	2	2	3	1	4	3	5	1	0	0	0
	白血病	C91-C95	28	1	0	1	0	0	0	1	2	1	0	0	1	2	1	4	6	2	5	1	0	0	0

表2. 年齢階級別罹患数： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C96	6,593	8	1	3	6	10	20	34	67	135	216	281	396	551	1,056	966	917	903	647	285	78	13	0
	口腔・咽頭	C00-C14	133	0	0	0	0	0	0	0	0	3	9	8	14	17	25	9	14	16	10	5	2	1	0
	食道	C15	163	0	0	0	0	0	0	0	0	3	4	5	15	17	27	26	22	27	12	5	0	0	0
	胃	C16	848	0	0	0	0	0	0	1	2	9	10	28	50	66	140	132	117	147	94	38	13	1	0
	大腸（結腸・直腸）	C18-C20	1,025	0	0	0	0	0	1	1	5	12	18	44	68	88	160	166	134	161	108	45	14	0	0
	結腸	C18	689	0	0	0	0	0	0	0	3	6	8	22	44	55	88	114	96	115	94	31	13	0	0
	直腸	C19-C20	336	0	0	0	0	0	1	1	2	6	10	22	24	33	72	52	38	46	14	14	1	0	0
	肝および肝内胆管	C22	393	0	0	0	0	2	0	0	0	0	2	5	21	31	51	62	65	74	47	23	10	0	0
	胆のう・胆管	C23-C24	164	0	0	0	0	0	0	0	0	0	0	3	3	10	15	20	24	34	28	25	2	0	0
	膵臓	C25	261	0	0	0	0	0	0	1	0	2	1	6	12	14	36	40	45	42	43	17	2	0	0
	喉頭	C32	34	0	0	0	0	0	0	0	0	0	0	1	4	7	2	7	6	5	0	2	0	0	0
	肺	C33-C34	769	0	0	0	0	0	0	0	1	5	7	20	31	60	166	123	125	116	82	27	5	1	0
	皮膚	C43-C44	170	0	0	0	0	0	0	0	1	2	7	2	9	12	13	25	20	19	34	16	7	3	0
	乳房	C50	627	0	0	0	0	0	0	9	23	48	78	65	53	72	90	58	49	38	27	14	3	0	0
	子宮	C53-C55	186	0	0	0	0	0	2	3	7	15	21	24	18	22	23	22	12	6	5	3	3	0	0
	子宮頸部	C53	65	0	0	0	0	0	2	2	4	9	7	4	4	6	8	7	3	2	4	1	2	0	0
	子宮体部	C54	119	0	0	0	0	0	0	1	3	6	14	20	14	16	14	14	9	4	1	2	1	0	0
	卵巣	C56	82	0	0	0	0	1	4	2	3	4	8	13	8	10	11	6	2	6	2	0	2	0	0
	前立腺	C61	633	0	0	0	0	0	0	0	0	1	3	8	17	40	164	127	133	75	49	10	5	1	0
	膀胱	C67	160	0	0	0	0	0	0	0	0	2	5	3	6	5	27	28	26	13	25	14	4	2	0
	腎・尿路（膀胱除く）	C64-C66 C68	190	0	0	0	0	0	0	2	2	2	6	7	13	21	29	24	28	27	18	9	1	1	0
	脳・中枢神経系	C70-C72	56	1	1	0	2	0	3	1	3	2	2	4	4	6	6	6	3	7	5	0	0	0	0
	甲状腺	C73	127	0	0	0	2	1	4	6	9	10	13	12	13	10	14	10	12	3	2	6	0	0	0
	悪性リンパ腫	C81-C85 C96	214	0	0	2	0	0	2	3	3	0	10	9	19	17	18	28	40	33	22	4	1	3	0
	多発性骨髄腫	C88-C90	59	0	0	0	0	0	0	1	0	0	2	2	3	3	12	5	7	9	11	4	0	0	0
	白血病	C91-C95	91	3	0	1	1	4	1	1	3	4	2	4	3	4	11	13	14	9	9	3	1	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表2. 年齢階級別罹患数： 部位別、性別

B. 上皮内がんを含む

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C96 D00-D09	4,181	6	1	1	2	8	6	13	18	40	74	133	254	344	777	705	670	594	384	125	20	6	0	
	食道	C15 D001	155	0	0	0	0	0	0	0	0	2	2	5	15	12	30	24	25	27	8	5	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	746	0	0	0	0	0	0	0	1	3	10	19	34	74	82	137	116	102	100	50	16	2	0	0
	結腸 *2	C18 D010	476	0	0	0	0	0	0	0	0	2	6	9	16	48	57	71	72	70	72	40	11	2	0	0
	直腸 *2	C19-C20 D011-D012	270	0	0	0	0	0	0	0	1	1	4	10	18	26	25	66	44	32	28	10	5	0	0	0
	肺	C33-C34 D021-D022	531	0	0	0	0	0	0	0	0	0	2	3	13	16	43	111	93	101	74	52	20	2	1	0
	皮膚	C43-C44 D030-D049	94	0	0	0	0	0	0	0	1	0	1	2	2	5	5	4	20	16	11	18	7	1	1	0
	乳房	C50 D05	5	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	0	1	2	0	0	0	0	0
	膀胱	C67 D090	242	0	0	0	0	0	0	0	1	1	3	5	5	11	13	39	44	47	29	32	10	0	2	0
	女	全部位	C00-C96 D00-D09	3,206	2	0	2	4	5	34	57	90	144	194	198	205	288	371	367	339	370	299	169	60	8	0
食道		C15 D001	39	0	0	0	0	0	0	0	0	1	2	2	4	6	4	8	4	4	4	4	0	0	0	0
大腸（結腸・直腸）*2		C18-C20 D010-D012	541	0	0	0	0	1	1	0	5	9	11	29	28	49	64	90	65	80	67	29	13	0	0	
結腸 *2		C18 D010	394	0	0	0	0	1	0	0	3	5	6	18	23	29	43	68	47	57	62	20	12	0	0	
直腸 *2		C19-C20 D011-D012	147	0	0	0	0	0	1	0	2	4	5	11	5	20	21	22	18	23	5	9	1	0	0	
肺		C33-C34 D021-D022	237	0	0	0	0	0	0	0	0	1	3	4	7	15	17	55	30	23	42	30	7	3	0	0
皮膚		C43-C44 D030-D049	101	0	0	0	0	0	0	0	0	1	1	6	0	4	10	11	7	9	12	18	13	6	3	0
乳房		C50 D05	712	0	0	0	0	0	0	0	9	25	59	90	77	64	79	97	72	52	41	29	14	4	0	0
子宮		C53-C55 D06	358	0	0	0	0	2	22	37	41	43	41	34	22	28	28	28	27	16	6	5	3	3	0	0
子宮頸部		C53 D06	237	0	0	0	0	2	22	36	38	37	27	14	8	12	13	12	7	2	4	1	2	0	0	
膀胱	C67 D090	70	0	0	0	0	0	0	0	0	1	4	2	3	6	5	9	8	7	13	8	4	0	0		
総数 *3	全部位	C00-C96 D00-D09	7,388	8	1	3	6	13	40	70	108	184	268	331	459	632	1,148	1,072	1,010	964	683	294	80	14	0	
	食道	C15 D001	194	0	0	0	0	0	0	0	0	3	4	7	19	18	34	32	29	31	12	5	0	0	0	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	1,287	0	0	0	0	1	1	1	8	19	30	63	102	131	201	206	167	180	117	45	15	0	0	
	結腸 *2	C18 D010	870	0	0	0	0	1	0	0	5	11	15	34	71	86	114	140	117	129	102	31	14	0	0	
	直腸 *2	C19-C20 D011-D012	417	0	0	0	0	0	1	1	3	8	15	29	31	45	87	66	50	51	15	14	1	0	0	
	肺	C33-C34 D021-D022	769	0	0	0	0	0	0	0	1	5	7	20	31	60	166	123	125	116	82	27	5	1	0	
	皮膚	C43-C44 D030-D049	195	0	0	0	0	0	0	1	1	2	8	2	9	15	15	27	25	23	36	20	7	4	0	
	乳房	C50 D05	717	0	0	0	0	0	0	9	25	59	91	77	64	79	98	72	53	43	29	14	4	0	0	
	子宮	C53-C55 D06	358	0	0	0	0	2	22	37	41	43	41	34	22	28	28	27	16	6	5	3	3	0	0	
	子宮頸部	C53 D06	237	0	0	0	0	2	22	36	38	37	27	14	8	12	13	12	7	2	4	1	2	0	0	
	膀胱	C67 D090	312	0	0	0	0	0	0	1	1	4	9	7	14	19	44	53	55	36	45	18	4	2	0	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C96	940.6	40.0	5.9	5.3	8.7	42.1	31.6	52.4	62.5	113.3	200.0	429.6	811.1	1,031.0	2,123.5	2,808.7	3,055.0	3,660.0	3,946.2	-
	口腔・咽頭	C00-C14	22.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	16.7	22.2	37.0	51.7	61.8	39.1	30.0	60.0	69.2	-
	食道	C15	32.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.7	14.8	44.4	37.9	70.6	87.0	95.0	160.0	100.0	-
	胃	C16	143.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	10.0	26.7	70.4	140.7	151.7	323.5	430.4	415.0	660.0	615.4	-
	大腸（結腸・直腸）	C18-C20	141.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	20.0	33.3	85.2	181.5	175.9	326.5	395.7	415.0	566.7	492.3	-
	結腸	C18	88.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	16.7	44.4	107.4	113.8	161.8	243.5	285.0	406.7	376.9	-
	直腸	C19-C20	53.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	13.3	16.7	40.7	74.1	62.1	164.7	152.2	130.0	160.0	115.4	-
	肝および肝内胆管	C22	66.7	0.0	0.0	0.0	0.0	10.5	0.0	0.0	0.0	0.0	3.3	18.5	74.1	79.3	126.5	208.7	220.0	320.0	284.6	-
	胆のう・胆管	C23-C24	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.4	6.9	38.2	65.2	75.0	113.3	161.5	-
	膵臓	C25	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.3	14.8	25.9	27.6	58.8	104.3	125.0	120.0	200.0	-
	喉頭	C32	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.1	24.1	5.9	26.1	15.0	33.3	15.4	-
	肺	C33-C34	130.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	10.0	48.1	59.3	148.3	326.5	404.3	505.0	493.3	576.9	-
	皮膚	C43-C44	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.3	7.4	18.5	13.8	5.9	82.6	65.0	53.3	192.3	-
	乳房	C50	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	2.9	0.0	5.0	13.3	0.0	-
	前立腺	C61	155.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	10.0	29.6	63.0	137.9	482.4	552.2	665.0	500.0	500.0	-
	膀胱	C67	29.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	3.3	7.4	14.8	13.8	70.6	100.0	110.0	66.7	223.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	32.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	3.3	13.3	22.2	40.7	51.7	64.7	69.6	75.0	140.0	130.8	-
	脳・中枢神経系	C70-C72	5.9	0.0	5.9	0.0	0.0	0.0	5.3	0.0	4.2	3.3	3.3	11.1	0.0	6.9	14.7	17.4	15.0	0.0	15.4	-
	甲状腺	C73	10.1	0.0	0.0	0.0	0.0	0.0	0.0	14.3	12.5	3.3	16.7	18.5	14.8	17.2	23.5	13.0	15.0	6.7	0.0	-
	悪性リンパ腫	C81-C85 C96	31.3	0.0	0.0	5.3	0.0	0.0	5.3	14.3	8.3	0.0	23.3	14.8	37.0	37.9	29.4	82.6	95.0	146.7	138.5	-
	多発性骨髄腫	C88-C90	8.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.0	0.0	3.7	3.7	3.4	26.5	17.4	15.0	40.0	69.2	-
	白血病	C91-C95	15.5	13.3	0.0	0.0	4.3	21.1	5.3	0.0	4.2	10.0	6.7	14.8	7.4	6.9	29.4	39.1	40.0	46.7	53.8	-

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C96	654.0	13.3	0.0	11.1	20.0	11.1	77.8	115.0	226.1	360.7	537.9	611.1	680.8	869.0	954.3	1,230.8	1,270.8	1,609.1	1,758.6	-
	口腔・咽頭	C00-C14	9.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.1	13.8	7.4	15.4	6.9	11.4	0.0	33.3	31.8	31.0	-
	食道	C15	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.9	3.7	11.5	20.7	8.6	23.1	12.5	13.6	13.8	-
	胃	C16	62.3	0.0	0.0	0.0	0.0	0.0	0.0	5.0	4.3	21.4	6.9	33.3	46.2	75.9	85.7	126.9	141.7	218.2	227.6	-
	大腸（結腸・直腸）	C18-C20	106.1	0.0	0.0	0.0	0.0	0.0	5.6	0.0	17.4	21.4	27.6	77.8	73.1	127.6	140.0	288.5	212.5	345.5	355.2	-
	結腸	C18	77.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.0	14.3	10.3	37.0	57.7	75.9	94.3	223.1	162.5	245.5	306.9	-
	直腸	C19-C20	28.3	0.0	0.0	0.0	0.0	0.0	5.6	0.0	4.3	7.1	17.2	40.7	15.4	51.7	45.7	65.4	50.0	100.0	48.3	-
	肝および肝内胆管	C22	28.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	3.8	27.6	22.9	53.8	87.5	118.2	148.3	-
	胆のう・胆管	C23-C24	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	3.8	27.6	5.7	19.2	37.5	77.3	117.2	-
	膵臓	C25	29.7	0.0	0.0	0.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	7.4	19.2	20.7	45.7	61.5	83.3	109.1	124.1	-
	喉頭	C32	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	3.8	12.5	0.0	0.0	-
	肺	C33-C34	55.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	10.7	13.8	25.9	57.7	58.6	157.1	115.4	95.8	190.9	137.9	-
	皮膚	C43-C44	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	20.7	0.0	15.4	27.6	31.4	23.1	29.2	50.0	120.7	-
	乳房	C50	146.7	0.0	0.0	0.0	0.0	0.0	0.0	45.0	100.0	171.4	265.5	240.7	203.8	248.3	254.3	223.1	200.0	163.6	151.7	-
	子宮	C53-C55	43.9	0.0	0.0	0.0	0.0	0.0	11.1	15.0	30.4	53.6	72.4	88.9	69.2	75.9	65.7	84.6	50.0	27.3	37.9	-
	子宮頸部	C53	15.3	0.0	0.0	0.0	0.0	0.0	11.1	10.0	17.4	32.1	24.1	14.8	15.4	20.7	22.9	26.9	12.5	9.1	24.1	-
	子宮体部	C54	28.1	0.0	0.0	0.0	0.0	0.0	0.0	5.0	13.0	21.4	48.3	74.1	53.8	55.2	40.0	53.8	37.5	18.2	13.8	-
	卵巣	C56	19.3	0.0	0.0	0.0	0.0	5.6	22.2	10.0	13.0	14.3	27.6	48.1	30.8	34.5	31.4	23.1	8.3	27.3	13.8	-
	膀胱	C67	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8	3.7	7.7	3.4	8.6	19.2	16.7	13.6	55.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	14.2	0.0	0.0	0.0	0.0	0.0	0.0	5.0	4.3	3.6	6.9	3.7	7.7	20.7	20.0	30.8	54.2	27.3	41.4	-
	脳・中枢神経系	C70-C72	7.5	6.7	0.0	0.0	10.0	0.0	11.1	5.0	8.7	3.6	3.4	3.7	15.4	13.8	2.9	7.7	0.0	31.8	10.3	-
	甲状腺	C73	20.3	0.0	0.0	0.0	10.0	5.6	22.2	15.0	26.1	32.1	27.6	25.9	34.6	17.2	17.1	26.9	37.5	9.1	27.6	-
	悪性リンパ腫	C81-C85 C96	20.5	0.0	0.0	5.6	0.0	0.0	5.6	0.0	4.3	0.0	10.3	18.5	34.6	20.7	22.9	34.6	87.5	50.0	41.4	-
	多発性骨髄腫	C88-C90	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	3.7	7.7	6.9	8.6	3.8	16.7	13.6	20.7	-
	白血病	C91-C95	6.6	6.7	0.0	5.6	0.0	0.0	0.0	5.0	8.7	3.6	0.0	0.0	3.8	6.9	2.9	15.4	25.0	9.1	20.7	-

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C96	794.3	26.7	3.0	8.1	14.0	27.0	54.1	82.9	142.6	232.8	366.1	520.4	747.2	950.0	1,530.4	1,971.4	2,084.1	2,440.5	2,435.7	-
	口腔・咽頭	C00-C14	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	15.3	14.8	26.4	29.3	36.2	18.4	31.8	43.2	42.9	-
	食道	C15	19.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	6.8	9.3	28.3	29.3	39.1	53.1	50.0	73.0	40.5	-
	胃	C16	102.2	0.0	0.0	0.0	0.0	0.0	0.0	2.4	4.3	15.5	16.9	51.9	94.3	113.8	202.9	269.4	265.9	397.3	347.6	-
	大腸（結腸・直腸）	C18-C20	123.5	0.0	0.0	0.0	0.0	0.0	2.7	2.4	10.6	20.7	30.5	81.5	128.3	151.7	231.9	338.8	304.5	435.1	397.6	-
	結腸	C18	83.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.4	10.3	13.6	40.7	83.0	94.8	127.5	232.7	218.2	310.8	328.6	-
	直腸	C19-C20	40.5	0.0	0.0	0.0	0.0	0.0	2.7	2.4	4.3	10.3	16.9	40.7	45.3	56.9	104.3	106.1	86.4	124.3	69.0	-
	肝および肝内胆管	C22	47.3	0.0	0.0	0.0	0.0	5.4	0.0	0.0	0.0	0.0	3.4	9.3	39.6	53.4	73.9	126.5	147.7	200.0	190.5	-
	胆のう・胆管	C23-C24	19.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	5.7	17.2	21.7	40.8	54.5	91.9	131.0	-
	膵臓	C25	31.4	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	3.4	1.7	11.1	22.6	24.1	52.2	81.6	102.3	113.5	147.6	-
	喉頭	C32	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.5	12.1	2.9	14.3	13.6	13.5	4.8	-
	肺	C33-C34	92.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	8.6	11.9	37.0	58.5	103.4	240.6	251.0	284.1	313.5	273.8	-
	皮膚	C43-C44	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.4	11.9	3.7	17.0	20.7	18.8	51.0	45.5	51.4	142.9	-
	乳房	C50	75.5	0.0	0.0	0.0	0.0	0.0	0.0	22.0	48.9	82.8	132.2	120.4	100.0	124.1	130.4	118.4	111.4	102.7	104.8	-
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	8.5	5.6	11.3	8.6	39.1	57.1	59.1	35.1	107.1	-
	腎・尿路（膀胱除く）	C64-C66 C68	22.9	0.0	0.0	0.0	0.0	0.0	0.0	4.9	4.3	3.4	10.2	13.0	24.5	36.2	42.0	49.0	63.6	73.0	69.0	-
	脳・中枢神経系	C70-C72	6.7	3.3	3.0	0.0	4.7	0.0	8.1	2.4	6.4	3.4	3.4	7.4	7.5	10.3	8.7	12.2	6.8	18.9	11.9	-
	甲状腺	C73	15.3	0.0	0.0	0.0	4.7	2.7	10.8	14.6	19.1	17.2	22.0	22.2	24.5	17.2	20.3	20.4	27.3	8.1	19.0	-
	悪性リンパ腫	C81-C85 C96	25.8	0.0	0.0	5.4	0.0	0.0	5.4	7.3	6.4	0.0	16.9	16.7	35.8	29.3	26.1	57.1	90.9	89.2	71.4	-
	多発性骨髄腫	C88-C90	7.1	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	3.4	3.7	5.7	5.2	17.4	10.2	15.9	24.3	35.7	-
	白血病	C91-C95	11.0	10.0	0.0	2.7	2.3	10.8	2.7	2.4	6.4	6.9	3.4	7.4	5.7	6.9	15.9	26.5	31.8	24.3	31.0	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表3-2. 年齢階級別罹患率（人口10万対，85歳以上まるめ）： 部位別、性別

B. 上皮内がんを含む

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳	
男	全部位	C00-C96 D00-D09	1,029.8	40.0	5.9	5.3	8.7	42.1	31.6	61.9	75.0	133.3	246.7	492.6	940.7	1,186.2	2,285.3	3,065.2	3,350.0	3,960.0	4,115.4	-	
	食道	C15 D001	38.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	6.7	18.5	55.6	41.4	88.2	104.3	125.0	180.0	100.0	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	183.7	0.0	0.0	0.0	0.0	0.0	0.0	4.8	12.5	33.3	63.3	125.9	274.1	282.8	402.9	504.3	510.0	666.7	523.1	-	
	結腸 *2	C18 D010	117.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.3	20.0	30.0	59.3	177.8	196.6	208.8	313.0	350.0	480.0	407.7	-	
	直腸 *2	C19-C20 D011-D012	66.5	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	13.3	33.3	66.7	96.3	86.2	194.1	191.3	160.0	186.7	115.4	-	
	肺	C33-C34 D021-D022	130.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	10.0	48.1	59.3	148.3	326.5	404.3	505.0	493.3	576.9	-
	皮膚	C43-C44 D030-D049	23.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	0.0	3.3	6.7	7.4	18.5	17.2	11.8	87.0	80.0	73.3	207.7	-
	乳房	C50 D05	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	2.9	0.0	5.0	13.3	0.0	-
	膀胱	C67 D090	59.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.2	10.0	16.7	18.5	40.7	44.8	114.7	191.3	235.0	193.3	338.5	-
女	全部位	C00-C96 D00-D09	756.1	13.3	0.0	11.1	20.0	27.8	188.9	285.0	391.3	514.3	669.0	733.3	788.5	993.1	1,060.0	1,411.5	1,412.5	1,681.8	1,848.3	-	
	食道	C15 D001	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.9	7.4	15.4	20.7	11.4	30.8	16.7	18.2	13.8	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	127.6	0.0	0.0	0.0	0.0	5.6	5.6	0.0	21.7	32.1	37.9	107.4	107.7	169.0	182.9	346.2	270.8	363.6	375.9	-	
	結腸 *2	C18 D010	92.9	0.0	0.0	0.0	0.0	5.6	0.0	0.0	13.0	17.9	20.7	66.7	88.5	100.0	122.9	261.5	195.8	259.1	324.1	-	
	直腸 *2	C19-C20 D011-D012	34.7	0.0	0.0	0.0	0.0	0.0	5.6	0.0	8.7	14.3	17.2	40.7	19.2	69.0	60.0	84.6	75.0	104.5	51.7	-	
	肺	C33-C34 D021-D022	55.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	10.7	13.8	25.9	57.7	58.6	157.1	115.4	95.8	190.9	137.9	-
	皮膚	C43-C44 D030-D049	23.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	3.6	20.7	0.0	15.4	34.5	31.4	26.9	37.5	54.5	137.9	-
	乳房	C50 D05	167.9	0.0	0.0	0.0	0.0	0.0	0.0	45.0	108.7	210.7	310.3	285.2	246.2	272.4	277.1	276.9	216.7	186.4	162.1	-	
	子宮	C53-C55 D06	84.4	0.0	0.0	0.0	0.0	11.1	122.2	185.0	178.3	153.6	141.4	125.9	84.6	96.6	80.0	103.8	66.7	27.3	37.9	-	
子宮頸部	C53 D06	55.9	0.0	0.0	0.0	0.0	11.1	122.2	180.0	165.2	132.1	93.1	51.9	30.8	41.4	37.1	46.2	29.2	9.1	24.1	-		
膀胱	C67 D090	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	13.8	7.4	11.5	20.7	14.3	34.6	33.3	31.8	86.2	-		
総数 *3	全部位	C00-C96 D00-D09	890.1	26.7	3.0	8.1	14.0	35.1	108.1	170.7	229.8	317.2	454.2	613.0	866.0	1,089.7	1,663.8	2,187.8	2,295.5	2,605.4	2,550.0	-	
	食道	C15 D001	23.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.2	6.8	13.0	35.8	31.0	49.3	65.3	65.9	83.8	40.5	-	
	大腸（結腸・直腸）*2	C18-C20 D010-D012	155.1	0.0	0.0	0.0	0.0	2.7	2.7	2.4	17.0	32.8	50.8	116.7	192.5	225.9	291.3	420.4	379.5	486.5	421.4	-	
	結腸 *2	C18 D010	104.8	0.0	0.0	0.0	0.0	2.7	0.0	0.0	10.6	19.0	25.4	63.0	134.0	148.3	165.2	285.7	265.9	348.6	350.0	-	
	直腸 *2	C19-C20 D011-D012	50.2	0.0	0.0	0.0	0.0	0.0	2.7	2.4	6.4	13.8	25.4	53.7	58.5	77.6	126.1	134.7	113.6	137.8	71.4	-	
	肺	C33-C34 D021-D022	92.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	8.6	11.9	37.0	58.5	103.4	240.6	251.0	284.1	313.5	273.8	-	
	皮膚	C43-C44 D030-D049	23.5	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	3.4	13.6	3.7	17.0	25.9	21.7	55.1	56.8	62.2	159.5	-	
	乳房	C50 D05	86.4	0.0	0.0	0.0	0.0	0.0	0.0	22.0	53.2	101.7	154.2	142.6	120.8	136.2	142.0	146.9	120.5	116.2	111.9	-	
	子宮	C53-C55 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
子宮頸部	C53 D06	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
膀胱	C67 D090	37.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	2.1	6.9	15.3	13.0	26.4	32.8	63.8	108.2	125.0	97.3	164.3	-	

*1 総数は年齢不詳を含む

*2 粘膜がんを含む

*3 総数は男女および性別不詳の合計

表4. 発見経緯 (%) : 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96	6,383	20.3	30.0	0.0	45.1	4.5
口腔・咽頭	C00-C14	130	0.8	25.4	0.0	63.8	10.0
食道	C15	162	17.3	26.5	0.0	52.5	3.7
胃	C16	833	21.5	32.2	0.0	42.9	3.5
大腸（結腸・直腸）	C18-C20	999	20.7	26.4	0.0	48.4	4.4
結腸	C18	670	20.1	30.3	0.0	46.0	3.6
直腸	C19-C20	329	21.9	18.5	0.0	53.5	6.1
肝および肝内胆管	C22	360	10.0	53.3	0.3	28.6	7.8
胆のう・胆管	C23-C24	150	6.7	38.0	0.0	50.0	5.3
膵臓	C25	251	13.1	31.9	0.0	52.2	2.8
喉頭	C32	34	0.0	11.8	0.0	82.4	5.9
肺	C33-C34	740	21.8	44.2	0.1	30.0	3.9
皮膚	C43-C44	167	1.8	12.0	0.0	85.0	1.2
乳房	C50	618	38.3	12.0	0.0	45.3	4.4
乳房（女性のみ）	C50	613	38.5	12.1	0.0	45.0	4.4
子宮	C53-C55	184	17.4	20.1	0.0	59.8	2.7
子宮頸部	C53	64	25.0	10.9	0.0	57.8	6.3
子宮体部	C54	119	13.4	24.4	0.0	61.3	0.8
卵巣	C56	80	11.3	16.3	0.0	70.0	2.5
前立腺	C61	617	34.4	33.5	0.0	25.0	7.1
膀胱	C67	155	4.5	30.3	0.0	60.0	5.2
腎・尿路（膀胱除く）	C64-C66 C68	182	24.7	36.8	0.0	34.1	4.4
脳・中枢神経系	C70-C72	52	3.8	11.5	0.0	80.8	3.8
甲状腺	C73	126	38.1	19.8	0.8	35.7	5.6
悪性リンパ腫	C81-C85 C96	210	9.5	28.1	0.0	61.0	1.4
多発性骨髄腫	C88-C90	53	1.9	28.3	0.0	66.0	3.8
白血病	C91-C95	86	11.6	27.9	0.0	58.1	2.3

*1 DCOを除く総数

表4. 発見経緯 (%) : 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集計対象数 *1	がん検診・健康診断・ 人間ドック	他疾患の 経過観察中	剖検発見	その他	不明
全部位	C00-C96 D00-D09	7,178	22.2	30.0	0.0	43.5	4.3
食道	C15 D001	193	20.2	32.1	0.0	44.6	3.1
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,261	25.6	26.1	0.0	44.4	3.9
結腸 *2	C18 D010	851	25.3	29.4	0.0	42.0	3.4
直腸 *2	C19-C20 D011-D012	410	26.3	19.3	0.0	49.5	4.9
肺	C33-C34 D021-D022	740	21.8	44.2	0.1	30.0	3.9
皮膚	C43-C44 D030-D049	192	1.6	13.0	0.0	84.4	1.0
乳房	C50 D05	708	40.1	13.0	0.0	42.9	4.0
乳房（女性のみ）	C50 D05	703	40.3	13.1	0.0	42.7	4.0
子宮	C53-C55 D06	356	34.3	25.0	0.0	37.6	3.1
子宮頸部	C53 D06	236	44.9	25.0	0.0	25.8	4.2
膀胱	C67 D090	307	7.8	30.9	0.0	57.3	3.9

*1 DCOを除く総数

*2 粘膜がんを含む

表5-1. 進展度・総合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,245	48.4	9.7	12.8	16.9	12.2	22.5
口腔・咽頭	C00-C14	130	33.1	12.3	33.1	8.5	13.1	45.4
食道	C15	162	37.0	13.6	27.2	11.7	10.5	40.7
胃	C16	833	52.2	11.3	7.6	18.5	10.4	18.8
大腸（結腸・直腸）	C18-C20	999	45.0	15.8	12.3	18.7	8.1	28.1
結腸	C18	670	47.3	13.6	13.1	17.3	8.7	26.7
直腸	C19-C20	329	40.4	20.4	10.6	21.6	7.0	31.0
肝および肝内胆管	C22	360	57.8	4.2	8.9	9.2	20.0	13.1
胆のう・胆管	C23-C24	150	15.3	4.7	41.3	20.0	18.7	46.0
膵臓	C25	251	10.4	4.0	28.7	47.4	9.6	32.7
喉頭	C32	34	73.5	8.8	8.8	0.0	8.8	17.6
肺	C33-C34	740	39.3	13.0	5.8	31.5	10.4	18.8
皮膚	C43-C44	167	82.0	0.6	9.0	1.2	7.2	9.6
乳房	C50	618	60.7	19.6	4.4	5.8	9.5	23.9
乳房（女性のみ）	C50	613	61.0	19.4	4.2	5.7	9.6	23.7
子宮	C53-C55	184	59.8	1.6	22.3	12.0	4.3	23.9
子宮頸部	C53	64	45.3	3.1	31.3	10.9	9.4	34.4
子宮体部	C54	119	68.1	0.8	17.6	11.8	1.7	18.5
卵巣	C56	80	33.8	3.8	43.8	6.3	12.5	47.5
前立腺	C61	617	64.0	1.3	13.3	9.2	12.2	14.6
膀胱	C67	155	60.6	2.6	7.1	3.2	26.5	9.7
腎・尿路（膀胱除く）	C64-C66 C68	182	61.0	1.6	17.6	11.5	8.2	19.2
脳・中枢神経系	C70-C72	52	59.6	0.0	7.7	3.8	28.8	7.7
甲状腺	C73	126	50.0	26.2	4.8	4.8	14.3	31.0
悪性リンパ腫	C81-C85 C96	210	28.1	1.0	15.7	37.6	17.6	16.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-1. 進展度・総合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	7,040	10.8	43.3	8.6	11.4	15.0	10.9	20.0
食道	C15 D001	193	16.1	31.1	11.4	22.8	9.8	8.8	34.2
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,261	20.7	35.7	12.5	9.8	14.8	6.5	22.3
結腸 *3	C18 D010	851	21.2	37.3	10.7	10.3	13.6	6.9	21.0
直腸 *3	C19-C20 D011-D012	410	19.8	32.4	16.3	8.5	17.3	5.6	24.9
肺	C33-C34 D021-D022	740	0.0	39.3	13.0	5.8	31.5	10.4	18.8
皮膚	C43-C44 D030-D049	192	13.0	71.4	0.5	7.8	1.0	6.3	8.3
乳房	C50 D05	708	12.7	53.0	17.1	3.8	5.1	8.3	20.9
乳房 (女性のみ)	C50 D05	703	12.8	53.2	16.9	3.7	5.0	8.4	20.6
子宮	C53-C55 D06	356	48.0	30.9	0.8	11.5	6.2	2.5	12.4
子宮頸部	C53 D06	236	72.5	12.3	0.8	8.5	3.0	3.0	9.3
膀胱	C67 D090	307	48.2	30.6	1.3	3.6	1.6	14.7	4.9

*1 DC0、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-2. 進展度・治療前 (%) : 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	6,245	0.8	46.3	6.7	11.0	15.4	19.8	17.7
口腔・咽頭	C00-C14	130	0.8	30.8	10.8	30.8	6.9	20.0	41.5
食道	C15	162	1.2	34.6	12.3	27.8	11.1	13.0	40.1
胃	C16	833	0.6	56.4	7.3	6.1	15.8	13.7	13.4
大腸（結腸・直腸）	C18-C20	999	1.0	41.9	10.6	12.6	16.7	17.1	23.2
結腸	C18	670	0.7	45.1	9.1	11.2	15.7	18.2	20.3
直腸	C19-C20	329	1.5	35.6	13.7	15.5	18.8	14.9	29.2
肝および肝内胆管	C22	360	0.0	55.3	3.9	8.3	9.2	23.3	12.2
胆のう・胆管	C23-C24	150	0.0	18.0	4.0	34.7	19.3	24.0	38.7
膵臓	C25	251	0.0	8.4	2.8	31.5	44.6	12.7	34.3
喉頭	C32	34	0.0	67.6	8.8	5.9	0.0	17.6	14.7
肺	C33-C34	740	0.0	30.7	10.4	4.9	30.0	24.1	15.3
皮膚	C43-C44	167	1.8	65.3	0.0	5.4	1.2	26.3	5.4
乳房	C50	618	3.1	62.9	12.1	3.9	4.4	13.6	16.0
乳房（女性のみ）	C50	613	3.1	63.1	12.1	3.8	4.2	13.7	15.8
子宮	C53-C55	184	2.7	58.7	0.5	14.7	9.2	14.1	15.2
子宮頸部	C53	64	7.8	39.1	1.6	26.6	10.9	14.1	28.1
子宮体部	C54	119	0.0	69.7	0.0	8.4	7.6	14.3	8.4
卵巣	C56	80	0.0	31.3	3.8	18.8	7.5	38.8	22.5
前立腺	C61	617	0.0	65.6	1.3	8.9	8.9	15.2	10.2
膀胱	C67	155	1.9	45.8	0.6	5.2	1.9	44.5	5.8
腎・尿路（膀胱除く）	C64-C66 C68	182	0.0	54.4	2.2	10.4	11.0	22.0	12.6
脳・中枢神経系	C70-C72	52	0.0	53.8	0.0	7.7	3.8	34.6	7.7
甲状腺	C73	126	0.0	60.3	8.7	2.4	5.6	23.0	11.1
悪性リンパ腫	C81-C85 C96	210	0.0	26.7	1.0	15.7	35.7	21.0	16.7
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-	-

*1 DC0、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-2. 進展度・治療前 (%) : 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	7,040	7.4	42.2	5.9	9.8	13.7	21.0	15.7
食道	C15 D001	193	13.5	31.1	10.4	23.3	9.3	12.4	33.7
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,261	12.1	34.5	8.4	10.1	13.2	21.6	18.5
結腸 *3	C18 D010	851	12.3	36.5	7.2	8.9	12.3	22.7	16.1
直腸 *3	C19-C20 D011-D012	410	11.7	30.2	11.0	12.4	15.1	19.5	23.4
肺	C33-C34 D021-D022	740	0.0	30.7	10.4	4.9	30.0	24.1	15.3
皮膚	C43-C44 D030-D049	192	10.9	56.8	0.0	4.7	1.0	26.6	4.7
乳房	C50 D05	708	11.6	57.8	10.6	3.4	3.8	12.9	14.0
乳房 (女性のみ)	C50 D05	703	11.7	57.9	10.5	3.3	3.7	12.9	13.8
子宮	C53-C55 D06	356	46.6	30.6	0.3	7.6	4.8	10.1	7.9
子宮頸部	C53 D06	236	70.3	11.0	0.4	7.2	3.0	8.1	7.6
膀胱	C67 D090	307	17.9	27.4	0.3	2.6	1.0	50.8	2.9

*1 DCO、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表5-3. 進展度・術後 (%) : 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集計対象数 *1	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96	3,892	54.8	10.7	10.2	4.8	19.5	20.9
口腔・咽頭	C00-C14	62	38.7	4.8	19.4	0.0	37.1	24.2
食道	C15	57	59.6	7.0	5.3	0.0	28.1	12.3
胃	C16	620	62.3	12.3	7.7	4.2	13.5	20.0
大腸（結腸・直腸）	C18-C20	853	48.7	16.8	11.8	11.5	11.3	28.6
結腸	C18	587	50.4	15.0	13.6	10.1	10.9	28.6
直腸	C19-C20	266	44.7	20.7	7.9	14.7	12.0	28.6
肝および肝内胆管	C22	141	46.1	0.7	0.0	0.0	53.2	0.7
胆のう・胆管	C23-C24	75	18.7	4.0	50.7	2.7	24.0	54.7
膵臓	C25	93	17.2	7.5	26.9	11.8	36.6	34.4
喉頭	C32	9	33.3	0.0	11.1	0.0	55.6	11.1
肺	C33-C34	373	59.2	11.3	4.0	2.9	22.5	15.3
皮膚	C43-C44	154	82.5	0.6	9.1	0.0	7.8	9.7
乳房	C50	476	66.8	18.7	2.5	0.6	11.3	21.2
乳房（女性のみ）	C50	473	67.0	18.6	2.3	0.6	11.4	20.9
子宮	C53-C55	143	73.4	1.4	13.3	5.6	6.3	14.7
子宮頸部	C53	37	70.3	2.7	10.8	0.0	16.2	13.5
子宮体部	C54	105	75.2	1.0	14.3	7.6	1.9	15.2
卵巣	C56	63	42.9	3.2	44.4	0.0	9.5	47.6
前立腺	C61	187	43.9	0.0	13.4	0.5	42.2	13.4
膀胱	C67	131	57.3	3.1	4.6	1.5	33.6	7.6
腎・尿路（膀胱除く）	C64-C66 C68	152	63.8	0.7	17.1	3.9	14.5	17.8
脳・中枢神経系	C70-C72	34	50.0	0.0	11.8	0.0	38.2	11.8
甲状腺	C73	110	47.3	29.1	3.6	3.6	16.4	32.7
悪性リンパ腫	C81-C85 C96	41	22.0	0.0	2.4	9.8	65.9	2.4
多発性骨髄腫	C88-C90	-	-	-	-	-	-	-
白血病	C91-C95	-	-	-	-	-	-	-

*1 DC0、660：手術なし・術前治療後、777：該当せずを除く総数

*2 リンパ節転移＋隣接臓器浸潤

表5-3. 進展度・術後 (%) : 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集計対象数 *1	上皮内	限局	リンパ節 転移	隣接臓器 浸潤	遠隔転移	不明	領域 *2
全部位	C00-C96 D00-D09	4,656	15.4	46.3	9.0	8.6	4.0	16.8	17.5
食道	C15 D001	83	31.3	41.0	4.8	3.6	0.0	19.3	8.4
大腸 (結腸・直腸) *3	C18-C20 D010-D012	1,115	23.4	37.2	12.8	9.1	8.8	8.7	21.9
結腸 *3	C18 D010	768	23.4	38.5	11.5	10.4	7.7	8.5	21.9
直腸 *3	C19-C20 D011-D012	347	23.3	34.3	15.9	6.1	11.2	9.2	21.9
肺	C33-C34 D021-D022	373	0.0	59.2	11.3	4.0	2.9	22.5	15.3
皮膚	C43-C44 D030-D049	174	10.9	73.0	0.6	8.0	0.0	7.5	8.6
乳房	C50 D05	562	14.9	56.6	15.8	2.1	0.5	10.0	18.0
乳房 (女性のみ)	C50 D05	559	15.0	56.7	15.7	2.0	0.5	10.0	17.7
子宮	C53-C55 D06	309	51.8	34.0	0.6	6.1	2.6	4.9	6.8
子宮頸部	C53 D06	203	78.8	12.8	0.5	2.0	0.0	5.9	2.5
膀胱	C67 D090	279	50.2	26.9	1.4	2.2	0.7	18.6	3.6

*1 DC0、660 : 手術なし・術前治療後、777 : 該当せずを除く総数

*2 リンパ節転移+隣接臓器浸潤

*3 粘膜がんを含む

表6. 初回治療内容割合 (%) : 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96	6,383	31.3	15.3	8.4	11.2	26.2	10.9	4.0	22.6
口腔・咽頭	C00-C14	130	40.0	0.0	2.3	41.5	40.8	0.0	0.0	26.9
食道	C15	162	17.3	14.8	16.7	25.9	42.6	0.6	1.9	22.8
胃	C16	833	28.2	13.4	26.4	0.5	21.7	0.0	1.3	23.6
大腸（結腸・直腸）	C18-C20	999	41.0	30.8	13.5	2.2	26.8	0.1	2.9	15.2
結腸	C18	670	41.5	31.6	13.1	0.4	23.4	0.1	2.8	15.8
直腸	C19-C20	329	40.1	29.2	14.3	5.8	33.7	0.0	3.0	14.0
肝および肝内胆管	C22	360	12.5	6.1	0.0	5.3	23.1	0.3	36.7	37.5
胆のう・胆管	C23-C24	150	32.0	4.7	4.7	0.7	26.7	0.0	6.7	42.7
膵臓	C25	251	23.1	1.6	1.6	3.2	45.4	0.4	3.2	39.8
喉頭	C32	34	11.8	0.0	0.0	76.5	20.6	0.0	5.9	14.7
肺	C33-C34	740	4.5	35.3	0.1	15.8	30.1	0.1	1.4	28.2
皮膚	C43-C44	167	87.4	0.0	0.0	1.2	1.8	0.0	3.0	8.4
乳房	C50	618	78.0	0.0	0.0	33.5	30.3	55.2	0.2	9.4
乳房（女性のみ）	C50	613	78.1	0.0	0.0	33.4	30.3	55.1	0.2	9.5
子宮	C53-C55	184	48.9	26.6	0.0	12.0	37.5	1.1	0.0	10.3
子宮頸部	C53	64	34.4	17.2	0.0	34.4	39.1	0.0	0.0	15.6
子宮体部	C54	119	57.1	31.9	0.0	0.0	37.0	1.7	0.0	6.7
卵巣	C56	80	72.5	10.0	0.0	0.0	47.5	0.0	1.3	11.3
前立腺	C61	617	5.3	13.9	0.6	16.9	1.5	54.5	0.8	18.6
膀胱	C67	155	12.9	0.0	75.5	1.9	23.2	0.0	7.7	20.0
腎・尿路（膀胱除く）	C64-C66 C68	182	23.6	48.9	3.3	3.3	7.1	0.0	0.5	20.3
脳・中枢神経系	C70-C72	52	50.0	0.0	0.0	40.4	34.6	0.0	1.9	34.6
甲状腺	C73	126	74.6	0.0	0.0	4.0	4.0	7.9	0.0	22.2
悪性リンパ腫	C81-C85 C96	210	6.2	1.0	0.0	11.0	62.4	1.9	2.4	30.0
多発性骨髄腫	C88-C90	53	0.0	0.0	0.0	9.4	52.8	0.0	7.5	43.4
白血病	C91-C95	86	0.0	0.0	0.0	2.3	59.3	0.0	4.7	39.5

*1 DCOを除く総数

重複を含むため合計は100%にならない

表6. 初回治療内容割合 (%) : 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集計対象数 *1	外科的 治療	鏡視下 治療	内視鏡的 治療	放射線 療法	化学 療法	内分泌 療法	その他 の治療	特異的治療なし ・不明
全部位	C00-C96 D00-D09	7,178	31.8	14.5	13.1	10.4	23.6	9.9	3.9	20.6
食道	C15 D001	193	14.5	12.4	27.5	21.8	35.8	0.5	1.6	21.8
大腸 (結腸・直腸) *2	C18-C20 D010-D012	1,261	33.2	25.9	29.3	1.7	21.3	0.1	2.3	12.1
結腸 *2	C18 D010	851	33.5	26.3	29.3	0.4	18.4	0.1	2.2	12.6
直腸 *2	C19-C20 D011-D012	410	32.7	25.1	29.3	4.6	27.1	0.0	2.4	11.2
肺	C33-C34 D021-D022	740	4.5	35.3	0.1	15.8	30.1	0.1	1.4	28.2
皮膚	C43-C44 D030-D049	192	86.5	0.0	0.0	1.0	1.6	0.0	4.2	8.3
乳房	C50 D05	708	80.1	0.1	0.0	32.9	26.7	50.0	0.1	8.5
乳房 (女性のみ)	C50 D05	703	80.2	0.1	0.0	32.9	26.7	49.9	0.1	8.5
子宮	C53-C55 D06	356	64.6	19.4	0.0	6.2	19.4	0.6	0.0	8.7
子宮頸部	C53 D06	236	68.6	13.1	0.0	9.3	10.6	0.0	0.0	9.3
膀胱	C67 D090	307	7.8	0.0	83.1	1.0	16.0	0.0	9.8	12.7

*1 DCOを除く総数

*2 粘膜がんを含む

重複を含むため合計は100%にならない

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集約対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96	3,407	88.1	10.4	1.6
口腔・咽頭	C00-C14	55	69.1	25.5	5.5
食道	C15	77	92.2	6.5	1.3
胃	C16	550	94.4	5.3	0.4
大腸（結腸・直腸）	C18-C20	795	91.3	7.7	1.0
結腸	C18	536	92.4	6.2	1.5
直腸	C19-C20	259	89.2	10.8	0.0
肝および肝内胆管	C22	67	92.5	7.5	0.0
胆のう・胆管	C23-C24	60	80.0	16.7	3.3
膵臓	C25	66	72.7	27.3	0.0
喉頭	C32	4	75.0	25.0	0.0
肺	C33-C34	292	95.5	3.8	0.7
皮膚	C43-C44	146	90.4	8.9	0.7
乳房	C50	482	94.8	4.4	0.8
乳房（女性のみ）	C50	479	94.8	4.4	0.8
子宮	C53-C55	139	90.6	9.4	0.0
子宮頸部	C53	33	90.9	9.1	0.0
子宮体部	C54	106	90.6	9.4	0.0
卵巣	C56	66	83.3	13.6	3.0
前立腺	C61	123	71.5	27.6	0.8
膀胱	C67	120	40.8	47.5	11.7
腎・尿路（膀胱除く）	C64-C66 C68	135	94.1	4.4	1.5
脳・中枢神経系	C70-C72	26	57.7	42.3	0.0
甲状腺	C73	94	90.4	5.3	4.3
悪性リンパ腫	C81-C85 C96	15	46.7	46.7	6.7
多発性骨髄腫	C88-C90	0	-	-	-
白血病	C91-C95	0	-	-	-

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

表7. 外科的・鏡視下・内視鏡的治療の範囲（%）： 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集約対象数 *1	腫瘍遺残なし	腫瘍遺残あり	不明
全部位	C00-C96 D00-D09	4,156	89.3	9.3	1.4
食道	C15 D001	103	93.2	5.8	1.0
大腸（結腸・直腸）*2	C18-C20 D010-D012	1,056	92.7	6.3	0.9
結腸 *2	C18 D010	716	93.3	5.3	1.4
直腸 *2	C19-C20 D011-D012	340	91.5	8.5	0.0
肺	C33-C34 D021-D022	292	95.5	3.8	0.7
皮膚	C43-C44 D030-D049	166	91.0	8.4	0.6
乳房	C50 D05	568	95.2	4.0	0.7
乳房（女性のみ）	C50 D05	565	95.2	4.1	0.7
子宮	C53-C55 D06	299	91.3	8.4	0.3
子宮頸部	C53 D06	193	91.7	7.8	0.5
膀胱	C67 D090	262	68.3	25.6	6.1

*1 外科的、鏡視下、内視鏡的治療のいずれかが 1：あり

*2 粘膜がんを含む

表8. 精度指標： 部位別、性別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96	0.38	0.36	0.37	5.3	6.6	5.9	2.8	3.8	3.2	83.8	83.4	83.6	79.8	79.9	79.9
口腔・咽頭	C00-C14	0.38	0.33	0.37	2.2	7.1	3.8	1.1	4.8	2.3	90.1	83.3	88.0	87.9	81.0	85.7
食道	C15	0.51	0.25	0.46	2.3	0.0	1.8	0.8	0.0	0.6	93.9	90.6	93.3	93.1	90.6	92.6
胃	C16	0.33	0.41	0.36	3.1	6.8	4.2	1.7	1.9	1.8	95.0	90.2	93.5	94.9	90.2	93.4
大腸（結腸・直腸）	C18-C20	0.34	0.34	0.34	2.8	6.4	4.4	1.4	4.0	2.5	92.2	87.6	90.1	91.8	87.1	89.8
結腸	C18	0.35	0.35	0.35	2.8	7.3	4.9	0.8	4.8	2.8	92.2	85.5	89.0	91.6	84.8	88.4
直腸	C19-C20	0.32	0.33	0.33	2.8	4.2	3.3	2.3	1.7	2.1	92.1	93.3	92.6	92.1	93.3	92.6
肝および肝内胆管	C22	0.56	0.69	0.60	10.7	18.0	13.0	6.6	12.3	8.4	35.4	23.8	31.8	34.3	23.0	30.8
胆のう・胆管	C23-C24	0.74	1.06	0.90	9.3	23.1	15.9	2.3	15.4	8.5	67.4	52.6	60.4	55.8	41.0	48.8
膵臓	C25	0.76	0.90	0.83	11.9	11.1	11.5	3.7	4.0	3.8	54.1	40.5	47.5	45.9	37.3	41.8
喉頭	C32	0.21	0.00	0.18	0.0	0.0	0.0	0.0	0.0	0.0	93.1	100.0	94.1	93.1	100.0	94.1
肺	C33-C34	0.61	0.54	0.59	9.4	8.9	9.2	3.8	3.8	3.8	79.8	81.9	80.5	70.2	71.3	70.6
皮膚	C43-C44	0.11	0.09	0.10	1.3	2.2	1.8	1.3	2.2	1.8	97.5	95.6	96.5	97.5	95.6	96.5
乳房	C50	0.00	0.13	0.12	0.0	2.1	2.1	0.0	1.4	1.4	100.0	96.0	96.0	100.0	95.7	95.7
子宮	C53-C55	-	0.16	0.16	-	1.1	1.1	-	1.1	1.1	-	95.7	95.7	-	95.2	95.2
子宮頸部	C53	-	0.18	0.18	-	1.5	1.5	-	1.5	1.5	-	93.8	93.8	-	93.8	93.8
子宮体部	C54	-	0.09	0.09	-	0.0	0.0	-	0.0	0.0	-	98.3	98.3	-	97.5	97.5
卵巣	C56	-	0.27	0.27	-	2.4	2.4	-	2.4	2.4	-	92.7	92.7	-	87.8	87.8
前立腺	C61	0.12	-	0.12	3.0	-	3.0	2.5	-	2.5	88.9	-	88.9	88.5	-	88.5
膀胱	C67	0.25	0.46	0.30	4.1	5.1	4.4	2.5	5.1	3.1	89.3	89.7	89.4	67.8	76.9	70.0
腎・尿路（膀胱除く）	C64-C66 C68	0.26	0.38	0.30	2.3	10.0	4.7	1.5	10.0	4.2	87.7	73.3	83.2	82.3	68.3	77.9
脳・中枢神経系	C70-C72	0.38	0.16	0.25	16.7	6.3	10.7	8.3	6.3	7.1	62.5	59.4	60.7	62.5	59.4	60.7
甲状腺	C73	0.07	0.14	0.12	2.4	1.2	1.6	0.0	1.2	0.8	100.0	93.0	95.3	85.4	80.2	81.9
悪性リンパ腫	C81-C85 C96	0.44	0.47	0.45	4.7	6.9	5.6	2.4	1.1	1.9	92.1	86.2	89.7	90.6	79.3	86.0
多発性骨髄腫	C88-C90	0.51	0.58	0.54	17.1	16.7	16.9	11.4	8.3	10.2	74.3	83.3	78.0	62.9	79.2	69.5
白血病	C91-C95	0.52	0.93	0.65	9.5	21.4	13.2	4.8	7.1	5.5	93.7	96.4	94.5	65.1	50.0	60.4

*1 総数は男女および性別不詳の合計

表8. 精度指標： 部位別、性別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	死亡／罹患比 (MI比)			死亡情報のみの症例および遡り調査で「がん」が確認された症例 DCI (%)			死亡情報のみの症例 DCO (%)			病理学的裏付けのある症例 MV (%)			組織学的裏付けのある症例 HV (%)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	C00-C96 D00-D09	0.35	0.32	0.33	4.9	5.7	5.3	2.5	3.2	2.8	85.2	85.7	85.4	81.5	82.5	81.9
食道	C15 D001	0.43	0.21	0.39	1.9	0.0	1.5	0.6	0.0	0.5	94.8	92.3	94.3	94.2	92.3	93.8
大腸 (結腸・直腸) *2	C18-C20 D010-D012	0.26	0.28	0.27	2.1	5.4	3.5	1.1	3.3	2.0	94.0	89.6	92.2	93.7	89.3	91.8
結腸 *2	C18 D010	0.26	0.29	0.27	2.1	6.1	3.9	0.6	4.1	2.2	94.1	87.8	91.3	93.7	87.3	90.8
直腸 *2	C19-C20 D011-D012	0.26	0.27	0.26	2.2	3.4	2.6	1.9	1.4	1.7	93.7	94.6	94.0	93.7	94.6	94.0
肺	C33-C34 D021-D022	0.61	0.54	0.59	9.4	8.9	9.2	3.8	3.8	3.8	79.8	81.9	80.5	70.2	71.3	70.6
皮膚	C43-C44 D030-D049	0.10	0.08	0.09	1.1	2.0	1.5	1.1	2.0	1.5	97.9	96.0	96.9	97.9	96.0	96.9
乳房	C50 D05	0.00	0.11	0.11	0.0	1.8	1.8	0.0	1.3	1.3	100.0	96.5	96.5	100.0	96.2	96.2
子宮	C53-C55 D06	-	0.08	0.08	-	0.6	0.6	-	0.6	0.6	-	97.8	97.8	-	97.5	97.5
子宮頸部	C53 D06	-	0.05	0.05	-	0.4	0.4	-	0.4	0.4	-	98.3	98.3	-	98.3	98.3
膀胱	C67 D090	0.12	0.26	0.15	2.1	2.9	2.2	1.2	2.9	1.6	94.6	94.3	94.6	83.1	81.4	82.7

*1 総数は男女および性別不詳の合計

*2 粘膜がんを含む

表9. 死亡数、部位割合（%）、粗死亡率（人口10万対）、年齢調整死亡率（人口10万対）、累積死亡率（%）： 部位別、性別

山梨県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	C00-C97	1,457	1,010	2,467	100.0	100.0	100.0	363.3	242.2	301.6	145.0	79.4	107.8	97.6	55.9	74.0	10.3	5.9	8.0
口腔・咽頭	C00-C14	35	14	49	2.4	1.4	2.0	8.7	3.4	6.0	3.4	1.1	2.1	2.3	0.8	1.5	0.2	0.1	0.2
食道	C15	67	8	75	4.6	0.8	3.0	16.7	1.9	9.2	6.7	0.9	3.4	4.4	0.6	2.3	0.5	0.1	0.3
胃	C16	195	107	302	13.4	10.6	12.2	48.6	25.7	36.9	20.3	7.7	13.4	13.7	5.3	9.2	1.4	0.6	1.0
大腸（結腸・直腸）	C18-C20	194	154	348	13.3	15.2	14.1	48.4	36.9	42.5	20.6	10.9	15.4	14.2	7.3	10.6	1.7	0.7	1.2
結腸	C18	124	114	238	8.5	11.3	9.6	30.9	27.3	29.1	12.5	7.8	9.9	8.4	5.2	6.7	0.9	0.5	0.7
直腸	C19-C20	70	40	110	4.8	4.0	4.5	17.5	9.6	13.4	8.1	3.2	5.5	5.8	2.1	3.9	0.8	0.2	0.5
肝および肝内胆管	C22	153	84	237	10.5	8.3	9.6	38.2	20.1	29.0	15.4	4.9	9.7	10.1	3.1	6.3	1.2	0.2	0.7
胆のう・胆管	C23-C24	64	83	147	4.4	8.2	6.0	16.0	19.9	18.0	5.3	4.6	4.9	3.3	3.2	3.2	0.3	0.3	0.3
膵臓	C25	102	114	216	7.0	11.3	8.8	25.4	27.3	26.4	10.6	8.0	9.2	7.4	5.2	6.2	0.8	0.5	0.7
喉頭	C32	6	0	6	0.4	0.0	0.2	1.5	0.0	0.7	0.7	0.0	0.4	0.5	0.0	0.2	0.1	0.0	0.0
肺	C33-C34	324	129	453	22.2	12.8	18.4	80.8	30.9	55.4	31.5	9.2	19.1	21.0	6.2	12.8	2.2	0.8	1.5
皮膚	C43-C44	9	8	17	0.6	0.8	0.7	2.2	1.9	2.1	0.9	0.5	0.7	0.7	0.4	0.5	0.1	0.0	0.1
乳房	C50	0	78	78	0.0	7.7	3.2	0.0	18.7	9.5	0.0	10.5	5.4	0.0	7.9	4.0	0.0	0.8	0.4
子宮	C53-C55	-	29	29	-	2.9	1.2	-	7.0	-	-	4.2	-	-	3.3	-	-	0.4	-
子宮頸部	C53	-	12	12	-	1.2	0.5	-	2.9	-	-	2.2	-	-	1.8	-	-	0.2	-
子宮体部	C54	-	11	11	-	1.1	0.4	-	2.6	-	-	1.3	-	-	1.0	-	-	0.2	-
卵巣	C56	-	22	22	-	2.2	0.9	-	5.3	-	-	3.1	-	-	2.4	-	-	0.3	-
前立腺	C61	74	-	74	5.1	-	3.0	18.5	-	-	5.1	-	-	3.3	-	-	0.1	-	-
膀胱	C67	30	18	48	2.1	1.8	1.9	7.5	4.3	5.9	2.7	1.1	1.8	1.7	0.8	1.2	0.1	0.1	0.1
腎・尿路（膀胱除く）	C64-C66 C68	34	23	57	2.3	2.3	2.3	8.5	5.5	7.0	3.4	1.3	2.2	2.3	0.9	1.5	0.3	0.1	0.2
脳・中枢神経系	C70-C72	9	5	14	0.6	0.5	0.6	2.2	1.2	1.7	1.4	0.4	0.9	1.0	0.3	0.7	0.1	0.1	0.1
甲状腺	C73	3	12	15	0.2	1.2	0.6	0.7	2.9	1.8	0.3	0.7	0.5	0.2	0.5	0.4	0.0	0.0	0.0
悪性リンパ腫	C81-C85 C96	56	41	97	3.8	4.1	3.9	14.0	9.8	11.9	6.1	2.6	4.3	4.3	1.8	3.0	0.5	0.2	0.3
多発性骨髄腫	C88-C90	18	14	32	1.2	1.4	1.3	4.5	3.4	3.9	1.7	1.3	1.4	1.1	0.9	1.0	0.1	0.1	0.1
白血病	C91-C95	33	26	59	2.3	2.6	2.4	8.2	6.2	7.2	3.4	2.8	3.0	2.1	2.3	2.1	0.2	0.3	0.2

*1 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	全部位	C00-C97	1,457	0	0	0	0	1	0	1	1	7	13	22	48	91	173	205	223	288	256	96	29	3	0
	口腔・咽頭	C00-C14	35	0	0	0	0	0	0	0	0	0	0	0	2	3	7	2	4	7	7	3	0	0	0
	食道	C15	67	0	0	0	0	0	0	0	0	0	0	0	4	5	7	12	6	18	12	3	0	0	0
	胃	C16	195	0	0	0	0	0	0	1	1	0	4	5	7	10	26	23	32	41	29	11	5	0	0
	大腸（結腸・直腸）	C18-C20	194	0	0	0	0	0	0	0	0	1	1	5	8	14	34	31	30	29	31	9	1	0	0
	結腸	C18	124	0	0	0	0	0	0	0	0	1	0	3	5	6	17	18	21	23	22	7	1	0	0
	直腸	C19-C20	70	0	0	0	0	0	0	0	0	0	1	2	3	8	17	13	9	6	9	2	0	0	0
	肝および肝内胆管	C22	153	0	0	0	0	0	0	0	0	0	0	2	6	9	17	30	21	38	22	4	4	0	0
	胆のう・胆管	C23-C24	64	0	0	0	0	0	0	0	0	0	0	0	0	1	7	7	12	16	13	6	2	0	0
	膵臓	C25	102	0	0	0	0	0	0	0	0	1	0	1	4	11	15	15	15	16	18	6	0	0	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0	0	1	0	0	0
	肺	C33-C34	324	0	0	0	0	0	0	0	0	1	4	4	8	16	40	48	53	64	55	24	7	0	0
	皮膚	C43-C44	9	0	0	0	0	0	0	0	0	0	0	0	1	0	1	3	0	0	3	0	1	0	0
	乳房	C50	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	前立腺	C61	74	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	9	15	24	14	5	0	0
	膀胱	C67	30	0	0	0	0	0	0	0	0	1	0	0	0	1	3	1	9	6	4	3	1	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	34	0	0	0	0	0	0	0	0	0	0	0	1	4	3	7	3	8	5	2	1	0	0
	脳・中枢神経系	C70-C72	9	0	0	0	0	0	0	0	0	0	0	1	3	0	2	2	1	0	0	0	0	0	0
	甲状腺	C73	3	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	1	0	0	0	0	0
	悪性リンパ腫	C81-C85 C96	56	0	0	0	0	0	0	0	0	3	3	1	6	2	9	4	14	9	4	0	1	0	0
	多発性骨髄腫	C88-C90	18	0	0	0	0	0	0	0	0	0	0	0	1	1	1	4	1	3	6	1	0	0	0
	白血病	C91-C95	33	0	0	0	0	0	0	0	0	2	0	0	0	1	1	5	12	5	4	1	2	0	0

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	1,010	0	0	1	0	0	1	4	4	6	20	25	24	49	94	106	118	176	195	137	42	8	0
	口腔・咽頭	C00-C14	14	0	0	0	0	0	0	0	1	0	0	0	0	1	2	0	3	0	3	0	2	2	0
	食道	C15	8	0	0	0	0	0	0	1	0	0	0	0	0	0	2	0	2	0	1	2	0	0	0
	胃	C16	107	0	0	0	0	0	0	0	0	1	2	2	2	3	12	12	12	15	22	17	5	2	0
	大腸（結腸・直腸）	C18-C20	154	0	0	0	0	0	0	0	1	0	1	2	5	6	10	17	23	30	29	23	7	0	0
	結腸	C18	114	0	0	0	0	0	0	0	1	0	1	2	4	3	6	11	14	22	26	17	7	0	0
	直腸	C19-C20	40	0	0	0	0	0	0	0	0	0	0	0	1	3	4	6	9	8	3	6	0	0	0
	肝および肝内胆管	C22	84	0	0	0	0	0	0	0	0	1	0	1	0	5	1	5	8	26	20	13	4	0	0
	胆のう・胆管	C23-C24	83	0	0	0	0	0	0	0	0	0	1	0	1	4	6	5	5	16	21	21	3	0	0
	膵臓	C25	114	0	0	0	0	0	0	0	0	0	0	1	5	1	14	10	22	22	24	13	2	0	0
	喉頭	C32	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
	肺	C33-C34	129	0	0	0	0	0	0	0	0	1	0	1	2	6	12	22	14	25	24	16	5	1	0
	皮膚	C43-C44	8	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	0	1	2	0	2	1	0
	乳房	C50	78	0	0	0	0	0	0	2	2	1	4	9	5	9	7	7	9	7	6	5	5	0	0
	子宮	C53-C55	29	0	0	0	0	0	0	0	0	0	7	2	1	1	8	4	2	0	0	2	2	0	0
	子宮頸部	C53	12	0	0	0	0	0	0	0	0	0	5	1	1	1	2	0	1	0	0	0	1	0	0
	子宮体部	C54	11	0	0	0	0	0	0	0	0	0	1	1	0	0	4	3	0	0	0	1	1	0	0
	卵巣	C56	22	0	0	0	0	0	0	0	0	2	2	2	0	2	4	4	3	1	0	0	2	0	0
	膀胱	C67	18	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1	1	6	2	2	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	23	0	0	0	0	0	0	0	0	0	0	1	0	0	3	1	2	2	9	5	0	0	0
	脳・中枢神経系	C70-C72	5	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	0	0	2	0	0	0	0
	甲状腺	C73	12	0	0	0	0	0	0	0	0	0	0	1	0	0	0	1	2	0	3	5	0	0	0
	悪性リンパ腫	C81-C85 C96	41	0	0	0	0	0	0	0	0	0	1	0	1	3	1	3	2	13	12	3	0	2	0
	多発性骨髄腫	C88-C90	14	0	0	0	0	0	0	0	0	0	1	1	0	1	0	1	3	4	2	1	0	0	0
	白血病	C91-C95	26	0	0	1	0	0	0	0	0	0	1	0	1	4	3	4	3	3	4	2	0	0	0

表10. 年齢階級別死亡数： 部位別、性別

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	2,467	0	0	1	0	1	1	5	5	13	33	47	72	140	267	311	341	464	451	233	71	11	0
	口腔・咽頭	C00-C14	49	0	0	0	0	0	0	0	1	0	0	0	2	4	9	2	7	7	10	3	2	2	0
	食道	C15	75	0	0	0	0	0	0	1	0	0	0	0	4	5	9	12	8	18	13	5	0	0	0
	胃	C16	302	0	0	0	0	0	0	1	1	1	6	7	9	13	38	35	44	56	51	28	10	2	0
	大腸（結腸・直腸）	C18-C20	348	0	0	0	0	0	0	0	1	1	2	7	13	20	44	48	53	59	60	32	8	0	0
	結腸	C18	238	0	0	0	0	0	0	0	1	1	1	5	9	9	23	29	35	45	48	24	8	0	0
	直腸	C19-C20	110	0	0	0	0	0	0	0	0	0	1	2	4	11	21	19	18	14	12	8	0	0	0
	肝および肝内胆管	C22	237	0	0	0	0	0	0	0	0	1	0	3	6	14	18	35	29	64	42	17	8	0	0
	胆のう・胆管	C23-C24	147	0	0	0	0	0	0	0	0	0	1	0	1	5	13	12	17	32	34	27	5	0	0
	膵臓	C25	216	0	0	0	0	0	0	0	0	1	0	2	9	12	29	25	37	38	42	19	2	0	0
	喉頭	C32	6	0	0	0	0	0	0	0	0	0	0	0	1	1	0	1	2	0	0	1	0	0	0
	肺	C33-C34	453	0	0	0	0	0	0	0	0	2	4	5	10	22	52	70	67	89	79	40	12	1	0
	皮膚	C43-C44	17	0	0	0	0	0	0	0	0	0	0	1	1	0	2	3	0	1	5	0	3	1	0
	乳房	C50	78	0	0	0	0	0	0	2	2	1	4	9	5	9	7	7	9	7	6	5	5	0	0
	子宮	C53-C55	29	0	0	0	0	0	0	0	0	0	7	2	1	1	8	4	2	0	0	2	2	0	0
	子宮頸部	C53	12	0	0	0	0	0	0	0	0	0	5	1	1	1	2	0	1	0	0	0	1	0	0
	子宮体部	C54	11	0	0	0	0	0	0	0	0	0	1	1	0	0	4	3	0	0	0	1	1	0	0
	卵巣	C56	22	0	0	0	0	0	0	0	0	2	2	2	0	2	4	4	3	1	0	0	2	0	0
	前立腺	C61	74	0	0	0	0	0	0	0	0	0	0	0	0	2	3	2	9	15	24	14	5	0	0
	膀胱	C67	48	0	0	0	0	0	0	0	0	1	0	0	1	1	5	4	10	7	10	5	3	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	57	0	0	0	0	0	0	0	0	0	0	1	1	4	6	8	5	10	14	7	1	0	0
	脳・中枢神経系	C70-C72	14	0	0	0	0	0	0	0	0	0	0	1	3	0	3	4	1	0	2	0	0	0	0
	甲状腺	C73	15	0	0	0	0	0	0	0	0	0	0	1	0	0	1	1	3	1	3	5	0	0	0
	悪性リンパ腫	C81-C85 C96	97	0	0	0	0	0	0	0	0	0	4	3	2	9	3	12	6	27	21	7	0	3	0
	多発性骨髄腫	C88-C90	32	0	0	0	0	0	0	0	0	0	1	1	1	2	1	5	4	7	8	2	0	0	0
	白血病	C91-C95	59	0	0	1	0	0	0	0	0	2	1	0	1	5	4	9	15	8	8	3	2	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	363.3	0.0	0.0	0.0	0.0	5.3	0.0	4.8	4.3	24.1	43.3	81.5	184.6	313.8	508.8	891.3	1,115.0	1,920.0	2,953.8	-
	口腔・咽頭	C00-C14	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	10.3	20.6	8.7	20.0	46.7	76.9	-
	食道	C15	16.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.4	17.2	20.6	52.2	30.0	120.0	115.4	-
	胃	C16	48.6	0.0	0.0	0.0	0.0	0.0	0.0	4.8	4.3	0.0	13.3	18.5	26.9	34.5	76.5	100.0	160.0	273.3	346.2	-
	大腸（結腸・直腸）	C18-C20	48.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	3.3	18.5	30.8	48.3	100.0	134.8	150.0	193.3	315.4	-
	結腸	C18	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	11.1	19.2	20.7	50.0	78.3	105.0	153.3	230.8	-
	直腸	C19-C20	17.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	7.4	11.5	27.6	50.0	56.5	45.0	40.0	84.6	-
	肝および肝内胆管	C22	38.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	23.1	31.0	50.0	130.4	105.0	253.3	230.8	-
	胆のう・胆管	C23-C24	16.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	20.6	30.4	60.0	106.7	161.5	-
	膵臓	C25	25.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	3.7	15.4	37.9	44.1	65.2	75.0	106.7	184.6	-
	喉頭	C32	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.4	0.0	4.3	10.0	0.0	7.7	-
	肺	C33-C34	80.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	13.3	14.8	30.8	55.2	117.6	208.7	265.0	426.7	661.5	-
	皮膚	C43-C44	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	2.9	13.0	0.0	0.0	30.8	-
	乳房	C50	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	-
	前立腺	C61	18.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	8.8	8.7	45.0	100.0	330.8	-
	膀胱	C67	7.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	0.0	0.0	0.0	3.4	8.8	4.3	45.0	40.0	69.2	-
	腎・尿路（膀胱除く）	C64-C66 C68	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	13.8	8.8	30.4	15.0	53.3	61.5	-
	脳・中枢神経系	C70-C72	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	11.5	0.0	5.9	8.7	5.0	0.0	0.0	-
	甲状腺	C73	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	5.0	6.7	0.0	-
	悪性リンパ腫	C81-C85 C96	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	11.1	3.8	20.7	5.9	39.1	20.0	93.3	107.7	-
	多発性骨髄腫	C88-C90	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	3.4	2.9	17.4	5.0	20.0	53.8	-
	白血病	C91-C95	8.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	0.0	0.0	0.0	3.4	2.9	21.7	60.0	33.3	53.8	-

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	242.2	0.0	0.0	5.6	0.0	0.0	5.9	21.1	18.2	22.2	71.4	96.2	92.3	169.0	268.6	407.7	491.7	800.0	1,317.2	.
	口腔・咽頭	C00-C14	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	3.4	5.7	0.0	12.5	0.0	24.1	.
	食道	C15	1.9	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.0	8.3	0.0	10.3	.
	胃	C16	25.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	7.1	7.7	7.7	10.3	34.3	46.2	50.0	68.2	158.6	.
	大腸（結腸・直腸）	C18-C20	36.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.6	7.7	19.2	20.7	28.6	65.4	95.8	136.4	203.4	.
	結腸	C18	27.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	0.0	3.6	7.7	15.4	10.3	17.1	42.3	58.3	100.0	172.4	.
	直腸	C19-C20	9.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	10.3	11.4	23.1	37.5	36.4	31.0	.
	肝および肝内胆管	C22	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.8	0.0	17.2	2.9	19.2	33.3	118.2	127.6	.
	胆のう・胆管	C23-C24	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.8	13.8	17.1	19.2	20.8	72.7	155.2	.
	膵臓	C25	27.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	19.2	3.4	40.0	38.5	91.7	100.0	134.5	.
	喉頭	C32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	.
	肺	C33-C34	30.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.8	7.7	20.7	34.3	84.6	58.3	113.6	158.6	.
	皮膚	C43-C44	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	2.9	0.0	0.0	4.5	17.2	.
	乳房	C50	18.7	0.0	0.0	0.0	0.0	0.0	0.0	10.5	9.1	3.7	14.3	34.6	19.2	31.0	20.0	26.9	37.5	31.8	55.2	.
	子宮	C53-C55	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25.0	7.7	3.8	3.4	22.9	15.4	8.3	0.0	13.8	.
	子宮頸部	C53	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	3.8	3.8	3.4	5.7	0.0	4.2	0.0	3.4	.
	子宮体部	C54	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.8	0.0	0.0	11.4	11.5	0.0	0.0	6.9	.
	卵巣	C56	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	7.1	7.7	0.0	6.9	11.4	15.4	12.5	4.5	6.9	.
	膀胱	C67	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	5.7	11.5	4.2	4.5	34.5	.
	腎・尿路（膀胱除く）	C64-C66 C68	5.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	8.6	3.8	8.3	9.1	48.3	.
	脳・中枢神経系	C70-C72	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7.7	0.0	0.0	6.9	.
	甲状腺	C73	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	3.8	8.3	0.0	27.6	.
	悪性リンパ腫	C81-C85 C96	9.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.8	10.3	2.9	11.5	8.3	59.1	58.6	.
	多発性骨髄腫	C88-C90	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	3.8	0.0	3.4	0.0	3.8	12.5	18.2	10.3	.
	白血病	C91-C95	6.2	0.0	0.0	5.6	0.0	0.0	0.0	0.0	0.0	0.0	3.6	0.0	3.8	13.8	8.6	15.4	12.5	13.6	20.7	.

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

山梨県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	301.6	0.0	0.0	2.7	0.0	2.7	2.8	12.5	11.1	23.2	56.9	88.7	138.5	241.4	387.0	634.7	775.0	1,254.1	1,823.8	.
	口腔・咽頭	C00-C14	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	3.8	6.9	13.0	4.1	15.9	18.9	40.5	.
	食道	C15	9.2	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	7.7	8.6	13.0	24.5	18.2	48.6	42.9	.
	胃	C16	36.9	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2.2	1.8	10.3	13.2	17.3	22.4	55.1	71.4	100.0	151.4	216.7	.
	大腸（結腸・直腸）	C18-C20	42.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	3.4	13.2	25.0	34.5	63.8	98.0	120.5	159.5	238.1	.
	結腸	C18	29.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.8	1.7	9.4	17.3	15.5	33.3	59.2	79.5	121.6	190.5	.
	直腸	C19-C20	13.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	3.8	7.7	19.0	30.4	38.8	40.9	37.8	47.6	.
	肝および肝内胆管	C22	29.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	5.7	11.5	24.1	26.1	71.4	65.9	173.0	159.5	.
	胆のう・胆管	C23-C24	18.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	1.9	8.6	18.8	24.5	38.6	86.5	157.1	.
	膵臓	C25	26.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.8	17.3	20.7	42.0	51.0	84.1	102.7	150.0	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.7	0.0	2.0	4.5	0.0	2.4	.
	肺	C33-C34	55.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	6.9	9.4	19.2	37.9	75.4	142.9	152.3	240.5	314.3	.
	皮膚	C43-C44	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.9	0.0	2.9	6.1	0.0	2.7	21.4	.
	乳房	C50	9.5	0.0	0.0	0.0	0.0	0.0	0.0	5.0	4.4	1.8	6.9	17.0	9.6	15.5	10.1	14.3	20.5	18.9	38.1	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	1.9	1.7	7.2	8.2	22.7	18.9	45.2	.
	腎・尿路（膀胱除く）	C64-C66 C68	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	1.9	6.9	8.7	16.3	11.4	27.0	52.4	.
	脳・中枢神経系	C70-C72	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	5.8	0.0	4.3	8.2	2.3	0.0	4.8	.
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	1.4	2.0	6.8	2.7	19.0	.
	悪性リンパ腫	C81-C85 C96	11.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.9	5.7	3.8	15.5	4.3	24.5	13.6	73.0	73.8	.
	多発性骨髄腫	C88-C90	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.9	1.9	3.4	1.4	10.2	9.1	18.9	23.8	.
	白血病	C91-C95	7.2	0.0	0.0	2.7	0.0	0.0	0.0	0.0	0.0	3.6	1.7	0.0	1.9	8.6	5.8	18.4	34.1	21.6	31.0	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

山梨県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率			累積罹患率(0-74歳)					
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口		世界人口		男	女	総数 *1		
											男	女	総数 *1	男	女	総数 *1	男	女	総数 *1
全部位	000-C96 000-D47	4,281	3,306	7,588	100.0	100.0	100.0	1,054.4	779.7	914.2	516.0	453.2	474.2	369.4	347.4	351.8	44.3	36.9	40.2
全部位	000-C96	3,819	2,773	6,593	89.2	83.9	86.9	940.6	654.0	794.3	452.0	346.2	390.1	321.9	261.2	285.9	38.8	28.6	33.4
口唇	000	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
舌根<基底>部	001	2	1	3	0.0	0.0	0.0	0.5	0.2	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
その他および部位不明の舌	002	16	17	33	0.4	0.5	0.4	3.9	4.0	4.0	2.4	2.2	2.3	1.9	1.6	1.7	0.2	0.1	0.2
歯肉	003	5	6	11	0.1	0.2	0.1	1.2	1.4	1.3	0.6	0.5	0.6	0.5	0.3	0.4	0.1	0.0	0.0
口腔底	004	6	0	6	0.1	0.0	0.1	1.5	0.0	0.7	1.0	0.0	0.5	0.8	0.0	0.4	0.1	0.0	0.1
口蓋	005	3	4	7	0.1	0.1	0.1	0.7	0.9	0.8	0.3	0.6	0.4	0.2	0.4	0.3	0.0	0.0	0.0
その他および部位不明の口腔	006	2	4	6	0.0	0.1	0.1	0.5	0.9	0.7	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
耳下腺	007	7	0	7	0.2	0.0	0.1	1.7	0.0	0.8	0.9	0.0	0.4	0.6	0.0	0.3	0.1	0.0	0.0
その他および部位不明の大唾液腺	008	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
扁桃	009	6	3	9	0.1	0.1	0.1	1.5	0.7	1.1	1.0	0.5	0.7	0.8	0.4	0.6	0.1	0.1	0.1
中咽頭	C10	8	3	11	0.2	0.1	0.1	2.0	0.7	1.3	1.3	0.2	0.8	1.0	0.2	0.6	0.1	0.0	0.1
鼻<上>咽頭	C11	5	1	6	0.1	0.0	0.1	1.2	0.2	0.7	0.6	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
梨状陥凹<洞>	C12	13	1	14	0.3	0.0	0.2	3.2	0.2	1.7	1.6	0.1	0.8	1.2	0.0	0.6	0.1	0.0	0.1
下咽頭	C13	16	1	17	0.4	0.0	0.2	3.9	0.2	2.0	2.0	0.1	1.0	1.4	0.0	0.7	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	C14	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	C15	131	32	163	3.1	1.0	2.1	32.3	7.5	19.6	15.7	4.1	9.5	10.9	3.1	6.8	1.3	0.4	0.9
胃	C16	584	264	848	13.6	8.0	11.2	143.8	62.3	102.2	66.9	24.8	44.3	46.5	17.6	31.1	5.8	2.0	3.9
小腸	C17	20	14	34	0.5	0.4	0.4	4.9	3.3	4.1	2.6	1.3	1.9	1.7	1.0	1.4	0.2	0.1	0.2
結腸	C18	359	330	689	8.4	10.0	9.1	88.4	77.8	83.0	41.8	30.0	35.5	29.0	21.1	24.8	3.5	2.6	3.0
直腸S状結腸移行部	C19	51	26	77	1.2	0.8	1.0	12.6	6.1	9.3	6.7	3.2	4.9	4.8	2.5	3.6	0.6	0.3	0.5
直腸	C20	165	94	259	3.9	2.8	3.4	40.6	22.2	31.2	21.5	11.2	16.2	15.7	8.3	11.9	2.1	0.9	1.5
肛門および肛門管	C21	4	1	5	0.1	0.0	0.1	1.0	0.2	0.6	0.5	0.1	0.3	0.3	0.0	0.2	0.0	0.0	0.0
肝および肝内胆管	C22	271	122	393	6.3	3.7	5.2	66.7	28.8	47.3	30.7	8.3	18.9	21.3	5.4	13.0	2.6	0.6	1.6
胆のう	C23	33	26	59	0.8	0.8	0.8	8.1	6.1	7.1	3.2	1.7	2.4	2.1	1.2	1.6	0.3	0.1	0.2
その他および部位不明の胆道	C24	53	52	105	1.2	1.6	1.4	13.1	12.3	12.7	5.0	3.4	4.1	3.2	2.3	2.7	0.3	0.2	0.3
膵臓	C25	135	126	261	3.2	3.8	3.4	33.3	29.7	31.4	14.9	10.1	12.3	10.2	6.9	8.4	1.2	0.8	1.0
その他および部位不明の消化器	C26	3	3	6	0.1	0.1	0.1	0.7	0.7	0.7	0.4	0.6	0.5	0.3	0.4	0.4	0.1	0.0	0.0
鼻腔および中耳	C30	5	1	6	0.1	0.0	0.1	1.2	0.2	0.7	0.7	0.1	0.4	0.5	0.0	0.3	0.1	0.0	0.0
副鼻腔	C31	4	3	7	0.1	0.1	0.1	1.0	0.7	0.8	0.9	0.6	0.7	0.6	0.5	0.5	0.1	0.1	0.1
喉頭	C32	29	5	34	0.7	0.2	0.4	7.1	1.2	4.1	3.7	0.6	2.1	2.7	0.4	1.5	0.4	0.0	0.2
気管	C33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	C34	531	237	769	12.4	7.2	10.1	130.8	55.9	92.7	58.1	24.0	39.5	40.0	17.3	27.7	5.0	2.2	3.6
胸腺	C37	3	1	4	0.1	0.0	0.1	0.7	0.2	0.5	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	3	2	5	0.1	0.1	0.1	0.7	0.5	0.6	0.4	0.1	0.3	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明の呼吸器系および胸腔内臓器	C39	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	C40	0	2	2	0.0	0.1	0.0	0.0	0.5	0.2	0.0	0.4	0.2	0.0	0.4	0.2	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	3	2	5	0.1	0.1	0.1	0.7	0.5	0.6	0.8	0.2	0.5	1.1	0.2	0.6	0.1	0.0	0.0
皮膚の悪性黒色腫	C43	10	7	17	0.2	0.2	0.2	2.5	1.7	2.0	1.3	0.6	0.9	0.9	0.4	0.6	0.1	0.0	0.1
皮膚のその他	C44	70	83	153	1.6	2.5	2.0	17.2	19.6	18.4	7.1	7.5	7.1	4.9	5.6	5.1	0.6	0.6	0.6
中皮腫	C45	8	2	10	0.2	0.1	0.1	2.0	0.5	1.2	1.0	0.1	0.5	0.7	0.1	0.4	0.1	0.0	0.0
カポジ肉腫	C46	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	C47	1	1	2	0.0	0.0	0.0	0.2	0.2	0.2	0.1	0.2	0.1	0.0	0.2	0.1	0.0	0.0	0.0
後腹膜および腹膜	C48	11	10	21	0.3	0.3	0.3	2.7	2.4	2.5	2.0	1.0	1.5	1.7	0.7	1.2	0.2	0.1	0.1
その他の結合組織および軟部組織	C49	13	7	20	0.3	0.2	0.3	3.2	1.7	2.4	1.6	0.8	1.2	1.1	0.6	0.8	0.1	0.0	0.1
乳房	C50	5	622	627	0.1	18.8	8.3	1.2	146.7	75.5	0.6	104.4	52.7	0.4	80.7	40.6	0.0	8.9	4.4
外陰	C51	-	4	4	-	0.1	0.1	-	0.9	-	-	0.4	-	-	0.3	-	-	0.0	-
陰	C52	-	2	2	-	0.1	0.0	-	0.5	-	-	0.1	-	-	0.1	-	-	0.0	-
子宮頸部	C53	-	65	65	-	2.0	0.9	-	15.3	-	-	12.1	-	-	9.6	-	-	1.0	-
子宮体部	C54	-	119	119	-	3.6	1.6	-	28.1	-	-	20.8	-	-	16.1	-	-	1.8	-
子宮部位不明	C55	-	2	2	-	0.1	0.0	-	0.5	-	-	0.2	-	-	0.2	-	-	0.0	-
卵巣	C56	-	82	82	-	2.5	1.1	-	19.3	-	-	15.7	-	-	12.8	-	-	1.3	-
その他および部位不明の女性性器	C57	-	1	1	-	0.0	0.0	-	0.2	-	-	0.2	-	-	0.2	-	-	0.0	-
胎盤	C58	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	C60	0	-	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
前立腺	C61	633	-	633	14.8	-	8.3	155.9	-	-	69.3	-	-	47.5	-	-	6.4	-	-
精巣	C62	17	-	17	0.4	-	0.2	4.2	-	-	5.5	-	-	5.2	-	-	0.4	-	-
その他および部位不明の男性性器	C63	4	-	4	0.1	-	0.1	1.0	-	-	0.4	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	C64	92	40	132	2.1	1.2	1.7	22.7	9.4	15.9	12.2	4.8	8.3	8.9	3.4	6.1	1.0	0.4	0.7
腎盂	C65	19	10	29	0.4	0.3	0.4	4.7	2.4	3.5	2.3	0.8	1.5	1.6	0.6	1.0	0.2	0.1	0.1
尿管	C66	17	8	25	0.4	0.2	0.3	4.2	1.9	3.0	1.8	0.8	1.2	1.2	0.6	0.9	0.1	0.1	0.1
膀胱	C67	121	39	160	2.8	1.2	2.1	29.8	9.2	19.3	12.7	3.5	7.7	8.8	2.6	5.4	1.1	0.3	0.7
その他および部位不明の泌尿器	C68	2	2	4	0.0	0.1	0.1	0.5	0.5	0.5	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	C69	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.5	0.0	0.2	0.8	0.0	0.4	0.0	0.0	0.0
髄膜	C70	1	1	2	0.0	0.0	0.0	0											

付表1. 罹患数、部位割合（%）、粗罹患率（人口10万対）、年齢調整罹患率（人口10万対）、累積罹患率（%）： 詳細部位別、性別

山梨県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	362	433	795	8.5	13.1	10.5	89.2	102.1	95.8	48.9	89.4	68.0	35.1	71.8	52.6	4.3	6.9	5.6
口腔、食道および胃	D00	26	7	33	0.6	0.2	0.4	6.4	1.7	4.0	3.2	0.9	2.0	2.2	0.6	1.4	0.3	0.1	0.2
食道	D001	24	7	31	0.6	0.2	0.4	5.9	1.7	3.7	3.0	0.9	1.9	2.0	0.6	1.3	0.3	0.1	0.2
その他および部位不明の消化器	D01	186	113	299	4.3	3.4	3.9	45.8	26.7	36.0	27.6	15.8	21.5	20.5	11.9	16.1	2.5	1.5	2.0
結腸	D010	117	64	181	2.7	1.9	2.4	28.8	15.1	21.8	17.4	9.2	13.2	12.9	7.1	10.0	1.6	0.9	1.2
直腸S状結腸移行部	D011	14	8	22	0.3	0.2	0.3	3.4	1.9	2.7	1.8	1.1	1.5	1.3	0.9	1.1	0.2	0.1	0.1
直腸	D012	40	19	59	0.9	0.6	0.8	9.9	4.5	7.1	6.5	2.4	4.5	4.9	1.8	3.3	0.6	0.2	0.4
中耳および呼吸器系	D02	3	0	3	0.1	0.0	0.0	0.7	0.0	0.4	0.4	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	3	1	4	0.1	0.0	0.1	0.7	0.2	0.5	0.7	0.1	0.4	0.6	0.1	0.3	0.1	0.0	0.0
皮膚のその他	D04	11	10	21	0.3	0.3	0.3	2.7	2.4	2.5	1.0	0.7	0.8	0.6	0.5	0.5	0.1	0.0	0.0
乳房	D05	0	90	90	0.0	2.7	1.2	0.0	21.2	10.8	0.0	16.3	8.1	0.0	12.5	6.3	0.0	1.4	0.7
子宮頸部	D06	-	172	172	-	5.2	2.3	-	40.6	-	-	51.8	-	-	43.3	-	-	3.6	-
その他および部位不明の性器	D07	2	3	5	0.0	0.1	0.1	0.5	0.7	0.6	0.2	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0
その他および部位不明	D09	131	37	168	3.1	1.1	2.2	32.3	8.7	20.2	15.8	3.4	9.2	10.8	2.5	6.4	1.3	0.3	0.8
膀胱	D090	121	31	152	2.8	0.9	2.0	29.8	7.3	18.3	14.5	2.9	8.3	10.0	2.1	5.8	1.1	0.2	0.7
良性腫瘍	D32-D35	34	61	95	0.8	1.8	1.3	8.4	14.4	11.4	5.7	11.4	8.5	4.6	9.7	7.1	0.5	0.9	0.7
髄膜	D32	14	35	49	0.3	1.1	0.6	3.4	8.3	5.9	1.9	5.9	3.9	1.3	4.6	2.9	0.1	0.5	0.3
脳および中枢神経系	D33	11	11	22	0.3	0.3	0.3	2.7	2.6	2.7	2.0	1.7	1.8	1.8	1.5	1.6	0.2	0.1	0.2
下垂体	D352	9	15	24	0.2	0.5	0.3	2.2	3.5	2.9	1.9	3.9	2.8	1.5	3.6	2.5	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	58	30	88	1.4	0.9	1.2	14.3	7.1	10.6	7.3	3.8	5.4	5.3	2.9	4.0	0.6	0.3	0.4
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	12	4	16	0.3	0.1	0.2	3.0	0.9	1.9	1.6	0.9	1.2	1.2	0.7	0.9	0.1	0.1	0.1
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	2	2	4	0.0	0.1	0.1	0.5	0.5	0.5	0.5	0.6	0.6	0.5	0.5	0.5	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D46	5	3	8	0.1	0.1	0.1	1.2	0.7	1.0	0.8	0.5	0.6	0.6	0.4	0.5	0.1	0.0	0.1
骨髄異形成症候群	D46	29	18	47	0.7	0.5	0.6	7.1	4.2	5.7	3.2	1.6	2.4	2.2	1.1	1.6	0.2	0.1	0.2
慢性骨増殖性疾患	D471	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0
本態性（出血性）血小板血症	D473	8	3	11	0.2	0.1	0.1	2.0	0.7	1.3	1.1	0.2	0.6	0.7	0.2	0.4	0.1	0.0	0.1

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%) : 詳細部位別、性別

山梨県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	D00-D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
口腔、食道および胃	D00	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	D001	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明の消化器	D01	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
結腸	D010	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸S状結腸移行部	D011	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
直腸	D012	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
中耳および呼吸器系	D02	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
上皮内黒色腫	D03	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
皮膚のその他	D04	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
乳房	D05	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
子宮頸部	D06	-	0	0	-	0.0	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0	-	0.0
その他および部位不明の性器	D07	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
その他および部位不明	D09	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
膀胱	D090	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
良性腫瘍	D32-D35	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
髄膜	D32	2	0	2	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.0	0.1	0.2	0.0	0.1	0.0	0.0	0.0
脳および中枢神経系	D33	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
下垂体	D332	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D333	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D334	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	29	24	53	1.9	2.3	2.1	7.2	5.8	6.5	2.6	1.3	1.9	1.6	0.7	1.1	0.1	0.0	0.1
髄膜	D42	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D43	8	9	17	0.5	0.9	0.7	2.0	2.2	2.1	0.8	0.6	0.7	0.6	0.4	0.5	0.1	0.0	0.0
下垂体	D443	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
頭蓋咽頭管	D444	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D445	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
真正赤血球増多症	D45	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
骨髄異形成症候群	D46	20	13	33	1.3	1.2	1.3	5.0	3.1	4.0	1.7	0.6	1.1	1.0	0.3	0.6	0.0	0.0	0.0
慢性骨増殖性疾患	D471	1	0	1	0.1	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	0	1	1	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表3. 初回治療内容割合詳細 (%) : 部位別

A. 上皮内がんを除く

山梨県

2016年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +その他
全部位	C00-C96	6,383	27.2	6.3	1.0	3.6	13.8	3.3	1.1	0.8	14.1	0.6	3.4	2.3	22.6
口腔・咽頭	C00-C14	130	20.8	1.5	0.0	6.9	3.1	20.8	0.0	3.1	6.2	0.0	10.8	0.0	26.9
食道	C15	162	9.9	13.6	1.2	8.6	6.2	13.6	0.6	0.0	18.5	0.6	3.7	0.6	22.8
胃	C16	833	27.1	24.7	1.6	0.1	8.8	0.4	0.1	0.0	12.4	0.1	0.0	1.1	23.6
大腸（結腸・直腸）	C18-C20	999	42.8	8.7	3.4	0.3	3.5	0.3	0.2	0.4	21.2	1.3	1.2	1.4	15.2
結腸	C18	670	46.0	7.9	4.2	0.0	3.0	0.0	0.0	0.3	19.9	1.0	0.1	1.8	15.8
直腸	C19-C20	329	36.5	10.3	1.8	0.9	4.6	0.9	0.6	0.6	24.0	1.8	3.3	0.6	14.0
肝および肝内胆管	C22	360	16.7	0.0	0.0	2.8	5.3	0.3	15.0	0.0	0.8	1.1	0.0	20.6	37.5
胆のう・胆管	C23-C24	150	22.0	3.3	0.7	0.0	12.0	0.0	2.0	0.0	12.0	1.3	0.7	3.3	42.7
膵臓	C25	251	9.2	1.6	0.0	1.2	27.9	1.6	0.4	0.0	15.1	0.0	0.4	2.8	39.8
喉頭	C32	34	2.9	0.0	0.0	47.1	0.0	20.6	0.0	8.8	0.0	0.0	0.0	5.9	14.7
肺	C33-C34	740	31.1	0.0	0.0	8.8	16.1	6.1	0.1	0.4	7.6	0.0	0.4	1.2	28.2
皮膚	C43-C44	167	85.6	0.0	0.0	0.6	1.2	0.0	0.0	0.6	0.6	0.6	0.0	2.4	8.4
乳房	C50	618	8.9	0.0	0.0	5.2	7.1	0.3	0.0	3.1	40.9	0.2	24.9	0.0	9.4
乳房（女性のみ）	C50	613	9.0	0.0	0.0	5.1	7.0	0.3	0.0	3.1	40.9	0.2	25.0	0.0	9.5
子宮	C53-C55	184	46.7	0.0	0.0	3.3	3.3	7.6	0.0	1.1	27.7	0.0	0.0	0.0	10.3
子宮頸部	C53	64	32.8	0.0	0.0	9.4	1.6	21.9	0.0	3.1	15.6	0.0	0.0	0.0	15.6
子宮体部	C54	119	54.6	0.0	0.0	0.0	4.2	0.0	0.0	0.0	34.5	0.0	0.0	0.0	6.7
卵巣	C56	80	40.0	0.0	0.0	0.0	5.0	0.0	0.0	0.0	42.5	0.0	0.0	1.3	11.3
前立腺	C61	617	16.5	0.5	0.0	8.6	44.4	7.8	0.5	0.0	2.3	0.2	0.5	0.2	18.6
膀胱	C67	155	1.3	41.3	6.5	1.3	1.3	0.0	0.0	0.0	20.0	6.5	0.6	1.3	20.0
腎・尿路（膀胱除く）	C64-C66 C68	182	66.5	1.1	1.6	2.2	2.7	0.0	0.0	0.5	3.8	0.0	0.5	0.5	20.3
脳・中枢神経系	C70-C72	52	19.2	0.0	0.0	5.8	5.8	3.8	0.0	5.8	0.0	0.0	25.0	0.0	34.6
甲状腺	C73	126	62.7	0.0	0.0	0.0	3.2	0.0	0.0	4.0	7.9	0.0	0.0	0.0	22.2
悪性リンパ腫	C81-C85 C96	210	2.9	0.0	0.0	1.4	49.5	9.5	0.5	0.0	4.3	0.0	0.0	1.9	30.0
多発性骨髄腫	C88-C90	53	0.0	0.0	0.0	3.8	41.5	3.8	5.7	0.0	0.0	0.0	0.0	1.9	43.4
白血病	C91-C95	86	0.0	0.0	0.0	0.0	54.7	1.2	2.3	0.0	0.0	0.0	0.0	2.3	39.5

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

付表3. 初回治療内容割合詳細 (%) : 部位別

B. 上皮内がんを含む

山梨県

2016年

部位	ICD-10	集計対象数 *1	手術のみ *2	内視鏡のみ	手術 +内視鏡	放射線のみ	薬物のみ *3	薬物		手術/内視鏡			他の組合せ	治療なし ・不明	
								+放射線	+その他	+放射線	+薬物	+その他			+放射線 +その他
全部位	C00-C96 D00-D09	7,178	28.4	10.8	0.9	3.3	12.3	2.9	1.0	1.0	12.9	0.8	3.1	2.1	20.6
食道	C15 D001	193	8.3	24.9	1.0	7.3	5.2	11.4	0.5	0.0	15.5	0.5	3.1	0.5	21.8
大腸 (結腸・直腸) *4	C18-C20 D010-D012	1,261	36.1	25.4	2.8	0.2	2.8	0.2	0.2	0.3	16.8	1.0	1.0	1.1	12.1
結腸 *4	C18 D010	851	38.4	25.1	3.3	0.0	2.4	0.0	0.0	0.2	15.6	0.8	0.1	1.4	12.6
直腸 *4	C19-C20 D011-D012	410	31.2	25.9	1.7	0.7	3.7	0.7	0.5	0.5	19.3	1.5	2.7	0.5	11.2
肺	C33-C34 D021-D022	740	31.1	0.0	0.0	8.8	16.1	6.1	0.1	0.4	7.6	0.0	0.4	1.2	28.2
皮膚	C43-C44 D030-D049	192	84.9	0.0	0.0	0.5	1.0	0.0	0.0	0.5	0.5	0.5	0.0	3.6	8.3
乳房	C50 D05	708	15.0	0.0	0.0	4.7	6.4	0.3	0.0	5.6	37.1	0.1	22.3	0.0	8.5
乳房 (女性のみ)	C50 D05	703	15.1	0.0	0.0	4.6	6.3	0.3	0.0	5.7	37.1	0.1	22.3	0.0	8.5
子宮	C53-C55 D06	356	69.1	0.0	0.0	1.7	1.7	3.9	0.0	0.6	14.3	0.0	0.0	0.0	8.7
子宮頸部	C53 D06	236	76.7	0.0	0.0	2.5	0.4	5.9	0.0	0.8	4.2	0.0	0.0	0.0	9.3
膀胱	C67 D090	307	1.6	56.7	3.3	0.7	1.0	0.0	0.0	0.0	14.0	8.8	0.3	1.0	12.7

*1 DCOを除く総数

*2 外科的、鏡視下治療のいずれかが1:あり

*3 化学療法、内分泌療法のいずれかが1:あり

*4 粘膜がんを含む

付表4. 医療圏別、保健所別罹患数：部位別、性別

A. 上皮内がんを除く

山梨県 2016年

医療圏／保健所	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺 C33-C34			乳房 C50			子宮	子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55	C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	女	男
山梨県	3,819	2,773	6,593	584	264	848	575	450	1,025	359	330	689	216	120	336	271	122	393	531	237	769	5	622	627	186	65	119	633
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
中北	2,048	1,503	3,551	311	128	439	292	240	532	175	184	359	117	56	173	158	57	215	287	133	420	*	340	341	116	41	75	312
峡東	586	448	1,035	88	46	134	97	67	164	56	46	102	41	21	62	33	22	55	77	47	125	*	115	116	30	*	23	103
峡南	331	243	574	56	24	80	41	29	70	28	22	50	13	*	20	24	16	40	51	25	76	0	49	49	*	*	*	49
富士・東部	854	579	1,433	129	66	195	145	114	259	100	78	178	45	36	81	56	27	83	116	32	148	*	118	121	33	14	18	169
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
峡南	331	243	574	56	24	80	41	29	70	28	22	50	13	*	20	24	16	40	51	25	76	0	49	49	*	*	*	49
中北	2,048	1,503	3,551	311	128	439	292	240	532	175	184	359	117	56	173	158	57	215	287	133	420	*	340	341	116	41	75	312
峡東	586	448	1,035	88	46	134	97	67	164	56	46	102	41	21	62	33	22	55	77	47	125	*	115	116	30	*	23	103
富士・東部	854	579	1,433	129	66	195	145	114	259	100	78	178	45	36	81	56	27	83	116	32	148	*	118	121	33	14	18	169

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表4. 医療圏別、保健所別罹患数：部位別、性別

B. 上皮内がんを含む

山梨県

2016年

医療圏／保健所	全部位			大腸(直腸・結腸)*1			結腸 *1			直腸*1			肺 C33-C34			乳房 C50			子宮		子宮頸部	
	C00-C96		D00-D09	C18-C20		D010-D012	C18 D010		C19-C20		D011-D012	C33-C34		D021-D022	C50 D05		C53-C55		D06	C53	D06	
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女		
山梨県	4,181	3,206	7,388	746	541	1,287	476	394	870	270	147	417	531	237	769	5	712	717	358	237		
医療圏不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
中北	2,249	1,760	4,009	383	293	676	240	219	459	143	74	217	287	133	420	*	389	390	222	147		
峡東	656	520	1,177	131	85	216	78	60	138	53	25	78	77	47	125	*	127	128	59	36		
峡南	355	274	629	56	34	90	38	26	64	18	*	26	51	25	76	0	57	57	20	16		
富士・東部	921	652	1,573	176	129	305	120	89	209	56	40	96	116	32	148	*	139	142	57	38		
保健所不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0		
峡南	355	274	629	56	34	90	38	26	64	18	*	26	51	25	76	0	57	57	20	16		
中北	2,249	1,760	4,009	383	293	676	240	219	459	143	74	217	287	133	420	*	389	390	222	147		
峡東	656	520	1,177	131	85	216	78	60	138	53	25	78	77	47	125	*	127	128	59	36		
富士・東部	921	652	1,573	176	129	305	120	89	209	56	40	96	116	32	148	*	139	142	57	38		

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

A. 上皮内がんを除く

市区町村	山梨県																											2016年	
	全部位			胃			大腸(直腸・結腸)			結腸			直腸			肝および肝内胆管			肺			乳房			子宮		子宮頸部	子宮体部	前立腺
	C00-C96			C16			C18-C20			C18			C19-C20			C22			C33-C34			C50			C53-C55		C53	C54	C61
	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女
山梨県	3,819	2,773	6,593	584	264	848	575	450	1,025	359	330	689	216	120	336	271	122	393	531	237	769	5	622	627	186	65	119	633	
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	
甲府市	792	677	1,469	124	65	189	121	110	231	78	87	165	43	23	66	66	17	83	114	64	178	0	154	154	48	15	33	109	
富士吉田市	231	155	386	45	20	65	40	33	73	29	23	52	11	10	21	12	*	15	32	11	43	*	26	27	*	*	*	46	
都留市	115	68	183	14	*	19	13	16	29	*	*	14	*	10	15	*	*	11	15	0	15	0	10	10	*	*	*	32	
山梨市	163	133	296	21	19	40	28	22	50	20	18	38	*	*	12	*	*	12	17	16	33	0	31	31	*	*	*	36	
大月市	152	94	246	20	10	30	32	22	54	25	17	42	*	*	12	12	*	16	19	*	23	*	18	19	*	*	*	29	
韭崎市	124	88	212	17	*	21	22	10	32	14	*	22	*	*	10	*	*	14	19	11	30	*	15	16	*	*	*	17	
南アルプス市	342	206	548	44	16	60	57	31	88	33	26	59	24	*	29	24	13	37	54	17	71	0	57	57	12	*	*	55	
北杜市	294	186	480	47	21	68	33	30	63	17	20	37	16	10	26	22	*	29	34	12	46	0	29	29	16	*	13	60	
甲斐市	306	202	508	40	14	54	36	34	70	21	26	47	15	*	23	23	*	31	46	15	61	0	50	50	17	*	12	44	
笛吹市	285	203	488	41	18	59	50	33	83	28	22	50	22	11	33	17	11	28	41	21	62	0	46	46	17	*	14	40	
上野原市	141	110	251	26	17	43	25	13	38	16	10	26	*	*	12	13	*	21	16	*	24	0	28	28	*	0	*	20	
甲州市	138	112	251	26	*	35	19	12	31	*	*	14	11	*	17	*	*	15	19	10	30	*	38	39	*	*	*	27	
中央市	120	90	210	28	*	32	13	19	32	*	15	19	*	*	13	*	*	14	12	*	19	0	22	22	*	*	*	17	
市川三郷町	108	62	170	16	*	23	15	*	22	11	*	17	*	*	*	*	*	12	17	*	25	0	16	16	*	*	*	20	
早川町	15	*	24	*	*	*	*	0	*	*	0	*	0	0	0	*	*	*	0	0	0	0	*	*	0	0	0	*	
身延町	91	67	158	10	*	15	12	*	18	*	*	12	*	*	*	*	*	*	14	*	20	0	13	13	*	*	0	12	
南部町	57	38	95	10	*	17	*	*	16	*	*	10	*	*	*	*	*	*	10	*	12	0	*	*	*	0	0	*	
富士川町	60	67	127	17	*	20	*	*	13	*	*	10	0	*	*	*	*	*	10	*	19	0	15	15	*	0	*	*	
昭和町	70	54	124	11	*	15	10	*	16	*	*	10	*	*	*	*	0	*	*	*	15	0	13	13	*	*	*	10	
道志村	*	10	17	*	*	*	*	*	*	0	0	0	*	*	*	0	0	0	*	0	*	0	*	*	*	0	0	*	*
西桂町	20	10	30	*	*	*	*	*	*	*	*	*	0	0	0	*	0	*	*	0	*	0	*	*	*	*	*	*	*
忍野村	21	20	41	*	*	*	*	*	*	*	*	*	*	0	*	*	*	*	*	*	*	0	*	*	0	0	0	*	*
山中湖村	29	17	46	*	0	*	*	*	*	*	*	*	0	0	0	*	*	*	*	*	*	0	*	*	*	*	*	*	*
鳴沢村	12	*	16	*	0	*	*	*	*	0	0	0	*	*	*	0	0	0	*	0	*	0	*	*	0	0	0	0	*
富士河口湖町	120	79	199	13	*	22	25	17	42	15	11	26	10	*	16	*	*	10	19	*	23	*	21	22	*	*	*	28	
小菅村	*	*	10	*	0	*	0	*	*	0	*	*	0	0	0	0	*	*	*	0	*	0	*	*	0	0	0	0	0
丹波山村	*	*	*	0	0	0	0	*	*	0	*	*	0	0	0	*	0	*	*	*	*	0	*	*	0	0	0	0	0

総数は年齢不詳を含む男女および性別不詳の合計
 (全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

付表5. 市町村別罹患数 : 部位別、性別

B. 上皮内がんを含む

市区町村	山梨県																			2016年
	全部位			大腸(直腸・結腸) *1			結腸 *1			直腸 *1			肺			乳房			子宮	子宮頸部
	C00-C96 D00-D09			C18-C20 D010-D012			C18 D010			C19-C20 D011-012			C33-C34 D021-D022			C50 D05			C53-C55 D06	C53 D06
男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	男	女	総数	女	女	
山梨県	4,181	3,206	7,388	746	541	1,287	476	394	870	270	147	417	531	237	769	5	712	717	358	237
山梨県内市区町村不定	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
甲府市	878	786	1,664	160	142	302	107	108	215	53	34	87	114	64	178	0	172	172	90	57
富士吉田市	251	176	427	49	37	86	34	26	60	15	11	26	32	11	43	*	34	35	14	10
都留市	118	76	194	14	17	31	*	*	16	*	10	15	15	0	15	0	13	13	10	*
山梨市	188	150	338	41	27	68	29	22	51	12	*	17	17	16	33	0	34	34	12	*
大月市	164	102	266	37	23	60	29	18	47	*	*	13	19	*	23	*	21	22	12	*
韮崎市	139	100	239	26	12	38	17	10	27	*	*	11	19	11	30	*	17	18	11	*
南アルプス市	357	237	594	68	35	103	37	28	65	31	*	38	54	17	71	0	62	62	27	18
北杜市	323	222	545	48	36	84	29	24	53	19	12	31	34	12	46	0	40	40	26	13
甲斐市	344	246	590	50	39	89	32	30	62	18	*	27	46	15	61	0	58	58	41	29
笛吹市	316	244	560	65	44	109	37	30	67	28	14	42	41	21	62	0	53	53	36	22
上野原市	153	127	280	32	18	50	21	15	36	11	*	14	16	*	24	0	30	30	*	*
甲州市	152	126	279	25	14	39	12	*	20	13	*	19	19	10	30	*	40	41	11	*
中央市	129	104	233	17	22	39	*	16	24	*	*	15	12	*	19	0	25	25	15	14
市川三郷町	112	71	183	19	10	29	13	*	22	*	*	*	17	*	25	0	18	18	*	*
早川町	15	*	24	*	0	*	*	0	*	0	0	0	0	0	0	0	*	*	0	0
身延町	99	74	173	17	*	24	13	*	18	*	*	*	14	*	20	0	14	14	*	*
南部町	59	45	104	10	*	17	*	*	10	*	*	*	10	*	12	0	*	*	*	*
富士川町	70	75	145	*	10	19	*	*	13	*	*	*	10	*	19	0	19	19	*	*
昭和町	79	65	144	14	*	21	10	*	13	*	*	*	*	*	15	0	15	15	12	*
道志村	*	10	18	*	*	*	*	0	*	*	*	*	*	0	*	0	*	*	*	0
西桂町	20	12	32	*	*	*	*	*	*	0	0	0	*	0	*	0	*	*	*	*
忍野村	25	21	46	*	*	13	*	*	*	*	*	*	*	*	*	0	*	*	0	0
山中湖村	32	19	51	*	*	*	*	*	*	*	0	*	*	*	*	0	*	*	*	*
鳴沢村	13	*	19	*	*	*	*	0	*	*	*	*	*	0	*	0	*	*	*	*
富士河口湖町	131	91	222	26	20	46	16	12	28	10	*	18	19	*	23	*	24	25	*	*
小菅村	*	*	10	0	*	*	0	*	*	0	0	0	*	0	*	0	*	*	0	0
丹波山村	*	*	*	0	*	*	0	*	*	0	0	0	*	*	*	0	*	*	0	0

*1 粘膜がんを含む

総数は年齢不詳を含む男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2016年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	3819	6	1	1	2	8	6	11	15	34	60	116	219	299	722	646	611	549	365	122	20	6	0
	甲府市	792	*	0	0	*	*	*	*	*	*	13	27	59	51	144	117	128	106	85	37	*	*	0
	富士吉田市	231	*	*	0	*	0	0	*	0	*	*	*	17	18	44	39	31	44	11	*	*	0	0
	都留市	115	*	0	*	0	0	0	0	*	0	*	*	*	10	23	17	19	12	14	*	*	0	0
	山梨市	163	0	0	0	0	*	0	*	*	*	*	*	*	14	31	25	18	24	19	*	0	0	0
	大月市	152	0	0	0	0	0	0	0	*	*	*	*	*	12	21	24	24	28	20	*	0	0	0
	韮崎市	124	0	0	0	0	*	*	*	0	*	*	*	*	13	21	16	15	20	15	*	0	0	0
	南アルプス市	342	0	0	0	0	*	0	0	*	*	*	*	14	27	62	76	70	36	32	*	*	0	0
	北杜市	294	0	0	0	0	0	0	0	0	*	*	*	15	19	63	54	59	42	16	11	*	0	0
	甲斐市	306	*	0	0	0	*	*	*	0	*	*	11	16	37	55	63	52	38	15	*	*	0	0
	笛吹市	285	0	0	0	0	0	0	0	*	0	*	*	14	21	52	62	51	39	25	*	*	0	0
	上野原市	141	0	0	0	0	0	0	0	0	0	*	*	*	11	29	22	20	18	19	*	*	0	0
	甲州市	138	0	0	0	0	0	0	*	0	0	*	*	10	10	17	24	21	32	10	*	0	0	0
	中央市	120	*	0	0	0	0	0	0	*	0	*	*	*	*	26	20	12	19	15	*	0	0	0
	市川三郷町	108	0	0	0	0	*	*	0	0	0	0	*	*	*	26	16	20	17	10	*	*	*	0
	早川町	15	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	身延町	91	0	0	0	0	0	0	0	0	0	*	*	*	*	18	12	15	18	*	*	0	*	0
	南部町	57	0	0	0	0	0	0	0	*	0	0	*	*	*	16	*	*	*	13	*	0	*	0
	富士川町	60	0	0	0	0	0	0	0	*	0	*	*	*	*	15	*	*	*	*	*	0	0	0
	昭和町	70	0	0	0	0	0	*	*	0	0	*	*	*	*	12	17	*	*	*	*	0	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	*	0	0	*	*	*	*	0	0	0	0	0
	西桂町	20	0	0	0	0	*	0	0	0	*	*	0	0	*	*	0	*	*	*	*	0	0	0
	忍野村	21	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	0	0	0	0	0
	山中湖村	29	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	0	0	0
	鳴沢村	12	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	0	0	0	0
	富士河口湖町	120	*	0	0	0	*	0	*	0	*	*	*	*	11	24	17	18	22	13	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2016年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	2773	2	0	2	4	2	14	23	52	101	156	165	177	252	334	320	305	354	282	163	58	7	0
	甲府市	677	0	0	0	*	*	0	*	12	29	41	36	43	49	79	65	77	95	85	41	17	0	0
	富士吉田市	155	0	0	0	0	0	0	0	*	*	*	*	14	20	20	22	20	17	13	*	*	0	0
	都留市	68	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	山梨市	133	0	0	0	*	0	0	*	*	*	*	*	10	11	17	17	12	15	14	*	*	0	0
	大月市	94	0	0	0	*	0	0	0	*	*	*	*	*	*	10	10	12	16	*	*	*	0	0
	韭崎市	88	0	0	0	0	0	*	0	*	*	*	*	*	10	10	13	*	10	*	*	*	0	0
	南アルプス市	206	0	0	*	0	0	*	*	*	*	16	10	*	22	25	24	23	33	17	*	*	0	0
	北杜市	186	*	0	0	0	0	*	*	*	*	12	*	*	18	25	18	24	21	24	15	*	*	0
	甲斐市	202	0	0	*	0	0	*	*	*	*	10	13	21	16	26	34	22	18	*	*	*	0	0
	笛吹市	203	0	0	0	*	0	*	*	*	*	*	20	13	22	29	21	22	27	15	*	*	0	0
	上野原市	110	0	0	0	0	0	0	0	0	*	*	*	15	*	11	17	10	16	16	*	*	*	0
	甲州市	112	0	0	0	0	0	0	*	*	*	*	*	*	14	16	10	11	15	15	*	*	0	0
	中央市	90	0	0	0	0	*	*	0	*	*	*	*	*	*	12	11	13	12	*	*	0	0	0
	市川三郷町	62	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	*	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	*	0	0	0	0
	身延町	67	0	0	0	0	0	*	*	*	*	*	*	*	*	*	11	*	*	*	*	*	*	0
	南部町	38	0	0	0	0	0	*	*	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0
	富士川町	67	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	10	11	*	0	0
	昭和町	54	0	0	0	0	0	*	*	*	*	*	*	*	10	*	*	*	*	*	*	0	0	0
	道志村	10	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	0	*	0	*	*	0	0
	西桂町	10	0	0	0	0	0	0	0	0	*	*	0	*	0	0	*	0	0	*	*	0	0	0
	忍野村	20	*	0	0	0	0	*	0	0	0	*	0	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	17	0	0	0	0	0	0	0	0	0	*	0	*	0	*	*	*	0	*	*	0	0	0
	鳴沢村	*	0	0	0	0	0	*	0	0	0	*	0	0	0	0	0	0	*	0	*	0	0	0
	富士河口湖町	79	0	0	0	0	0	0	0	*	*	*	*	*	10	*	*	*	16	*	*	*	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	*	0	*	0	*	0	0	0	0	*	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2016年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数注2	山梨	6593	8	1	3	6	10	20	34	67	135	216	281	396	551	1056	966	917	903	647	285	78	13	0
	甲府市	1469	*	0	0	*	*	*	*	15	38	54	63	102	100	223	182	205	201	170	78	21	*	0
	富士吉田市	386	*	*	0	*	0	0	*	*	10	11	16	31	38	64	61	51	61	24	11	*	0	0
	都留市	183	*	0	*	0	0	0	*	*	*	*	*	13	17	29	23	27	17	23	10	*	0	0
	山梨市	296	0	0	0	*	*	0	*	*	*	13	17	18	25	48	42	30	39	33	13	*	0	0
	大月市	246	0	0	0	*	0	0	0	*	*	*	12	*	20	31	34	36	44	28	15	*	0	0
	韮崎市	212	0	0	0	0	*	*	*	*	*	*	13	15	23	31	29	24	30	23	*	*	0	0
	南アルプス市	548	0	0	*	0	*	*	*	*	13	18	14	21	49	87	100	93	69	49	17	*	0	0
	北杜市	480	*	0	0	0	0	*	*	*	*	14	17	20	37	88	72	83	63	40	26	*	*	0
	甲斐市	508	*	0	*	0	*	*	*	*	15	15	24	37	53	81	97	74	56	24	10	*	0	0
	笛吹市	488	0	0	0	*	0	*	*	*	*	14	26	27	43	81	83	73	66	40	12	*	0	0
	上野原市	251	0	0	0	0	0	0	0	*	*	*	22	17	40	39	30	34	35	17	*	*	0	0
	甲州市	251	0	0	0	0	0	0	*	*	*	*	12	12	24	33	34	33	47	25	*	*	0	0
	中央市	210	*	0	0	0	*	*	0	*	*	10	11	17	12	38	31	25	31	18	*	0	0	0
	市川三郷町	170	0	0	0	0	*	*	0	*	*	*	*	*	11	30	23	25	26	19	*	*	*	0
	早川町	24	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	身延町	158	0	0	0	0	0	*	*	*	*	*	*	*	10	25	23	24	22	15	14	*	*	0
	南部町	95	0	0	0	0	0	*	*	*	0	0	*	*	*	21	*	15	*	16	*	*	*	0
	富士川町	127	0	0	0	0	0	0	0	*	*	*	*	*	11	19	18	11	16	18	13	*	0	0
	昭和町	124	0	0	0	0	0	*	*	*	*	*	*	*	16	19	23	14	11	*	*	0	0	0
	道志村	17	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	*	*	0	*	*	0	0
	西桂町	30	0	0	0	0	*	0	0	0	*	*	0	*	*	*	*	*	*	*	*	*	0	0
	忍野村	41	*	0	0	0	0	*	0	0	0	*	0	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	46	0	0	0	0	0	0	0	0	0	*	*	*	*	13	*	*	*	*	*	0	0	0
	鳴沢村	16	0	0	0	0	0	*	0	0	0	*	0	*	*	*	*	*	*	*	*	0	0	0
	富士河口湖町	199	*	0	0	0	*	0	*	*	*	*	11	*	21	32	25	21	38	19	*	*	*	0
	小菅村	10	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	*	0	*	0	*	0	*	0	*	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2016年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	山梨	4181	6	1	1	2	8	6	13	18	40	74	133	254	344	777	705	670	594	384	125	20	6	0
	甲府市	878	*	0	0	*	*	*	*	*	12	16	31	64	61	155	134	144	117	89	37	*	*	0
	富士吉田市	251	*	*	0	*	0	0	*	*	*	*	*	18	21	48	44	34	44	12	*	*	0	0
	都留市	118	*	0	*	0	0	0	0	*	0	*	*	10	10	24	17	20	12	14	*	*	0	0
	山梨市	188	0	0	0	0	*	0	*	*	*	*	*	11	15	36	27	24	27	20	*	0	0	0
	大月市	164	0	0	0	0	0	0	0	*	*	*	*	*	12	22	24	25	36	22	*	0	0	0
	韮崎市	139	0	0	0	0	*	*	*	0	*	*	*	11	14	21	17	22	20	15	*	0	0	0
	南アルプス市	357	0	0	0	0	*	0	0	*	*	*	*	16	30	66	79	72	37	32	*	*	0	0
	北杜市	323	0	0	0	0	0	0	0	0	*	*	13	17	23	67	61	63	45	17	11	*	0	0
	甲斐市	344	*	0	0	0	*	*	*	*	*	*	13	20	46	61	68	59	39	18	*	*	0	0
	笛吹市	316	0	0	0	0	0	0	0	*	0	*	*	14	22	57	71	55	48	26	*	*	0	0
	上野原市	153	0	0	0	0	0	0	0	0	0	*	*	*	12	31	24	22	20	20	*	*	0	0
	甲州市	152	0	0	0	0	0	0	*	0	*	*	*	11	11	18	25	23	36	11	*	0	0	0
	中央市	129	*	0	0	0	0	0	0	*	0	*	*	11	*	29	21	13	19	15	*	0	0	0
	市川三郷町	112	0	0	0	0	*	*	0	0	0	0	*	*	*	26	17	20	17	10	*	*	*	0
	早川町	15	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	身延町	99	0	0	0	0	0	0	0	0	0	*	*	*	*	18	12	16	19	*	*	0	*	0
	南部町	59	0	0	0	0	0	0	0	*	0	0	*	*	*	17	*	*	*	13	*	0	*	0
	富士川町	70	0	0	0	0	0	0	0	*	0	*	*	*	*	19	13	*	*	*	*	0	0	0
	昭和町	79	0	0	0	0	0	*	*	0	*	*	*	*	*	13	17	*	*	*	*	0	0	0
	道志村	*	0	0	0	0	0	0	0	0	0	0	*	0	*	*	*	*	*	0	0	0	0	0
	西桂町	20	0	0	0	0	*	0	0	0	*	*	0	0	*	*	0	*	*	*	*	0	0	0
	忍野村	25	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0	0
	山中湖村	32	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0
	鳴沢村	13	0	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	0	*	0	0	0	0
	富士河口湖町	131	*	0	0	0	*	0	*	0	*	*	*	*	11	26	18	19	24	16	*	*	0	0
	小菅村	*	0	0	0	0	0	0	0	0	0	0	0	0	*	0	0	*	0	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	0	0	0	0	0	0	*	0	*	*	0	0	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2016年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	山梨	3206	2	0	2	4	5	34	57	90	144	194	198	205	288	371	367	339	370	299	169	60	8	0
	甲府市	786	0	0	0	*	*	*	17	22	38	50	43	47	56	87	83	88	99	88	42	17	*	0
	富士吉田市	176	0	0	0	0	0	*	*	*	*	*	*	19	23	21	23	20	17	14	*	*	0	0
	都留市	76	0	0	0	0	0	*	*	*	*	*	10	*	*	*	*	*	*	*	*	*	0	0
	山梨市	150	0	0	0	*	0	0	*	*	*	*	11	11	12	21	21	13	17	14	*	*	0	0
	大月市	102	0	0	0	*	0	0	0	*	*	*	*	*	10	11	10	12	16	*	*	*	0	0
	韮崎市	100	0	0	0	0	0	*	*	*	*	*	*	*	10	12	15	10	10	*	*	*	0	0
	南アルプス市	237	0	0	*	0	0	*	*	*	12	18	11	*	23	30	25	28	34	17	*	*	0	0
	北杜市	222	*	0	0	0	0	*	*	*	11	19	13	*	19	26	23	26	22	28	16	*	*	0
	甲斐市	246	0	0	*	0	0	*	*	12	14	13	17	23	21	28	38	25	19	10	*	*	0	0
	笛吹市	244	0	0	0	*	0	*	*	*	11	12	22	18	24	34	24	25	28	17	*	*	0	0
	上野原市	127	0	0	0	0	0	0	0	*	*	*	*	18	*	12	20	11	16	16	*	*	*	0
	甲州市	126	0	0	0	0	*	*	*	*	*	*	*	*	17	18	10	11	16	16	*	*	0	0
	中央市	104	0	0	0	0	*	*	*	*	*	10	*	*	*	12	14	15	12	*	*	0	0	0
	市川三郷町	71	0	0	0	0	0	0	*	*	*	*	*	*	*	*	*	*	11	10	*	*	0	0
	早川町	*	0	0	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	*	0	0	0	0
	身延町	74	0	0	0	0	0	*	*	*	*	*	*	*	*	*	12	10	*	*	*	*	*	0
	南部町	45	0	0	0	0	0	*	*	*	0	*	*	*	*	*	*	*	*	*	*	*	*	0
	富士川町	75	0	0	0	0	0	0	0	0	*	*	*	*	*	*	10	*	*	11	11	*	0	0
	昭和町	65	0	0	0	0	0	*	*	*	*	*	*	*	12	*	*	*	*	*	*	*	0	0
	道志村	10	0	0	0	0	0	0	0	0	0	0	*	*	0	*	*	0	*	0	*	*	0	0
	西桂町	12	0	0	0	0	0	0	0	*	*	*	0	*	*	0	*	0	0	*	*	0	0	0
	忍野村	21	*	0	0	0	0	*	0	0	*	*	0	*	*	*	*	*	*	*	*	0	0	0
	山中湖村	19	0	0	0	0	0	0	0	*	0	*	0	*	*	*	*	*	0	*	*	0	0	0
	鳴沢村	*	0	0	0	0	0	*	0	0	*	*	0	0	0	0	0	0	*	0	*	0	0	0
	富士河口湖町	91	0	0	0	0	0	*	0	*	*	*	*	*	11	11	*	*	16	*	*	*	*	0
	小菅村	*	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	*	0	*	0	*	0	0	0	0	*	0	*	0	0	0

表42. 市町村別罹患数 : 全部位

B. 上皮内がんを含む

山梨県

2016年

性別	市区町村	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数注2	山梨	7388	8	1	3	6	13	40	70	108	184	268	331	459	632	1148	1072	1010	964	683	294	80	14	0
	甲府市	1664	*	0	0	*	*	*	20	26	50	66	74	111	117	242	217	232	216	177	79	21	*	0
	富士吉田市	427	*	*	0	*	0	*	*	*	12	13	18	37	44	69	67	54	61	26	11	*	0	0
	都留市	194	*	0	*	0	0	*	*	*	*	*	11	15	17	30	23	28	17	23	10	*	0	0
	山梨市	338	0	0	0	*	*	0	*	*	*	15	19	22	27	57	48	37	44	34	15	*	0	0
	大月市	266	0	0	0	*	0	0	0	*	*	*	12	*	22	33	34	37	52	30	15	*	0	0
	韮崎市	239	0	0	0	0	*	*	*	*	*	*	14	18	24	33	32	32	30	23	10	*	0	0
	南アルプス市	594	0	0	*	0	*	*	*	*	18	20	15	25	53	96	104	100	71	49	18	*	0	0
	北杜市	545	*	0	0	0	0	*	*	*	12	21	26	24	42	93	84	89	67	45	27	*	*	0
	甲斐市	590	*	0	*	0	*	*	*	13	20	18	30	43	67	89	106	84	58	28	10	*	0	0
	笛吹市	560	0	0	0	*	0	*	*	10	11	18	29	32	46	91	95	80	76	43	12	*	0	0
	上野原市	280	0	0	0	0	0	0	0	*	*	*	*	26	19	43	44	33	36	36	18	*	*	0
	甲州市	279	0	0	0	0	*	*	*	*	*	10	13	13	28	36	35	35	52	27	*	*	0	0
	中央市	233	*	0	0	0	*	*	*	*	*	14	12	20	13	41	35	28	31	18	*	0	0	0
	市川三郷町	183	0	0	0	0	*	*	*	*	*	*	*	*	15	31	24	25	28	20	*	*	*	0
	早川町	24	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	*	0	0	0	0
	身延町	173	0	0	0	0	0	*	*	*	*	*	*	*	13	25	24	26	24	16	14	*	*	0
	南部町	104	0	0	0	0	0	*	*	*	0	*	*	*	*	22	*	16	10	17	*	*	*	0
	富士川町	145	0	0	0	0	0	0	0	*	*	*	*	*	12	23	23	12	17	19	13	*	0	0
	昭和町	144	0	0	0	0	0	*	*	*	*	10	*	*	21	21	24	16	11	*	*	0	0	0
	道志村	18	0	0	0	0	0	0	0	0	0	0	*	*	*	*	*	*	*	0	*	*	0	0
	西桂町	32	0	0	0	0	*	0	0	*	*	*	0	*	*	*	*	*	*	*	*	*	0	0
	忍野村	46	*	0	0	0	0	*	0	0	*	*	*	*	*	*	*	*	*	*	0	0	0	0
	山中湖村	51	0	0	0	0	0	0	0	*	0	*	*	*	*	13	*	*	*	*	*	0	0	0
	鳴沢村	19	0	0	0	0	0	*	0	0	*	*	0	*	*	*	*	*	*	*	*	0	0	0
	富士河口湖町	222	*	0	0	0	*	*	*	*	*	*	12	*	22	37	26	23	40	24	*	*	*	0
	小菅村	10	0	0	0	0	0	0	0	0	0	*	0	0	*	0	0	*	*	*	0	0	0	0
	丹波山村	*	0	0	0	0	0	0	0	*	0	*	0	*	0	*	0	*	*	0	*	0	0	0

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

A. 上皮内がんを除く

山梨県

2016年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	3819	6	1	1	2	8	6	11	15	34	60	116	219	299	722	646	611	549	365	122	20	6	0
	医療圏	中北	2048	*	0	0	*	*	*	*	*	25	28	64	128	160	383	363	344	268	184	64	10	*	0
		峡東	586	0	0	0	0	*	0	*	*	*	12	20	32	45	100	111	90	95	54	15	*	0	0
		峡南	331	0	0	0	0	*	*	0	*	0	*	12	10	23	77	41	50	50	40	13	*	*	0
		富士・東部	854	*	*	*	*	*	0	*	*	*	16	20	49	71	162	131	127	136	87	30	*	0	0
	保健所	峡南	331	0	0	0	0	*	*	0	*	0	*	12	10	23	77	41	50	50	40	13	*	*	0
		中北	2048	*	0	0	*	*	*	*	*	25	28	64	128	160	383	363	344	268	184	64	10	*	0
		峡東	586	0	0	0	0	*	0	*	*	*	12	20	32	45	100	111	90	95	54	15	*	0	0
		富士・東部	854	*	*	*	*	*	0	*	*	*	16	20	49	71	162	131	127	136	87	30	*	0	0
女	都道府県	山梨	2773	2	0	2	4	2	14	23	52	101	156	165	177	252	334	320	305	354	282	163	58	7	0
	医療圏	中北	1503	*	0	*	*	*	*	15	29	58	95	83	93	130	184	171	174	193	147	85	29	*	0
		峡東	448	0	0	0	*	0	*	*	11	17	24	35	25	47	62	48	45	57	44	17	10	0	0
		峡南	243	0	0	0	0	0	*	*	*	*	11	12	10	20	21	29	28	28	33	26	*	*	0
		富士・東部	579	*	0	0	*	0	*	*	*	20	26	35	49	55	67	72	58	76	58	35	12	*	0
	保健所	峡南	243	0	0	0	0	0	*	*	*	*	11	12	10	20	21	29	28	28	33	26	*	*	0
		中北	1503	*	0	*	*	*	*	15	29	58	95	83	93	130	184	171	174	193	147	85	29	*	0
		峡東	448	0	0	0	*	0	*	*	11	17	24	35	25	47	62	48	45	57	44	17	10	0	0
		富士・東部	579	*	0	0	*	0	*	*	*	20	26	35	49	55	67	72	58	76	58	35	12	*	0
総数注2	都道府県	山梨	6593	8	1	3	6	10	20	34	67	135	216	281	396	551	1056	966	917	903	647	285	78	13	0
	医療圏	中北	3551	*	0	*	*	*	14	20	35	83	123	147	221	290	567	534	518	461	331	149	39	*	0
		峡東	1035	0	0	0	*	*	*	*	14	19	36	55	57	92	162	159	136	152	98	32	12	0	0
		峡南	574	0	0	0	0	*	*	*	*	*	15	24	20	43	98	70	78	78	73	39	11	*	0
		富士・東部	1433	*	*	*	*	*	*	12	27	42	55	98	126	229	203	185	212	145	65	16	*	0	
	保健所	峡南	574	0	0	0	0	*	*	*	*	*	15	24	20	43	98	70	78	78	73	39	11	*	0
		中北	3551	*	0	*	*	*	14	20	35	83	123	147	221	290	567	534	518	461	331	149	39	*	0
		峡東	1035	0	0	0	*	*	*	*	14	19	36	55	57	92	162	159	136	152	98	32	12	0	0
		富士・東部	1433	*	*	*	*	*	*	12	27	42	55	98	126	229	203	185	212	145	65	16	*	0	

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)

表62. 医療圏別、保健所別罹患数 : 全部位

B. 上皮内がんを含む

山梨県 2016年

性別	種別	医療圏／保健所	総数注1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
男	都道府県	山梨	4181	6	1	1	2	8	6	13	18	40	74	133	254	344	777	705	670	594	384	125	20	6	0
	医療圏	中北	2249	*	0	0	*	*	*	*	*	29	35	75	146	190	412	397	382	284	192	66	10	*	0
		峡東	656	0	0	0	0	*	0	*	*	*	16	22	36	48	111	123	102	111	57	16	*	0	0
		峡南	355	0	0	0	0	*	*	0	*	0	*	12	16	28	82	46	51	51	41	13	*	*	0
		富士・東部	921	*	*	*	*	*	0	*	*	*	19	24	56	78	172	139	135	148	94	30	*	0	0
	保健所	峡南	355	0	0	0	0	*	*	0	*	0	*	12	16	28	82	46	51	51	41	13	*	*	0
		中北	2249	*	0	0	*	*	*	*	*	29	35	75	146	190	412	397	382	284	192	66	10	*	0
		峡東	656	0	0	0	0	*	0	*	*	*	16	22	36	48	111	123	102	111	57	16	*	0	0
		富士・東部	921	*	*	*	*	*	0	*	*	*	19	24	56	78	172	139	135	148	94	30	*	0	0
女	都道府県	山梨	3206	2	0	2	4	5	34	57	90	144	194	198	205	288	371	367	339	370	299	169	60	8	0
	医療圏	中北	1760	*	0	*	*	*	18	39	51	86	121	103	104	147	203	205	199	200	155	88	30	*	0
		峡東	520	0	0	0	*	*	*	*	19	20	27	39	31	53	73	55	49	61	47	18	10	0	0
		峡南	274	0	0	0	0	0	*	*	*	*	14	15	11	24	22	31	31	33	36	26	*	*	0
		富士・東部	652	*	0	0	*	0	*	*	15	30	32	41	59	64	73	76	60	76	61	37	13	*	0
	保健所	峡南	274	0	0	0	0	0	*	*	*	*	14	15	11	24	22	31	31	33	36	26	*	*	0
		中北	1760	*	0	*	*	*	18	39	51	86	121	103	104	147	203	205	199	200	155	88	30	*	0
		峡東	520	0	0	0	*	*	*	*	19	20	27	39	31	53	73	55	49	61	47	18	10	0	0
		富士・東部	652	*	0	0	*	0	*	*	15	30	32	41	59	64	73	76	60	76	61	37	13	*	0
総数注2	都道府県	山梨	7388	8	1	3	6	13	40	70	108	184	268	331	459	632	1148	1072	1010	964	683	294	80	14	0
	医療圏	中北	4009	*	0	*	*	*	23	46	59	115	156	178	250	337	615	602	581	484	347	154	40	*	0
		峡東	1177	0	0	0	*	*	*	13	22	24	43	61	67	101	184	178	152	172	104	34	12	0	0
		峡南	629	0	0	0	0	*	*	*	*	*	18	27	27	52	104	77	82	84	77	39	11	*	0
		富士・東部	1573	*	*	*	*	*	*	20	37	51	65	115	142	245	215	195	224	155	67	17	*	0	
	保健所	峡南	629	0	0	0	0	*	*	*	*	*	18	27	27	52	104	77	82	84	77	39	11	*	0
		中北	4009	*	0	*	*	*	23	46	59	115	156	178	250	337	615	602	581	484	347	154	40	*	0
		峡東	1177	0	0	0	*	*	*	13	22	24	43	61	67	101	184	178	152	172	104	34	12	0	0
		富士・東部	1573	*	*	*	*	*	*	20	37	51	65	115	142	245	215	195	224	155	67	17	*	0	

注1 総数は年齢不詳を含む

注2 総数は男女および性別不詳の合計

(全県集計を構成する地域単位の集計値について、1件以上10件未満の場合は秘匿のため「*」とする)